

# **DATA SHEET**

4XEM's 3-Port USB-C to HDMI and VGA Multi-Monitor Hub

#### 4XEM Part- 4XMST13



Need more monitors connected but don't have the ports? 4XEM's 3-Port USB-C to HDMI and VGA Multi-Monitor Hub is a premier solution for that problem. This device offers the ability to increase your productivity by utilizing up to two separate screens in conjunction with your main device. Connect, up to, two HDMI monitors and one VGA monitor to your device to expand your work or play station to new heights. Supporting the ability to mirror and extend displays you also can adjust the displays as you see find. Such display applications can include spanning spreadsheets over monitors, panoramic viewing, and editing audio and video clips to name a few. Powered by its USB-C connection this device does not require an additional power source. Spread out your displays and working capabilities with 4XEM's multi-monitor hubs.

**Problem it solves:** Connect three devices to your USB-C enabled display easily with one convenient device.

## 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





# **DATA SHEET**

# Features

- 2 HDMI ports
- 1 VGA port
- USB-C male connector
- Supports Extended and Duplicate screen modes
- Supports 4K ultra-HD video (3840x2160 @ 120Hz)
- Supports Ultra-wide displays
- Powered through USB-C connection
- Windows 10 compatible
- Lightweight and portable design



### Application

- Home theatre
- Office
- Business Presentations
- Multi-screen display

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





# **DATA SHEET**

Warranty Information	Warranty	1 Year
Hardware	Max Uncompressed Bandwidth Industry Standards	HBR3 - 32.4Gbps/25.92Gbps DisplayPort 1.4a Alt-Mode HDMI 2.0
Connector(s)	Connector A (Source) Connector B (Display)	USB Type-C - Male HDMI (x2) - Female VGA - Female
Performance	Audio Specifications Maximum Digital Resolutions Maximum Analog Resolutions	Up to 32 Channels 3840x2160 (4K), 60Hz, 8bpc (Uncompressed) 1920 x1200, 60Hz, 8bpc
Software	OS Compatibility	Windows 10
Power	Power Source Input Voltage Power Consumption	USB Type-C PD (Power Delivery) 5V DC @ 2A 10W
Physical Characteristics	Colour Shell Material Attached Cable Length Product Height Product Width Product Length (Body) Product Length (Overall) Weight of Product	Grey Aluminium 3.83 in [97.4 mm] 0.66 in [16.8 mm] 1.85 in [46.9 mm] 3.77 in [95.8 mm] 9.13 in [232 mm] 1.69 oz [48 g]
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 7.76 in [197mm] 5.83 in [148mm] 0.68 in [17.3mm] 1.90 oz [54 g]
What's in the Box	Included in Package	1x 3-port HDMI/VGA MST Hub
	System Requirements	"DisplayPort 1.2 with MST+HBR2 support from the GPU is required for independent display output. DisplayPort 1.3 support from GPU required for increased bandwidth."
	Notes	"Combined bandwith of all output streams cannot exceed that of the available input bandwidth. External power supply required for proper operation.
* Product appearance and specifications are subject to change without notice.	~	When all 3 ports are occupied, HDMI 1 and VGA will mirror and are recognised by the OS as a single diaplay."
* Same day shipping is only available for orders shipping within the United State	20.	single display."

# 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

