

4XEM UC04 4-Port USB Charger Adapter

4XEM Part- 4XPOWER4USB



4XEM's 4-Port USB Charger Adapter comes with 3 USB charging ports and 1 Quick Charge (QC) port. This fast charging device goes even farther by incorporating the QC 3.0 technology to offer that fastest possible charge for your device. The port is able to automatically detect whichever device you have connected to adjust the voltage to give you the fastest charge. The QC port and its compact, lightweight design make this Adapter the ideal travelling charger. Any USB-charged device is compatible: Android smartphone, iPhone, and iPad to name a few. Travel charged or quickly get back to 100 percent with this 4-port USB charger.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- 3 USB Type A ports
- 1 QC 3.0 Fast charging port
- Lightweight and compact travel size
- No cord for easier travel
- Compatible with any USB-charged device
- Compatible with QC 3.0/2.0/1.0 devices

Application

- Home office
- Small business
- Home Theatre
- Travel
- Desktop



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Ports	1x USB Type-A Quick Charge 3.0 3x USB Type-A
	Power	Direct Attached Non-Polarized NEMA 1-15P
Performance	Industry Standards	Qualcomm QC 3.0
Physical Characteristics	Colour	White
	Display	No
	LED Indicator	N/A
	Cable Length	N/A
	Product Height	1.06 in [26.9 mm]
	Product Width	1.79 in [45.5 mm]
Product Length	Product Length	2.14 in [54.3 mm]
	Weight of Product	2.80 in [71.1 mm] (with power prongs)
		2.0 oz [56 g]
Power	Total Power Budget	18W
	Power Delivery	N/A
	Input Voltage	100-240 VAC @ 0.8A, 50Hz-60Hz
	Output Voltage (QC 3.0)	3.6V-6.5V DC @ 3A
		6.5V-9V DC @ 2A
Output Voltage	9V-12V DC @ 1.5A	
	5V DC @ 3.1A	
Environmental	Operating Temperature	0 to 40°C (32 to 104°F)
	Storage Temperature	-20 to 80°C (-4 to 176°F)
	Humidity	5% to 90% (non-condensing)
Packaging Information	Package Type	Box
	Package Height	3.2 in [81.3 mm]
	Package Width	2 in [50.8 mm]
	Package Length	2 in [50.8 mm]
	Shipping (Package) Weight	2.3 oz [64 g]
What's in the Box	Included in Package	1 - 4-Port USB Charger
Notes	Notes	Maximum power output per port is 12W. Total power output cannot exceed 50W.

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**

