



4XEM's 25W USB-C Charger

4XEM Part- 4XRLC38325WW



Introducing the white 25W Wall Charger with 1 USB-C Port - the ultimate power solution for all your USB-C devices, including the new iPhone 15, and 15 Plus as well as the advanced iPhone 15 Pro and Pro Max. This sleek and compact charger is designed to deliver fast and efficient charging for your laptops, smartphones, and tablets, with Power Delivery technology that guarantees optimal charging speed and efficiency.

Problem it solves: No need to connect your device to a computer for recharging. With the Power Adapter/Wall Charger, you can easily plug into any household outlet for a quick boost! Charge up to 2 devices simultaneously!

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com







Features:

- 1x 25W USB-C port
- Wall mounted charger
- Compatible with any USB charged device
- Compact travel size
- Rounded edges
- Fast Charging

Applications:

- Home
- Office
- Travel
- Meetings
- Classrooms
- Quick Charging





4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information Warranty 1 Year

Connector(s) Charging Port(s) 1x USB Type-C Female

> **Power Source** Non-Polarized NEMA 1-15P (Standard NA Wall Outlet)

> > Fixed with Non-Retractable Prongs

Performance **Industry Standards** USB-PD 3.0 (PPS)

Certifications

Physical Characteristics Colour White

Display No LED Inidicator(s) None Power Cable Length N/A

Product Height 1.03 in [26.2 mm] **Product Width** 1.65 in [42.0 mm] **Product Length** 2.00 in [50.7 mm]

2.65 in [67.2 mm] (with power prongs)

CE

Weight of Product 2.33 oz [40 g]

Power **Total Power Budget** 25W

Power Delivery 25W Max

Input Voltage 100-240VAC, 50Hz-60Hz @ 0.7A

25W: 5V 3A, 9V 2.77A **Output Voltage**

25W PPS: 3.3V-5.9V 3A, 3.3V-11V 2.25A

Environmental Operating Temperature

Storage Temperature

Humidity

32°F to 104°F [0°C to 40°C]

-4°F to 176°F [-20°C to 80°C] 5% to 90% (non-condensing)

Packaging Information Package Type Poly-Bag

> Package Height 4.00 in [101.6 mm] Package Width 3.00 in [76.2 mm] Package Length 1.04 in [26.4 mm]

Shipping (Package) Weight 1.48 oz [42 g]

What's in the Box Included in Package 1x 25W USB-C PPS Charger

Notes Notes

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep tschaus@4xem.com 1-866-999-4936 Ext.104



^{*} Product appearance and specifications are subject to change without notice

^{*} Same day shipping is only available for orders shipping within the United States