

DATA SHEET

4XEM's 8K/4K USB-C to DisplayPort Adapter

4XEM Part- 4XTPC029BA

WWW.4XEM.COM



4XEM's 8K/4K USB-C to DisplayPort adapter is a great solution to connect your USB-C devices to you DisplayPort displays. The adapter supports stunning 8K ultra high-definition video resolution as well as gorgeous 4K video resolution. The adapter is compatible with a wide variety of USB-C and DisplayPort devices, such as modern laptops, monitors, computer towers and TVs. With fast, high-quality bandwidth speeds of up to 32.4 Gbps this adapter supports constant, smooth video refresh rates to offer an uncompromising viewing experience. Your USB-C port must support DP-Alt mode for a proper connection. Connect your USB-C and DisplayPort devices while achieving 8K high-resolution video quality with 4XEM's USB-C to DisplayPort adapter.

Problem it solves: Connect your USB-C devices to your DisplayPort devices with stunning 8K and 4K video capabilities.

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

Features

- Supports 8K video resolution
- Supports 4K video resolution
- DP-Alt mode support required
- USB-C male connector
- DisplayPort female port
- Unidirectional display connection
- Wide variety of compatibilities
- Max uncompressed bandwidth of 32.4 Gbps
- DisplayPort 1.4 with backwards compatibility



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Application

Home theatre

Video QualityMulti-screen display

Office

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 Year
Hardware	Operating Mode Chip ID Direction Max Uncompressed Bandwidth Industry Standards	Passive Via Labs - VL103 Unidirectional HBR3 - 32.40Gbps/25.92Gbps DisplayPort 1.4a Alt-Mode DisplayPort 1.4a
Connector(s)	Connector A (Source) Connector B (Display)	USB Type-C - Male DisplayPort - Female
Performance	Max Uncompressed Bandwidth Maximum Digital Resolutions	HBR3 - 32.40Gbps/25.92Gbps 7680x4320 (8K), 30Hz, 8bpc (Uncompressed) 3840x2160 (4K), 120Hz, 8bpc (Uncompressed)
Power	Power Source	Bus Powered
Physical Characteristics	Adapter Style Color Cable Jacket Type Cable OD Cable Length Total Length Weight of Product	Pig-Tail Black PVC - Poly-Vinyl Chloride 0.20 in [5.00 mm] 6.50 in [165 mm] 10.00 in [254 mm] 0.78 oz [22 g]
Packaging Information	Packaging Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 6.69 in [170 mm] 5.12 in [130 mm] 0.47 in [12 mm] 0.92 oz [26 g]
What's in the Box	Included in Package	1x 8K USB-C to DisplayPort Adaptor
	System Requirements	An available USB Type-C port that supports DP Alt-Mode is required.
	Notes	"This adaptor is unidirectional. It will only function when connecting a USB-C video source to a DisplayPort display. Higher bandwidths (resolution, refresh rate, colour depth) are achievable with DSC (This
 Product appearance and specifications are subject to change without notice. Common day objection is not a writeble for order objection within the United Object 		feature must also be supported by your display and graphics card/video source equipment)."
* Same day shipping is only available for orders shipping within the United States.		

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

