



4XEM USB 3.0 to DVI Display Adapter

4XEM Part- 4XUG3501D



4XEM's USB 3.0 to DVI adapter offers the ability to connect your USB and DVI devices through the USB cable with high quality resolution (up to 2048 x 1152). The device takes the hassle of lengthy setups and removes the need to install additional hardware to connect your DVI displays. The USB connection is backwards compatible with USB 2.0 and offers 5Gbps connection speeds with no extra power source needed. Along with backwards compatibility this device is compatible with various Windows versions (i.e 10/8.1/Vista/XP). Connect your devices easily with 4XEM's USB 3.0 to DVI Display Adapter.

Problem it solves: Connect your DVI displays easily through USB 3.0 connection.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





Features:

- USB3.0 compatibility with USB2.0 compatibility
- Resolution up to 2048 x 1152 (for one display
- Capable Primary / Extend / Mirror Video Mode
- Able to extend the display up to 6 Display units
- Supports DVI-I

Applications:

- Home
- Office
- Display

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

Warranty Information Warranty 1 Year

Hardware Host Bus Type USB 3.0 Interface DVI 24+5 pin

Industry Standards

2x 3.5mm TRS
USB 3.0
DVI-I

 VGA

 Flash
 8MB

 SDRAM
 512MB DDR2

 Chipset ID
 DisplayLink - DL3500

Connector(s) Host Connector USB 3.0 Type-A (5Gbps)

Host Connector Type Direct Attached

Connector Type(s)/Rate(s) DVI 24+5 Female (SL Bandwidth 4.95Gbps)

3.5mm TRS Line In 3.5mm TRS Line Out

Performance Maximim Digital Resolution 2048 x 1152 @ 60Hz, 8bpc

Analog Operation Yes (via DVI to VGA adaptor)

Software OS Compatibility Windows® Vista, 7, 8, 8.1, 10 Mac OSX (10.4 or later)

Linux

Power Power Source USB-Powered

Power Consumption 1V

Physical Characteristics Product Height 0.87 in [22.0 mm]

 Product Width
 2.05 in [52.0 mm]

 Product Length
 3.78 in [96.0 mm]

 Weight of Product
 2.26 oz [64 g]

ColorBlackMaterialABS PlasticCable Length6.10 in [155.0 mm]LED IndicatorsPower/Activity (Green)

Environmental Operating Temperature 0°C to 40°C (32°F to 104°F)
Storage Temperature -10°C to 70°C (14°F to 158°F)

Storage Temperature -10°C to 70°C (14°F to 158°F)
Humidity 10% to 90% RH (non-condensing)

Packaging Information Package Height 2.09 in [53.0 mm]

Package Width 8.27 in [210.0 mm]
Package Length 5.51 in [140.0 mm]

Shipping (Package) Weight 9.45 oz [268 g]

What's in the Box Included in Package USB 3.0 DVI Adapter DVI-VGA Adaptor

DVI-VGA Adaptor
DVI-HDMI Adaaptor
Paper Driver CD
Instruction Manual

Special Notes / Requirements Minimum System Requirements Available USB port

CPU: Intel Core 2 Duo @ 2.0GHz

 * Product appearance and specifications are subject to change without notice. RAM: 1GB

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

