



4XEM USB 3.0 Dual 2K Universal Docking Station

4XEM Part- 4XUG39DK7



Introducing the 4XEM USB 3.0 Dual 2K Universal Docking Station – a powerhouse of connectivity designed to meet the demands of public sector users with unparalleled efficiency.

The docking station supports dual displays with a maximum resolution of 2560 x 1600 at 60Hz, providing a crystal-clear visual experience for productivity-driven tasks. With two displays supported, public sector professionals can enhance their multitasking capabilities, fostering a seamless and efficient workflow.

Elevate your workspace with the 4XEM USB 3.0 Dual 2K Universal Docking Station – where performance meets reliability, and connectivity meets efficiency, making it the ideal choice for public sector professionals.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com







Features

- Dual 2K display support
- 6 USB ports, including a fast-charge port for efficient device management
- RJ-45 Ethernet Network support
- Audio/Mic in and out audio support
- Compatible with Windows, Mac, and Android operating systems
- Sleek black aluminum shell for a sophisticated workspace
- 1-year warranty for added peace of mind
- Quick and easy setup with included AC adapter, USB 3.0 cable, and DVI to VGA adapter

Application

- · Home theatre
- Office Space
- Classroom presentations
- · Business Presentations





4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

1 Year Warranty Information Warranty

4K Support No Features/Hardware Displays Supported 2 USB Ports 6 Yes Fast-Charge Port(s) Yes Network

SD Card Reader No Audio Yes Power Delivery No No Lock Slot **HDMI 1.1** Industry Standards DVI-I SI **HDCP 1.4**

Chipset ID DisplayLink - DL3900

Host Bus Type USB 3.0 (5Gbps) Connector(s) USB Type-B (SuperSpeed) Host Connector

Detachable Host Connector Cable

Connector Type(s) 1x HDMI 1.1 (4.95Gbps) 1x DVI-I SL (4.95Gbps)

1x USB Type-A (5Gbps - Fast Charging) 3x USB Type-A (5Gbps) 2x USB Type-A (5Gbps USB 3.0 SuperSpeed) 1x RJ-45 (10/100/1000Mbps)

1x 4-pole TRS 3.5mm Phono Jack - Audio In/Out

1x DC Power Input

2560 x 1600 @ 60Hz Maximum Digital Resolutions Performance 5.1 Channel Surround Sound

Windows 7, 8, 8.1, 10 or later OS Compatibility

Mac OS X 10.0 or Later Android v5.0 Lolipop or later

Included AC Adapter (100-240VAC, 50/60Hz, 0.1A Max , CLASS ${\rm II}$) Power Source Power

Power Adaptor Style 36W Power Consumption 12V DC @ 3A Input Voltage N/A Power Delivery

Gray/Black **Physical Characteristics** Colour Shell Material Aluminum

None Buttons/Switches Power: Blue LED Indicators 1.03 in [26.2 mm] Product Height Product Width 3.11 in [79 mm] 7.63 in [194 mm] Product Length 35.2 oz [1 kg] Weight of Product

32°F to 104°F [0°C to 40°C] @ 10%-90% RH (Non-Condensing) Environmental Operating Temperature 14°F to 158°F [-10°C to 70°C] @ 10%-90% RH (Non-Condensing)

Storage Temperature

2.1 lbs [1.2 kg] Shipping (Package) Weight Packaging Information 3.5 in [88.9 mm] Package Height

Package Width 6.3 in [160 mm] Package Length 11.1 in [281.9 mm]


Included in Package 1x USB 3.0 Universal Docking Station What's in the Box

1x SuperSpeed USB 3.0 Cable 1x DVI to VGA Adapter 1x DC12V Power Adapter 1x Quick Start Guide

Higher video resolutions only available when using a single HDMI output Notes Notes / Special Requirements

64 bit and Vista OS versions NOT supported

^{*} Same day shipping is only available for orders shipping within the United States.





Software

^{*} Product appearance and specifications are subject to change without notice.