



4XEM's 100W USB-C Power Adapter

4XEM Part- 4XUSBCPOWER100W



Experience unrivaled charging capabilities with the 4XEM 100W USB-C Power Adapter. With an impressive 100W power output, this adapter ensures fast and efficient charging for all your USB-C devices. Say goodbye to waiting around for your devices to charge and embrace the speed and convenience of the 4XEM Power Adapter.

Designed with industry-leading standards in mind, it supports USB Power Delivery (PD) 3.0 and Qualcomm Quick Charge (QC) 3.0. This means you can rely on optimal charging performance for all your gadgets, keeping you connected and productive. With its impressive total power budget of 100W and power delivery capabilities of up to 100W, the 4XEM Power Adapter can charge even power-hungry devices efficiently and quickly. Embrace the future of charging technology with 4XEM!

Charging cable sold separately.

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com







Features

- 1x USB Type-C Female Port
- Retractable Prongs fit for standard NA wall outlet
- Meets USB-PD 3.0 and Qualcomm-QC 3.0 industry standards
- 100W Total Power Budget
- Supports full 100W Power Delivery
- Compatible with any USB enabled device Samsung, Apple, mobile devices, MacBooks, laptops and more

Compatibility Examples:

- Google Pixel 3/2 +
- Samsung Galaxy S9/20 and more
- Tablets
- Modern (2018+)
 MacBooks
- Laptops
- And more USB enabled devices





DATA SHEET

Warranty Information Warranty 1 year

Connector(s) Charging Port(s) 1x USB Type-C Female

Power Non-Polarized NEMA 1-15P (Standard NA Wall Outlet)

Fixed with Retractable Prongs

Performance Industry Standards USB Power Delivery (PD) 3.0

Qualcomm Quick Charge (QC) 3.0

Physical Characteristics Color White

Display No
LED Indicator No
Power Cable Length N/A

Product Height 3.17 in [80.5 mm]
Product Width 1.15 in [29.3 mm]
Product Length 3.16 in [80.3 mm]

3.77 in [95.8 mm] (with power prongs out)

Weight of Product 6.91 oz [196 g]

Power Total Power Budget 100W

Power Delivery 100W

Input Voltage 100-240VAC, 50Hz-60Hz @ 1.5A

Output Voltage 5V-20.3V DC @ 5A (Max)

Environmental Operating Temperature 0°C to 40°C (32°F to 104°F)

Storage Temperature -20°C to 80°C (-4°F to 176°F)

Humidity 5% to 90% (non-condensing)

Packaging Information Package Type Box

Package Height 6.37 in [162.0 mm]
Package Width 3.84 in [97.6 mm]
Package Length 1.51 in [38.3 mm]
Shipping (Package) Weight 8.04 oz [228 g]

What's in the Box Included in Package 1x 100W USB-C Charger

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

^{*} Product appearance and specifications are subject to change without notice.

^{*} Same day shipping is only available for orders shipping within the United States.