

DATA SHEET

4XEM USB-C 45W FAST CHARGING QUICK CHARGE 3.0 WALL CHARGER

4XEM Part- 4XUSBCPOWER45W



Introducing the 4XEM USB-C 45W Fast Charging Quick Charge 3.0 Wall Charger - your perfect companion for powering up your devices in a flash! With cutting-edge technology and a sleek design, this charger is built to impress.

Equipped with 1x USB Type-C Female charging port, you can effortlessly plug in your devices for rapid charging. The charger is designed to work with the standard North American wall outlet, and features fixed non-retractable prongs.

With the included 45W USB-C Charger, you'll never have to worry about running out of power again. Get your hands on the 4XEM USB-C 45W Fast Charging Quick Charge 3.0 Wall Charger and experience the ultimate in charging technology today!

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Features:

- 1x USB Type-C Female Port
- Non-Retractable Prongs for NA Wall Outlet
- 45W Power Delivery and total power budget
- Meets USB-PD 3.0 PPS and Qualcomm (QC) industry standards
- Compatible with a wide variety of USB-C enabled devices – mobile phones, wireless earbuds, many MacBook versions (USB-C enabled Airs and Pros), tablets and laptops



Compatibility Examples:

- Google Pixel 3/2+
- Samsung Galaxy S9/20 and more
- Tablets
- Modern (2018+) MacBooks
- Laptops
- And more USB enabled devices



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Port(s) Power	1x USB Type-C Female Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non- Retractable Prongs
Performance	Industry Standards	USB-PD 3.0 PPS Qualcomm (QC) 3.0
Physical Characteristics	Color Display LED Inidicator Power Cable Length Product Height Product Width Product Length Weight of Product	White No None N/A 1.19 in [30.2 mm] 2.10 in [53.3 mm] 2.71 in [52.8 mm] 3.15 in [80.0 mm] (with power prongs out) 2.89 oz [82 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage (PD) Output Voltage (PD PPS)	45W 45W 100-240VAC, 50Hz-60Hz @ 1.2A 5V DC @ 3A 9V DC @ 3A 15V DC @ 2A 20V DC @ 1.5A 3.3V-11.0V DC @ 4.05A 3.3V-16V DC @ 2.8A 3.3V-21.0V DC @ 2.1A
Environmental	Operating Temperature Storage Temperature Humidity	0°C to 40°C (32°F to 104°F) -20°C to 80°C (-4°F to 176°F) 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-Bag 5.91 in [150 mm] 3.94 in [100 mm] 1.21 in [30.8 mm] 2.96 oz [84 g]
What's in the Box	Included in Package	1x 45W USB-C Charger

* Product appearance and specifications are subject to change without notice.

* All Specs, Weights and Measurements are approximate.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

