



4XEM 4-Port VGA Splitter 250

MHz 4XEM Part- 4XVGASP3508



4XEM's 8-Port VGA Video Splitter simultaneously delivers high resolution VGA video from a single source to up to two separate monitors. With support up to 250MHz VGA video bandwidth and resolutions up to 1920 x 1440, this high performing splitter offers superior image quality. Monitors can be positioned up to 213ft away from the VGA video source. Simple to install and featuring side connection ports, this durable unit can lay flat on or under your workspace. Perfect for classrooms, tradeshows, or in-store displays when you need high quality video on two monitors.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





**DATA SHEET** 

#### **Features:**

- Supports 350MHz video bandwidth
- Supports distances up to 213ft
- Supports resolutions up to 2048×1536 @ 80Hz
- Simple plug and play installation
- Compatible with VGA, SVGA and Multisync monitors
- High quality construction and high-resolution support
- Maintains signal strength for clean, sharp imaging

#### **Applications:**

# What is VGA?

Home

- Connections
- Office
- Splitter

A Video Graphics Array (VGA) connector is a three-row 15-pin DE-15 connector. The 15-pin VGA connector was provided on many video cards, computer monitors, laptop computers, projectors, and high definition television sets. On laptop computers or other small devices, a mini-VGA port was sometimes used in place of the full-sized VGA connector.

Many devices still include VGA connectors, although VGA generally coexisted with DVI as well as the newer and more compact HDMI and DisplayPort interface connectors.



### **4XEM Products Are Available At Your Favorite Online Retailers**

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **SPECIFICATIONS:**

| Warranty Information     | Warranty   | Lifetime                             |
|--------------------------|--|--------------------------------------|
| Hardware                 | Active or Passive cable Chip ID Direction Connector Plating Number of Conductors | N/A<br>N/A<br>In+Out<br>Silver<br>15 |
| Connector(s)             | Connector (x8)   | VGA Female (in/out)                  |
| Performance              | Bandwidth/Resolutions  | 2048x1536, 1920x1080                 |
| Physical Characteristics | Color<br>Product Length  | Black<br>7.3 in                      |
|                          | Product Width Product Height Product Weight                                      | 3.75 in<br>1.75 in<br>1 lbs          |
| Packaging Information    | Product Height   | 3.75 in<br>1.75 in                   |

### **4XEM Products Are Available At Your Favorite Online Retailers**

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



<sup>\*</sup> Product appearance and specifications are subject to change without notice. All weights and measurements are approximate

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States