

**DATA SHEET** 

#### **4XEM Wireless 200M VGA Extender**

4XEM Part- 4XWLSVGA200M



4XEM Long range 200M wireless extender AV VGA transmitter and receiver kit supports up to 656FT/200M at 1080P. It extends high definition audio and video to any compatible display with up to 656FT @1080P. Don't let those pesky wires prevent you from running your signal to where it needs to go, or clean up your space by removing the wires entirely. 4XEM's trusted equipment will serve all of your wireless transmission needs.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com







## Features:

- transmits VGA signal from source device to display device up to 200M wireless
- full HD 1080P transmission and full compliance with VGA
- supports IR remote control function to control source device content from long distance
- easy and quick installation
- no cables needed between sender (TX) and receiver (RX)



# Application(s):

- Wireless Transfer
- Long Distance
- De-Cluttering
- Audio Transmission
- Video Transmission



**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





### **DATA SHEET**

#### SPECIFICATIONS:

1 Year Warranty Warranty Information

**Transmit Unit Connectors** Connector(s)

VGA (DB-15) Input 3.5mm 3-Pole TRS Mini-Jack (Audio in) Antenna Connector

DC input

Receiver Unit Connectors VGA (DB-15) Output

3.5mm 3-Pole TRS Mini-Jack (Audio out)

Antenna Connector

DC input

LED Indicators Power Indicators Signal

Black

Color Physical Characteristics Material Metal

Product Height

1.31 in [33.4 mm] (with antenna in upright position - 8.19 in [208 mm]) 6.79 in [172.5 mm] (incl side mounts - 7.68 in [195 mm]) Product Width

**Product Length** 

3.78 in [96 mm] (with antenna in upright position - 5.30 in [134.6 mm])
1.20 lbs [544 g] (with antenna - 1.27 lbs [570 g])
1.17 lbs [530 g] (with antenna - 1.23 lbs [556 g]) Weight of Transmitter Weight of Receiver

Antenna OD 0.51 in [13 mm] 8.86 in [225 mm] Antenna Length

Max Distance 656 ft [200 m] Performance Transport Protocol **HDbitT** 

VGA Signal **RGBHV** 

1920x1080@60Hz; 1680x1050@60Hz; 1440x900@60Hz; Supported Resolutions 1360x768@60Hz; 1280x1024@60Hz; 1280x960@60Hz; 1280x720@60Hz; 1024x768@60Hz; 800x600@60Hz

Power Source AC/DC Adaptor Power

Input Voltage 5V DC Input Current 3A 9W Tx Power Consumption

Rx Power Consumption 6.5W

0°C~60°C Operating Temperature Environmental

Packaging Information

Shipping (Package) Weight Package Height 3.67 lbs. [1.7 kg] 3.15 in [80 mm] Package Width 240 mm Package Length 178 mm

1x VGA Wireless Transmitter Included in Package What's in the Box

1x VGA Wireless Receiver 2x 5V DC/3A Power Adaptors

2x Antennas

2x 1.4m 3.5mm audio cables

### 4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



<sup>\*</sup> Product appearance and specifications are subject to change without notice.

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States.