

DEWALT®



**TOOL
MASTER**



MATERIAL HANDLING CATALOGUE

INDEX

GUARANTEED TOUGH.

Dewalt hand trucks are built from the ground up to support the heaviest of loads. Designed to raise the bar on toughness and durability. With a load bearing capacity of up to 2200 lbs you can be sure these trucks can bear more than you can lift.

When you're moving a heavy stack of panels or bags of cement, you want to have confidence in the equipment you use. Dewalt trucks allow you to move heavy items securely and easily.

Dewalt trucks are Guaranteed Tough.



HANDTRUCKS

| | |
|---------------------|--------|
| DXWT-101 | Page 4 |
| DXWT-101-KIT | Page 4 |
| DXWT-100 | Page 5 |
| DXWT-100-KIT | Page 5 |
| DXWT-512 | Page 6 |
| DXWT-500 | Page 7 |
| DXWT-501 | Page 7 |
| DXWT-502 | Page 7 |



DOLLIES & CARTS

| | |
|-----------------|--------|
| DXWT-710 | Page 8 |
| DXWT-200 | Page 9 |
| DXWT-201 | Page 9 |
| DXWT-202 | Page 9 |
| DXWT-504 | Page 9 |



ACCESSORIES

| | |
|-----------------|---------|
| DXWT-900 | Page 11 |
| DXWT-508 | Page 11 |
| DXWT-301 | Page 11 |
| DXWT-509 | Page 11 |
| DXWT-510 | Page 11 |



STEEL CORE FLAT FREE PU WHEEL

The innovative Steel Core wheel has a solid PU tire cast around a hollow steel core. It runs on full width needle bearings in a steel cage. This construction offers a tremendous loading capacity of 250kg (550 lbs) per wheel. The solid PU tire cannot spring a leak. It can never run off the hub. It's the wheels that make or break the truck under heavy load bearing. Dewalt Steel Core wheels are Guaranteed Tough.



DXWT-101-KIT EXTENDED BACK STEEL HANDTRUCK WITH KIT



Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



Large extended Backrest for safe and easy manoeuvring of large loads. Ideal for moving appliances or large boxes. The extended back allows you to securely strap oversized goods to the truck. The foldable platform greatly increases the loading area.

Designed to raise the bar on toughness and durability. Oversized tubing with matte epoxy based powder coat ensures a good grip, wherever you need to grab hold of the frame.

A no-frills all-steel truck that can take a beating. Runs on unique flat free DEWALT Steel Core 12" Wheels.

KIT Includes:
- 4pc Load Protector Set
- Extendable Platform

SPECIFICATIONS

| | |
|------------------|-----------------------------------------------------------|
| Capacity | 550kg (1200 lbs) 250kg (550lbs) with platform extended |
| Wheels | 300mm (12inch) |
| Load Plate | 47x22.7cm |
| Outer Dimensions | 57x53/86x145cm |
| Barcode | EAN 8717496637062 |

ALSO AVAILABLE:



DXWT-101 EXTENDED STEEL HANDTRUCK

No extendable platform. No load blocks. No frills.
All the same toughness and heavy loading capacity.
Runs on unique flat free DEWALT Steel Core 12" Wheels.

Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



SPECIFICATIONS

| | |
|------------------|-------------------|
| Capacity | 550kg (1200 lbs) |
| Wheels | 300mm (12inch) |
| Load Plate | 47x22.7cm |
| Outer Dimensions | 57x53x145cm |
| Barcode | EAN 8717496636799 |

DXWT-100-KIT STEEL HANDTRUCK WITH KIT



Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



The large loop handle allows the truck to lay flat on its back for easy loading of loose goods. Perfect for moving bags of plaster where an extended back rest is not needed.

Designed to raise the bar on toughness and durability. Oversized tubing with a matte epoxy based powder coat ensures a good grip, wherever you need to grab hold of the frame.

A no-frills all-steel truck that can take a beating. Runs on unique flat free DEWALT Steel Core 12" Wheels.

KIT Includes:
- 4pc Load Protector Set
- Extendable Platform

SPECIFICATIONS

| | |
|------------------|-----------------------------------------------------------|
| Capacity | 550kg (1200 lbs) 250kg (550lbs) with platform extended |
| Wheels | 300mm (12inch) |
| Load Plate | 47x22.7cm |
| Outer Dimensions | 57x53/86x122cm |
| Barcode | EAN 8717496637055 |

ALSO AVAILABLE:



DXWT-100 STEEL HANDTRUCK

No extendable platform. No load blocks. No frills.
All the same toughness and heavy loading capacity.
Runs on unique flat free DEWALT Steel Core 12" Wheels.

Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



SPECIFICATIONS

| | |
|------------------|-------------------|
| Capacity | 550kg (1200 lbs) |
| Wheels | 300mm (12inch) |
| Load Plate | 47x22.7cm |
| Outer Dimensions | 57x53x122cm |
| Barcode | EAN 8717496636782 |



DXWT-512 **FOLDING HAND TRUCK**



The DEWALT Foldable Hand Truck, Tough Hand Truck ideal for jobsites and home.

Ideal for moving appliances or boxes.

Designed to raise the bar on toughness and durability.

Oversized tubing with matte epoxy based black powder coat, comfort handle and push button so Hand Truck will folds in seconds.

A no-frills foldable Hand Truck that can take a beating.

Runs on unique designed DEWALT TPR Wheels

SPECIFICATIONS

| | |
|------------------|--------------------------------|
| Capacity | 420kg (925lbs) |
| Wheels | 175mm (6,89inch) Steel Core PU |
| Load Plate | 51x35,5cm |
| Outer Dimensions | 20,6x31x46,6cm |
| Barcode | 8117496637406 |



DXWT-500 ALL-IN-ONE HANDTRUCK

Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



All-in-one design: P-Handle let's truck lay flat on it's back for easy loading. Regular handles provide a wider grip for more stability. Obstacle climbing guides allow you to traverse steps and stairs easily. Extendable load plate for over sized or loose goods. Extra wide loading plate accomodates larger boxes stable and secure.

SPECIFICATIONS

| | |
|------------------|----------------------------------------------------------|
| Capacity | 400kg (880lbs) and 150kg (330lbs) with platform extended |
| Wheels | 260mm (10inch) Steel Core PU |
| Load Plate | 50x23cm |
| Outer Dimensions | 60x50x132cm |
| Barcode | EAN 8717496637284 |

DXWT-501 P-HANDLE HANDTRUCK

P-Handle Design: Popular handle for delivery applications. The truck can be moved with one hand. The Narrow grip is perfect for moving through tight corners. Ideal for lighter applications where speed and maneuverability are important. Runs on unique DEWALT Steel Core 10" wheels.

SPECIFICATIONS

| | |
|------------------|------------------------------|
| Capacity | 400kg (880lbs) |
| Wheels | 260mm (10inch) Steel Core PU |
| Load Plate | 40x23cm |
| Outer Dimensions | 60x50x132cm |
| Barcode | EAN 8717496637291 |

Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



DXWT-502 STEEL HANDTRUCK

Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



Regular handle design: Popular handle choice with integrated knuckle protection. Wide grip is better suited for carrying heavy loads. Ideal for lighter applications where speed and maneuverability are important. Runs on unique DEWALT Steel Core 10" wheels.


SPECIFICATIONS

| | |
|------------------|------------------------------|
| Capacity | 400kg (880lbs) |
| Wheels | 260mm (10inch) Steel Core PU |
| Load Plate | 40x23cm |
| Outer Dimensions | 60x50x132cm |
| Barcode | EAN 8717496637307 |

**DOLLIES
& CARTS**



**DXWT-710
FOLDING PLATFORM CART**



SOFT GRIP HANDLE

100% FULLY FOLDABLE DESIGN

MOVE LARGER OBJECTS WHEN PARTIALLY FOLDED

ULTRA STRONG PLATFORM

FLAT-FREE WHEELS

PROTECTORS

SPECIFICATIONS

| | |
|-------------------|-----------------|
| Capacity | 200kg (440lbs) |
| Wheels | 127mm (5inch) |
| Platform Size | 82.8x54.5mm |
| Outer Dimensions | 82.8x54.5x899mm |
| Folded Dimensions | 82.8x54.5x105mm |



Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



DXWT-200 / DXWT-201 STEEL DOOR DOLLIES

Move full size sheets or doors easy and single-handed. The hinged clamping action allows loading by a single person. Includes anti-slip surface to prevent plates from sliding. Runs on 12" Steel Core wheels designed to withstand running on edge.

| SPECIFICATIONS | DXWT-PS200 | DXWT-PS201 |
|------------------|-------------------|-------------------|
| Capacity | 500 kg (1100 lbs) | 500 kg (1100 lbs) |
| Wheels | 300mm (12inch) | 300mm (12inch) |
| Clamping Action | 40 to 120mm | 80 to 200mm |
| Outer Dimensions | 360x400x440mm | 400x400x400mm |
| Barcode | EAN 8717496636805 | EAN 8717496636812 |

DXWT-202 STEEL PANEL CART

Designed to move stacks of plasterboard or panels. Bolted assembly of backrest and push rods. Includes anti-slip surface to prevent plates from sliding. Runs on 12" Steel Core wheels.

SPECIFICATIONS

| | |
|------------------|-------------------|
| Capacity | 500 kg (1100 lbs) |
| Wheels | 300mm (12inch) |
| Max Plate Stack | 180mm |
| Outer Dimensions | 215x430x1040mm |
| Barcode | EAN 8717496636829 |



Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



Runs on
**STEEL CORE
FLAT FREE
PU WHEEL**



DXWT-504 STEEL PLATFORM CART

Solid PU tires cannot spring a leak. Swivel wheels can be installed front or back. Large diameter wheels for moving over uneven terrain.

SPECIFICATIONS

| | |
|------------------|-------------------|
| Capacity | 400kg (880lbs) |
| Wheels | 250mm PU Casters |
| Platform Size | 605x905mm |
| Outer Dimensions | 915x615x864mm |
| Barcode | EAN 8717496637321 |

ACCESSORIES

STEEL CORE FLAT FREE PU WHEEL

The innovative Steel Core wheel has a solid PU tire cast around a hollow steel core. It runs on full width needle bearings in a steel cage. This construction offers a tremendous loading capacity of 250kg (550 lbs) per wheel. The solid PU tire cannot spring a leak. It can never run off the hub. It's the wheels that make or break the truck under heavy load bearing. Dewalt Steel Core wheels are Guaranteed Tough.





DXWT-900 300MM STEELCORE PU WHEEL

DEWALT DXWT-900 Steel Core PU Wheel 12" 250kg 300mm innovative "Steel Core" flat free wheel. Heavy duty load capacity. Minimal PU compression to accommodate heavy loadings. Designed to withstand running on edge. Not for highway use.

SPECIFICATIONS

| | |
|----------------|---------------|
| Capacity | 250kg |
| Outer Diameter | 300mm |
| Axle Diameter | 25mm |
| Barcode | 8717496636911 |




DXWT-508 260MM STEELCORE PU WHEEL

Environmentally safe. Tüv Certified to EU REACH standards and the stricter German GS standard. Wide steel needle bearing in plastic cage with dust seals. Solid PU tire cannot spring a leak. Not for highway use.

SPECIFICATIONS

| | |
|----------------|---------------|
| Capacity | 250kg |
| Outer Diameter | 250mm |
| Axle Diameter | 25mm |
| Barcode | 8717496637369 |



DXWT-301 EXTENDABLE PLATFORM

DEWALT DXWT-301 Extendable Platform Kit. Includes 2 shoulder screws for attachment to the truck frame. For use on DXWT-100 and DXWT-101 series. Enables transport of loose or oversized goods.

SPECIFICATIONS

| | |
|------------------|---------------|
| Capacity | 250kg |
| Usable Load Area | 50x30cm |
| Material | Steel |
| Barcode | 8717496636874 |



DXWT-300 SOLID PU LOAD PROTECTORS

Anti marring solid PU load blocks. Snaps onto any 32mm frame tube. Can be used on all DEWALT trucks.

SPECIFICATIONS

| | |
|----------|---------------|
| Material | PVC |
| Barcode | 8717496636867 |



DXWT-509 200MM FIXED CASTER WHEEL

For item DXWT-PS504. 200mm Tire diameter with rugged profile gets the truck over rough terrain

SPECIFICATIONS

| | |
|----------------|---------------------|
| Capacity | 100kg |
| Outer Diameter | 200mm |
| Material | Steel Hub & PU Tire |
| Barcode | 8717496637376 |



DXWT-510 200MM SWIVEL CASTER WHEEL

For item DXWT-PS504. 200mm Tire diameter with rugged profile gets the truck over rough terrain

SPECIFICATIONS

| | |
|----------------|---------------------|
| Capacity | 100kg |
| Outer Diameter | 200mm |
| Material | Steel Hub & PU Tire |
| Barcode | 8717496637383 |



Kopersteden 24-6
7547 TK Enschede

053 - 208 48 20
info@toolmaster.nl

TOOLMASTER.NL