# **DURALON® BLUE COOKWARE**



#### **Owner's Manual**

Model: 31405 / 31406 / 31407 / 31408 / 31409



Questions or Concerns? support@nuwavenow.com

# **DURALON® BLUE** COOKWARE



#### Congratulations on your purchase of NuWave® Duralon® Blue Ceramic Non-Stick Cookware! Our mission is to provide products that promote healthy living and improve the quality of your life. You now have cookware with technologically advanced Duralon® Ceramic Non-Stick Coating. This coating is extremely convenient because food easily slides off. Cleanup is simple because the ceramic surface easily washes clean.

Unlike other traditional cookware, cooking with NuWave® Duralon® Blue Ceramic Non-Stick Cookware is healthier because unwanted fats and oils are not necessary. Ceramic coating, in general, is stronger and more resistant to abrasions than other non-stick materials that may contain chemicals such as perfluorooctanoic acid ("PFOA"), which has been linked to certain types of cancer, or polytetrafluoroethylene ("PTFE"), which may start to degrade at temperatures over 500°F. Our NuWave® Duralon® Blue Ceramic Non-Stick Cookware does not contain either, and has been developed to provide many years of satisfaction and enjoyable cooking!



## THANK YOU!

We would love to hear from you. Please feel free to reach out with any feedback or comments that could improve your experience. We would also enjoy hearing about your successes. The best way to reach us is by email: support@nuwavenow.com





support@nuwavenow.com

nuwavenow.com/register

### **Register Today!**

Protecting your investment is easy and rewarding. Simply scan the QR code or visit nuwavenow.com/register to register. When you register, simply opt in for additional year of warranty. Don't worry. There is no catch. We are extending it absolutely FREE to show our appreciation!

## CONTENTS

Parts	4
Cookware Construction	5
Cooking	6
Maintenance	7
Induction	8
Warranty and Warning	9-11

Para la versión en español de este manual, visita *www.nuwavenow.com* 

#### Connect with Us!



#nuwavenow Visit nuwavenow.com to see other great products and accessories.



### 7-PC FORGED DURALON<sup>®</sup> BLUE NON-STICK COOKWARE

Image	Cookware	Model				
		Cool Grey	Vanilla Cream	Cozy Blue	Rosemary Green	Rustic Copper
	Full 7-pc Forged Duralon Non-Stick Set	31405	31406	31407	31408	31409
	1.5Qt Saucepan	31451	31451C	31451B	31451G	31451P
	Lid	32036				
	2Qt Saucepan	31452	31452C	31452B	31452G	31452P
	Lid			32037		
	5Qt Stock pot	31455	31455C	31455B	31455G	31455P
	Lid	32040				
	9.5" Fry pan	31448	31448C	31448B	31448G	31448P

### COOKWARE DURALON® BLUE COOKWARE CONSTRUCTION




#### **IMPORTANT SAFEGUARDS**

- Do not allow children near an open flame or heating surface unsupervised.
- · Lids and cookware may become hot during prolonged cooking.
- To avoid injury, always use oven mitts or pot holders when handling hot cookware.
- · Use caution when removing lids as steam may accumulate inside the cookware.
- · Do not leave your cookware unattended while in use.

NuWave<sup>®</sup> Duralon<sup>®</sup> Healthy Ceramic Non-Stick Cookware is compatible with common heating sources such as gas and electric stoves, as well as induction cooktops. Induction is the safest heating method because it transfers magnetic energy to the cookware, creating even heat distribution without wasting energy.

#### WORKS WITH ALL STOVETOPS



## COOKING

#### Utensils

The NuWave Culinary Team recommends the use of high-heat-rated, silicone-based tools for cooking foods. Do not use metal utensils while cooking. Never attempt to cut foods while they are in the cookware. Any misuse of the coating will void the warranty; refer to the Limited Warranty.

#### **Recommended Heating**

Your NuWave Duralon® Blue Ceramic Non-Stick Cookware can handle high heat. It has been tested at temperatures up to 900°F, coming out unscathed.

However, long-term or repeated exposure to such heat can cause food to scorch, burn, or discolor the cookware and potentially damage the coating. Therefore the maximum recommended ambient temperature in an oven is 500°F, while maximum safe temperature for your glass lids is 350°F. You may sear foods in your cookware at high heat for short periods of time but note that keeping the temperature down to 450°F or below will increase the useful life of the ceramic coating from 30%–50%. For best results, allow pan to heat between 280° F~300° F for up to 1 minute before inserting and cooking foods. Avoid preheating empty pans above 300° F.

#### Smoke Point

If using oil, do not exceed the oil's smoke point.

The smoke point of oil is the temperature at which it begins to break down to glycerol and free fatty acids, producing bluish smoke. The smoke point also signifies the beginning of flavor and nutritional degradation.

Oil Type	Smoke Point		
Rice Bran Oil	490°F		
Grapeseed Oil	485°F		
Canola Oil	435°F		
Extra-Virgin Olive Oil	405°F		
Peanut Oil	440°F		
Sesame Oil	410°F		
Sunflower Oil	440°F		
Almond Oil	420°F		

Smoke points can vary dependent upon many different factors. Consult the list of common oil types (*right*) and their median smoke point. Always practice caution when cooking with oil.

## MAINTENANCE CLEANING AND CARE

NuWave Duralon Ceramic Cookware is an investment that is meant to last for years. The following instructions will not only help you properly maintain your cookware, but they will also help to extend your cookware's life to the fullest.

While NuWave Duralon Cookware is 100% dishwasher-safe, we highly recommend hand-washing your cookware with a mild liquid soap in order to maximize the longevity of the non-stick coating.

#### Always:

- Let your cookware cool on the counter or stovetop, away from heat, before washing it.
- Hand wash your cookware.
- Wash your cookware with a mild liquid dish soap and a non-abrasive cloth or sponge.
- Rinse your cookware thoroughly and dry it with paper towels or a soft cloth.
- Use silicone or wooden tools when cooking.
- Use a hanging rack to store your cookware (where possible).

#### Never:

- Use harsh abrasives, metal scrubbers, or heavy-duty cleaning chemicals. They will damage the Duralon coating, inhibiting functionality and voiding the warranty.
- Run cold or warm water over hot cookware and do not immerse hot cookware in water. This can also damage the Duralon coating.
- Scrape the surface of your cookware with metal.
- Store your cookware stacked in such a way that the coating can be scratched or otherwise damaged.
- Heat your cookware above 450°F.


## **PRECISION INDUCTION COOKTOP (PIC)**

#### About the NuWave® Precision Induction Cooktop

NuWave® Duralon® Blue Ceramic Non-Stick Cookware is compatible with common kitchen heat sources such as gas and electric stoves, as well as induction cooktops. Induction is the safest and most efficient heating method because it uses magnetic energy to make the cookware itself quickly and evenly heat up without wasting energy.

The NuWave® PIC offers precise temperature control programmable in  $5^{\circ}$ -10°F increments, allowing you to be exact so you can forget about undercooking, overcooking or burning the food. The NuWave® PIC ranges from a low temperature of 100°F to maximum searing temperature of 575°F.

Paired with your NuWave® Duralon® Blue Ceramic Non-Stick Cookware, they make the perfect kitchen combination.



For more information regarding induction cooking, NuWave® Precision Induction Cooktop™ products or recipes, visit: **www.nuwavenow.com** 

#### THE MANUFACTURER WARRANTS

## LIMITED WARRANTY

NuWave, LLC warrants that this NuWave Duralon Healthy Non-Stick Cookware will be free from manufacturer defects for 10 YEARS from the date of purchase, under normal household use, and when operated in accordance with the Manufacturer's written instructions This Limited Warranty does not cover the ceramic coating and is valid only for the original purchaser and cannot be transferred. The Manufacturer will provide the necessary parts and labor to repair the product at the NuWave LLC Service Department. After the expiration of the warranty, the cost of the parts and labor will be the responsibility of the owner.

#### THE WARRANTY DOES NOT COVER

The Limited Warranty is voided if repairs are made by an unauthorized dealer, or the serial number data plate is removed or defaced. Normal deterioration of finish due to use or exposure is not covered by this Warranty. This Limited Warranty does not cover failure, damages or inadequate performance due to accident, acts of God (such as lightning), fluctuations in electric power, alterations, abuse, misuse, misapplications, corrosive-type atmospheres, improper installation, failure to operate in accordance with the Manufacturer's written instructions, abnormal use, commercial or rental uses, or resold units. NuWave LLC reserves the right to void the Limited Warranty, where allowable by law, for products purchased from an unauthorized dealer.

#### TO OBTAIN SERVICE

The owner shall have the obligation and responsibility to pay for all services and parts not covered by the warranty; prepay the freight to and from Service Department for any part or system returned under this warranty; and carefully package the product using adequate padding material to prevent damage in transit. The original container is ideal for this purpose. Include in the package the owner's name, address, daytime telephone number, a detailed description of the problem, and your "RGA number." Email support@nuwavenow.com to obtain the RGA number (Return Goods Authorization number). Provide the cooking system model & serial number and proof of date of purchase (a copy of the receipt) when making claims under this warranty.

#### MANUFACTURER'S OBLIGATION

The Manufacturer's obligation under this Limited Warranty is limited, to the extent allowable by law, to repairing or replacing any part covered by this Limited Warranty which upon examination is found to be defective under normal use. The Limited Warranty is applicable only within the continental United States and only to the original purchaser of the manufacturer's authorized channels of distribution. THE LIMITED WARRANTY MAY NOT BE ALTERED, VARIED OR EXTENDED EXCEPT BY A WRITTEN INSTRUMENT EXECUTED BY THE MANUFACTURER. THE REMEDY OF REPAIR OR REPLACEMENT AS PROVIDED UN-DER THIS LIMITED WARRANTY IS EXCLUSIVE. IN NO EVENT SHALL THE MANUFACTUR-ER BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES TO ANY PERSON, WHETHER OR NOT OCCASIONED BY NEGLIGENCE OF THE MANUFACTURER, INCLUD-ING WITHOUT LIMITATION, DAMAGES FOR LOSS OF USE, COSTS OF SUBSTITU

## LIMITED WARRANTY

TION, PROPERTY DAMAGE, OR OTHER MONEY LOSS. PROPERTY DAMAGE, OR OTHER MONEY LOSS.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation exclusions may not apply. This Limited Warranty gives specific legal rights, and there may also be other rights which vary from state to state. EXCEPT AS OTHERWISE EXPRESSLY PROVIDED ABOVE, THE MANUFACTURER MAKES NO WARRANTIES EXPRESSED OR IMPLIED ARISING BY LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FIT-NESS FOR A PARTICULAR PURPOSE TO ANY OTHER PERSON. READ YOUR OWNER'S MANUAL. IF YOU STILL HAVE ANY QUESTIONS ABOUT OPERATION OR WARRANTY OF THE PRODUCT, PLEASE CONTACT NUWAVE LLC.

#### DISPUTE RESOLUTION PROCEDURE

For disputes relating to use of the website or use or purchase of a NuWave product or service (collectively "Disputes"), you agree to first contact NuWave LLC at legal@nuwavenow. com. If we cannot resolve your dispute informally, any and all disputes shall be submitted to final and binding arbitration. You may start the arbitration process by submitting in writing a demand to the American Arbitration Association ("AAA") and sending a copy to NuWave. NuWave will pay all filing costs. A single arbitrator of the AAA will conduct the arbitration in a location convenient to you or by phone. The arbitrator's award will be binding and may be entered as a judgment in a court of competent jurisdiction. The arbitration will be conducted in accordance with the provisions of AAA's Commercial Arbitration Rules and Mediation Procedures in effect at the time of submission of your demand for arbitration. See https://www.adr.org/sites/default/files/CommercialRules\_Web.pdf. Except as may be required by law as determined by an arbitrator, no party or arbitrator may disclose the existence, content, or results of any arbitration hereunder without prior written consent of both parties.

**A. WAIVER OF RIGHT TO SUE.** By agreeing to arbitration, you understand that, to the maximum extent permitted by law, you are agreeing to waive your right to file suit in any court, to a court hearing, a judge trial, or a jury trial.

**B. CLASS ACTION WAIVER.** To the maximum extent permitted by law, you expressly agree to refrain from bringing or joining any claims in any representative or class-wide capacity, including but not limited to, bringing or joining any claims in any class action or class-wide arbitration.

**C. OPT OUT PROCEDURE.** To request to opt out of arbitration you must contact Nu-Wave LLC at legal@nuwavenow.com, NuWave LLC, 560 Bunker Ct., Vernon Hills, IL 60061, U.S.A. You will have thirty (30) days from the date of product delivery to opt out of arbitration with respect to any dispute arising out of or relating to use or purchase of any NuWave product. If more than 30 days have passed, you are not eligible to opt out of arbitration

## LIMITED WARRANTY

and will have waived your right to sue or participate in a class action with respect to the dispute arising out of your purchase or use of a NuWave product. For any dispute arising out of your use of NuWave's website, you have thirty (30) days from the date you provided information to the website to opt out of arbitration. If more than 30 days have passed, you are not eligible to opt out of arbitration and you will have waived your right to sue and participate in a class action with respect to the dispute arising out of your use of NuWave's website.

**D. SOME MATTERS ARE NOT SUBJECT TO ARBITRATION.** Notwithstanding the foregoing, the following shall not be subject to arbitration and may be adjudicated only in the state and federal courts of Illinois: (i) any dispute, controversy, or claim relating to or contesting the validity of our intellectual property rights and proprietary rights, including without limitation, patents, trademarks, service marks, copyrights, or trade secrets; (ii) an action by a party for temporary, preliminary, or permanent injunctive relief, whether prohibitive or mandatory, or other provisional relief; or (iii) interactions with governmental and regulatory authorities. You expressly agree to refrain from bringing or joining any claims in any representative or class-wide capacity, including but not limited to, bringing or joining any claims in any claims in any class action or any class-wide arbitration.

#### READ YOUR OWNER'S MANUAL

If you still have any questions about operation or warranty of this product, please contact NuWave LLC at email *support@nuwavenow.com*.

#### **STATE OF CALIFORNIA PROPOSITION 65**

#### 

This product can expose you to chemicals including Nickel and Chromium, which are known to the State of California to cause cancer, and are known to the State of California to cause birth defects or other reproductive harm.

For more information go to: www.P65Warnings.ca.gov.

#### ADVERTENCIA

Este producto le puede exponer a químicos como Niquel y Cromo, los cuales son conocidos en el estado de California por causar cáncer y también defectos de nacimiento u otros daños reproductivos.

Para mayor información, visite: www.P65Warnings.ca.gov.

©2023 NuWave,LLC • All Rights Reserved.

## **NUWAVE**<sup>®</sup>

## DURALON® BLUE COOKWARE

#### www.nuwavenow.com

#### FOR HOUSEHOLD USE ONLY Model: Model: 31405 / 31406 / 31407 / 31408 / 31409

For patent information please go to:

#### www.nuwavenow.com/legal/patent

Para la versión en español de este manual, visita www. nuwavenow.com

#### Designed & Developed in USA by: NuWave LLC 560 Bunker Ct. Vernon Hills, IL 60061, U.S.A.

Email: support@nuwavenow.com

Made in China ©2023 NuWave LLC • All Rights Reserved.



BM31405-31409 Rev.1-V3-CB 07-20-23