



Air Purifier Efficiency Test Report

Report Number	200408135GZU-001
Test Laboratory Name / Address	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Block E, No.7-2 Guang Dong Software Science Park, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, China
Applicant Name / Address	Nuwave LLC 1795 N. Butterfield RoadLibertyville, IL 60048 USA
Manufacturing Name / Address	Zhongshan YiJiang Technology Co.,Ltd No.32 Jianye Road, Torch Development Zone, ZhongShan city GuangDong Province, China
Testing Location / Address	GUANG ZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY No. 1th Jianta shan Road, Huangpu District, Guangzhou city, Guangdong province, China
Product	Air Purifier
Brand Name	Nuwave Oxypure
Description	The product covered by this report is a cord connected indoor used only Air Purifier.
Model(s) (if applicable)	47001, 470xx
Model Similarity	"xx" stands for the numbers, all models are idetical except for the appearance and specific model name.
Rated voltage (V)	120
Rated frequency (Hz)	60
Rated power (W)	128
Date of receipt of sample(s)	8-Apr-2020
Date of test	22-Apr-2020
Test standard(s) or criteria(s)	GB/T 18801-2015 & Applicant's special requirement
Conclusion	No conclusion for this test report.
Remark	The testing data and result by this report is just for scientific research, teaching, internal quality control, product research and development etc. on reference only in the territory of People's Republic of China.
Date of issue	22-May-2020
Prepared by:	Approved by:
	
<hr/>	<hr/>
Ben Deng	Oscar Lin
Project Engineer	Senior Project Engineer

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.


The test report only allows to be revised only within the report defined retention period unless standard or regulation was withdrawn or invalid. When determining the test result, measurement uncertainty has been considered.

Photo(s):

Photo 1 - Overview



Photo 2 - Filter(s) for both sides



Results of pollutant remove rate for Formaldehyde:

Test voltage: 120V/60Hz

Fan speed: High speed

Time (min)	Remove rate for Formaldehyde
10	49.5%
20	68.1%
30	78.9%
40	85.2%
50	88.8%
60	89.7%
70	90.5%
80	92.4%
90	93.3%
100	94.2%
110	95.1%
120	95.1%

Curve of remove rate for Formaldehyde

