




BEARINGS

HI-TEC
A SIGN OF QUALITY


www.hitecbearings.com






HI-TEC DEEP GROOVE BALL BEARING

6000 系列 /6000 SERIES					
新型号 Model	密封类型 Seal Type	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
6000	Z/ZZ/RS/2RS	10.000	26.000	8.000	0.0190
6001	Z/ZZ/RS/2RS	12.000	28.000	8.000	0.0220
6002	Z/ZZ/RS/2RS	15.000	32.000	9.000	0.0300
6003	Z/ZZ/RS/2RS	17.000	35.000	10.000	0.0390
6004	Z/ZZ/RS/2RS	20.000	42.000	12.000	0.0670
6005	Z/ZZ/RS/2RS	25.000	47.000	12.000	0.0743
6006	Z/ZZ/RS/2RS	30.000	55.000	13.000	0.1120
6007	Z/ZZ/RS/2RS	35.000	62.000	14.000	0.1460
6008	Z/ZZ/RS/2RS	40.000	68.000	15.000	0.1820
6009	Z/ZZ/RS/2RS	45.000	75.000	16.000	0.2290
6010	Z/ZZ/RS/2RS	50.000	80.000	16.000	0.2490
6011	Z/ZZ/RS/2RS	55.000	90.000	18.000	0.3740
6012	Z/ZZ/RS/2RS	60.000	95.000	18.000	0.3800
6013	Z/ZZ/RS/2RS	65.000	100.000	18.000	0.4300
6014	Z/ZZ/RS/2RS	70.000	110.000	20.000	0.5860
6015	Z/ZZ/RS/2RS	75.000	115.000	20.000	0.6300
6016	Z/ZZ/RS/2RS	80.000	125.000	22.000	0.8580
6017	Z/ZZ/RS/2RS	85.000	130.000	22.000	0.8800
6018	Z/ZZ/RS/2RS	90.000	140.000	24.000	1.1600
6019	Z/ZZ/RS/2RS	95.000	145.000	24.000	1.1800
6020	Z/ZZ/RS/2RS	100.000	150.000	24.000	1.2200
6021	Z/ZZ/RS/2RS	105.000	160.000	26.000	1.5600
6022	Z/ZZ/RS/2RS	110.000	170.000	28.000	1.9600
6024	Z/ZZ/RS/2RS	120.000	180.000	28.000	2.0500
6026	Z/ZZ/RS/2RS	130.000	200.000	33.000	3.3000
6028	Z/ZZ/RS/2RS	140.000	210.000	33.000	3.9000
6030	Z/ZZ/RS/2RS	150.000	225.000	35.000	4.8000
6032	Z/ZZ/RS/2RS	160.000	240.000	38.000	5.9000
6034	Z/ZZ/RS/2RS	170.000	260.000	42.000	7.9000
6036	Z/ZZ/RS/2RS	180.000	280.000	46.000	10.6500
6038	Z/ZZ/RS/2RS	190.000	290.000	46.000	11.1400
6040	Z/ZZ/RS/2RS	200.000	310.000	51.000	14.8000
6044	Z/ZZ/RS/2RS	220.000	340.000	56.000	19.0000
6056	Z/ZZ/RS/2RS	280.000	420.000	65.000	32.1000
6060	Z/ZZ/RS/2RS	300.000	460.000	74.000	42.8000
6064	Z/ZZ/RS/2RS	320.000	480.000	82.000	48.4000
6068	Z/ZZ/RS/2RS	340.000	520.000	82.000	67.2000
6072	Z/ZZ/RS/2RS	360.000	540.000	82.000	68.0000




HI-TEC DEEP GROOVE BALL BEARING

6200 系列 /6200 SERIES					
新型号 Model	密封类型 Seal Type	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
6200	Z/ZZ/RS/2RS	10.000	30.000	9.000	0.0320
6201	Z/ZZ/RS/2RS	12.000	32.000	10.000	0.0370
6202	Z/ZZ/RS/2RS	15.000	35.000	11.000	0.0450
6203	Z/ZZ/RS/2RS	17.000	40.000	12.000	0.0647
6204	Z/ZZ/RS/2RS	20.000	47.000	14.000	0.1020
6205	Z/ZZ/RS/2RS	25.000	52.000	15.000	0.1250
6206	Z/ZZ/RS/2RS	30.000	62.000	16.000	0.2020
6207	Z/ZZ/RS/2RS	35.000	72.000	17.000	0.2850
6208	Z/ZZ/RS/2RS	40.000	80.000	18.000	0.3700
6209	Z/ZZ/RS/2RS	45.000	85.000	19.000	0.4040
6210	Z/ZZ/RS/2RS	50.000	90.000	20.000	0.4620
6211	Z/ZZ/RS/2RS	55.000	100.000	21.000	0.5980
6212	Z/ZZ/RS/2RS	60.000	110.000	22.000	0.8000
6213	Z/ZZ/RS/2RS	65.000	120.000	23.000	0.9900
6214	Z/ZZ/RS/2RS	70.000	125.000	24.000	1.0700
6215	Z/ZZ/RS/2RS	75.000	130.000	25.000	1.1600
6216	Z/ZZ/RS/2RS	80.000	140.000	26.000	1.3900
6217	Z/ZZ/RS/2RS	85.000	150.000	28.000	1.9200
6218	Z/ZZ/RS/2RS	90.000	160.000	30.000	2.1200
6219	Z/ZZ/RS/2RS	95.000	170.000	32.000	2.6100
6220	Z/ZZ/RS/2RS	100.000	180.000	34.000	3.1900
6221	Z/ZZ/RS/2RS	105.000	190.000	36.000	3.6600
6222	Z/ZZ/RS/2RS	111.000	200.000	38.000	4.4400
6224	Z/ZZ/RS/2RS	120.000	215.000	40.000	5.1100
6226	Z/ZZ/RS/2RS	130.000	230.000	40.000	6.1900
6228	Z/ZZ/RS/2RS	140.000	250.000	42.000	9.4400
6230	Z/ZZ/RS/2RS	150.000	270.000	45.000	10.4000
6232	Z/ZZ/RS/2RS	160.000	290.000	48.000	15.0000
6234	Z/ZZ/RS/2RS	170.000	310.000	52.000	16.5000
6236	Z/ZZ/RS/2RS	180.000	320.000	52.000	17.8000
6238	Z/ZZ/RS/2RS	190.000	340.000	55.000	23.0000
6240	Z/ZZ/RS/2RS	200.000	340.000	58.000	24.8000
6244	Z/ZZ/RS/2RS	220.000	400.000	65.000	36.5000
6248	Z/ZZ/RS/2RS	240.000	440.000	72.000	53.9000



HI-TEC DEEP GROOVE BALL BEARING

6300 系列 / 6300 SERIES					
新型号 Model	密封类型 Seal Type	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
6300	Z/ZZ/RS/2RS	10.000	35.000	11.000	0.0530
6301	Z/ZZ/RS/2RS	12.000	37.000	12.000	0.0600
6302	Z/ZZ/RS/2RS	15.000	42.000	13.000	0.0820
6303	Z/ZZ/RS/2RS	17.000	47.000	14.000	0.1090
6304	Z/ZZ/RS/2RS	20.000	52.000	15.000	0.1420
6305	Z/ZZ/RS/2RS	25.000	62.000	17.000	0.2320
6306	Z/ZZ/RS/2RS	30.000	72.000	19.000	0.3400
6307	Z/ZZ/RS/2RS	35.000	80.000	21.000	0.4530
6308	Z/ZZ/RS/2RS	40.000	90.000	23.000	0.6360
6309	Z/ZZ/RS/2RS	45.000	100.000	25.000	0.8250
6310	Z/ZZ/RS/2RS	50.000	110.000	27.000	1.0500
6311	Z/ZZ/RS/2RS	55.000	120.000	29.000	1.3600
6312	Z/ZZ/RS/2RS	60.000	130.000	31.000	1.6700
6313	Z/ZZ/RS/2RS	65.000	140.000	33.000	2.0800
6314	Z/ZZ/RS/2RS	70.000	150.000	35.000	2.5500
6315	Z/ZZ/RS/2RS	75.000	160.000	37.000	3.0200
6316	Z/ZZ/RS/2RS	80.000	170.000	39.000	3.6000
6317	Z/ZZ/RS/2RS	85.000	180.000	41.000	4.2200
6318	Z/ZZ/RS/2RS	90.000	190.000	43.000	4.9100
6319	Z/ZZ/RS/2RS	95.000	200.000	45.000	5.7000
6320	Z/ZZ/RS/2RS	100.000	215.000	47.000	7.2000
6322	Z/ZZ/RS/2RS	110.000	240.000	50.000	9.2200
6324	Z/ZZ/RS/2RS	120.000	260.000	55.000	14.7800
6326	Z/ZZ/RS/2RS	130.000	280.000	58.000	16.5200



HI-TEC DEEP GROOVE BALL BEARING

6400 系列 / 6400 SERIES					
新型号 Model	密封类型 Seal Type	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
6401	Z/ZZ/RS/2RS	12.000	42.000	13.000	0.0980
6402	Z/ZZ/RS/2RS	15.000	52.000	16.000	0.0100
6403	Z/ZZ/RS/2RS	17.000	62.000	17.000	0.2700
6404	Z/ZZ/RS/2RS	20.000	72.000	19.000	0.0400
6405	Z/ZZ/RS/2RS	25.000	80.000	21.000	0.5300
6406	Z/ZZ/RS/2RS	30.000	90.000	23.000	0.7200
6406 N	Z/ZZ/RS/2RS	30.000	90.000	23.000	0.7200
6407	Z/ZZ/RS/2RS	35.000	100.000	25.000	0.9200
6407 N	Z/ZZ/RS/2RS	35.000	100.000	25.000	0.9200
6408	Z/ZZ/RS/2RS	40.000	110.000	27.000	1.1700
6408 N	Z/ZZ/RS/2RS	40.000	110.000	27.000	1.1700
6409	Z/ZZ/RS/2RS	45.000	120.000	29.000	1.5700
6409 N	Z/ZZ/RS/2RS	45.000	120.000	29.000	1.5700
6410	Z/ZZ/RS/2RS	50.000	130.000	31.000	1.8800
6410 N	Z/ZZ/RS/2RS	50.000	130.000	31.000	1.8800
6411	Z/ZZ/RS/2RS	55.000	140.000	33.000	2.2500
6411 N	Z/ZZ/RS/2RS	55.000	140.000	33.000	2.2500
6412	Z/ZZ/RS/2RS	60.000	150.000	35.000	2.8000
6412 N	Z/ZZ/RS/2RS	60.000	150.000	35.000	2.8000
6413	Z/ZZ/RS/2RS	65.000	160.000	37.000	3.4400
6413 N	Z/ZZ/RS/2RS	65.000	160.000	37.000	3.4400
6414	Z/ZZ/RS/2RS	70.000	180.000	42.000	5.0000
6415	Z/ZZ/RS/2RS	75.000	190.000	45.000	5.5700
6416	Z/ZZ/RS/2RS	80.000	200.000	48.000	6.6400
6417	Z/ZZ/RS/2RS	85.000	210.000	52.000	8.1300
6418	Z/ZZ/RS/2RS	90.000	225.000	54.000	9.8000
6420	Z/ZZ/RS/2RS	100.000	250.000	58.000	15.4000
6422	Z/ZZ/RS/2RS	110.000	280.000	65.000	19.0000



HI-TEC METRIC TAPERED ROLLER BEARING

30200E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
30202	7202E	15.000	35.000	11.750	0.050
30203	7203E	17.000	40.000	13.250	0.080
30204	7204E	20.000	47.000	15.250	0.130
30205	7205E	25.000	52.000	16.250	0.140
30206	7206E	30.000	62.000	17.250	0.230
30207	7207E	35.000	72.000	18.250	0.320
30208	7208E	40.000	80.000	19.750	0.410
30209	7209E	45.000	85.000	20.750	0.460
30210	7210E	50.000	90.000	21.750	0.520
30211	7211E	55.000	100.000	22.750	0.680
30212	7212E	60.000	110.000	23.750	0.870
30213	7213E	65.000	120.000	24.750	1.100
30214	7214E	70.000	125.000	26.250	1.280
30215	7215E	75.000	130.000	27.250	1.330
30216	7216E	80.000	140.000	28.250	1.590
30217	7217E	85.000	150.000	30.500	2.020
30218	7218E	90.000	160.000	32.500	2.490
30219	7219E	95.000	170.000	34.500	2.950
30220	7220E	100.000	180.000	37.500	3.770
30221	7221E	105.000	190.000	39.500	4.480
30222	7222E	110.000	200.000	41.500	5.160
30224	7224E	120.000	215.000	44.000	6.270
30226	7226E	130.000	230.000	44.500	7.430
30228	7228E	140.000	250.000	46.500	8.810
30230	7230E	150.000	270.000	50.000	10.200

30300E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
30302	7302E	15.000	42.000	14.250	0.100
30303	7303E	17.000	47.000	15.250	0.130
30304	7304E	20.000	52.000	16.250	0.170
30305	7305E	25.000	62.000	18.250	0.260
30306	7306E	30.000	72.000	20.750	0.380
30307	7307E	35.000	80.000	22.750	0.520



HI-TEC METRIC TAPERED ROLLER BEARING

30300E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
30308	7308E	40.000	90.000	25.250	0.720
30309	7309E	45.000	100.000	27.250	0.960
30310	7310E	50.000	110.000	29.250	1.230
30311	7311E	55.000	120.000	31.500	1.560
30312	7312E	60.000	130.000	33.500	1.960
30313	7313E	65.000	140.000	36.000	2.410
30314	7314E	70.000	150.000	38.000	2.920
30315	7315E	75.000	160.000	40.000	3.550
30316	7316E	80.000	170.000	42.500	4.263
30317	7317E	85.000	180.000	44.500	4.950
30318	7318E	90.000	190.000	47.000	5.790
30319	7319E	95.000	200.000	50.000	7.200
30320	7320E	100.000	215.000	52.000	8.270
30321	7321E	105.000	225.000	54.000	10.500
30322	7322E	110.000	240.000	55.000	11.400
30324	7324E	120.000	260.000	60.000	13.800
30326	7326E	130.000	280.000	64.500	20.500

32200E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
32204	7504E	20.000	47.000	19.250	0.161
32205	7505E	25.000	52.000	19.250	0.184
32206	7506E	30.000	62.000	21.250	0.280
32207	7507E	35.000	72.000	24.250	0.430
32208	7508E	40.000	80.000	24.750	0.520
32209	7509E	45.000	85.000	24.750	0.560
32210	7510E	50.000	90.000	24.750	0.600
32211	7511E	55.000	100.000	26.750	0.820
32212	7512E	60.000	110.000	29.750	1.120
32213	7513E	65.000	120.000	32.750	1.520
32214	7514E	70.000	125.000	33.250	1.590
32215	7515E	75.000	130.000	33.250	1.650
32216	7516E	80.000	140.000	35.250	2.030
32217	7517E	85.000	150.000	38.500	2.570



HI-TEC METRIC TAPERED ROLLER BEARING

32200E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
32218	7518E	90.000	160.000	42.500	3.280
32219	7519E	95.000	170.000	45.500	4.010
32220	7520E	100.000	180.000	49.000	4.900
32221	7521E	105.000	190.000	53.000	5.900
32222	7522E	110.000	200.000	56.000	7.060
32224	7524E	120.000	215.000	61.500	8.890
32226	7526E	130.000	230.000	67.750	11.200
32228	7528E	140.000	250.000	71.750	14.400
32230	7530E	150.000	270.000	77.000	17.800

32300E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
32304	7604E	20.00	52.00	22.25	0.230
32305	7605E	25.000	62.000	25.250	0.360
32306	7606E	30.000	72.000	28.750	0.550
32307	7607E	35.000	80.000	32.750	0.740
32308	7608E	40.000	90.000	35.250	1.010
32309	7609E	45.000	100.000	38.250	1.340
32310	7610E	50.000	110.000	42.250	1.660
32311	7611E	55.000	120.000	45.500	2.130
32312	7612E	60.000	130.000	48.500	2.690
32313	7613E	65.000	140.000	51.000	3.260
32314	7614E	70.000	150.000	54.000	4.250
32315	7615E	75.000	160.000	58.000	5.350
32316	7616E	80.000	170.000	61.500	6.780
32317	7617E	85.000	180.000	63.500	7.330
32318	7618E	90.000	190.000	67.500	8.910
32319	7619E	95.000	200.000	71.500	10.500
32320	7620E	100.000	215.000	77.500	12.800
32321	7621E	105.000	225.000	81.500	13.800
32322	7622E	110.000	240.000	84.500	18.100
32324	7624E	120.000	260.000	90.500	21.800
32326	7626E	130.000	280.000	98.750	26.600
32330	7630E	150.000	320.000	114.00	37.100



HI-TEC METRIC TAPERED ROLLER BEARING

32300E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
33113×2	7813E	65.000	110.000	30.500	1.100
33114×2	7814E	70.000	117.000	33.000	1.330
30615	7815E	75.000	135.000	44.500	2.570
306/47	7909	47.000	100.000	43.000	1.660

31300E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
31303	27303E	17.000	47.000	15.500	0.130
31304	27304E	20.000	52.000	16.500	0.170
31305	27305E	25.000	62.000	18.500	0.260
31306	27306E	30.000	72.000	21.000	0.380
31307	27307E	35.000	80.000	23.000	0.517
31308	27308E	40.000	90.000	25.500	0.660
31309	27309E	45.000	100.000	27.500	0.974
31310	27310E	50.000	110.000	29.500	1.230
31311	27311E	55.000	120.000	31.500	1.500
31312	27312E	60.000	130.000	33.500	1.920
31313	27313E	65.000	140.000	36.000	2.290
31314	27314E	70.000	150.000	38.500	2.870
31315	27315E	75.000	160.000	40.000	3.430
	27709	45.000	100.000	32.000	1.040
	127509	45.000	85.000	24.150	0.594
31316	27316E	80.000	170.000	42.500	4.090
31317	27317E	85.000	180.000	45.000	4.910
31318	27318E	90.000	190.000	47.000	5.530
31319	27319E	95.000	200.000	50.000	6.840
31320	27320E	110.000	240.000	63.000	11.000
31324	27324E	120.000	260.000	68.000	15.600
31326	27326E	130.000	280.000	64.500	18.900
31328	27328E	140.000	300.000	77.500	17.400
31332	27332E	160.000	340.000	88.000	29.900



HI-TEC METRIC TAPERED ROLLER BEARING

32000E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
32004X	2007104E	20.000	42.000	15.000	0.100
32005X	2007105E	25.000	47.000	15.000	0.140
32006X	2007106E	30.000	55.000	17.000	0.170
32007X	2007107E	35.000	62.000	18.000	0.230
32008X	2007108E	40.000	68.000	19.000	0.270
32009X	2007109E	45.000	75.000	20.000	0.330
32010X	2007110E	50.000	80.000	20.000	0.370
32011X	2007111E	55.000	90.000	23.000	0.570
32012X	2007112E	60.000	95.000	23.000	0.600
32013X	2007113E	65.000	100.000	23.000	0.630
32014X	2007114E	70.000	110.000	25.000	0.870
32015X	2007115E	75.000	115.000	25.000	0.900
32016X	2007116E	80.000	125.000	29.000	1.280
32017X	2007117E	85.000	130.000	29.000	1.340
32018X	2007118E	90.000	140.000	32.000	1.730
32019X	2007119E	95.000	145.000	32.000	1.800
32020X	2007120E	100.000	150.000	32.000	1.940
32021X	2007121E	105.000	160.000	35.000	2.320
32022X	2007122E	110.000	170.000	38.000	3.110
32024X	2007124E	120.000	180.000	38.000	3.340
32026X	2007126E	130.000	200.000	45.000	4.910
32028X	2007128E	140.000	210.000	45.000	5.290
32030X	2007130E	150.000	225.000	48.000	6.470


33000E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
33005	3007105	25.000	47.000	17.000	0.131
33006	3007106	30.000	55.000	20.000	0.208
33007	3007107	35.000	62.000	21.000	0.267
33008	3007108	40.000	68.000	22.000	0.322
33009	3007109	45.000	75.000	24.000	0.414
33010	3007110	50.000	80.000	24.000	0.452
33011	3007111	55.000	90.000	27.000	0.672
33012	3007112	60.000	95.000	27.000	0.680



HI-TEC METRIC TAPERED ROLLER BEARING


33000E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
33013	3007113	65.000	100.000	27.000	0.750
33014	3007114	70.000	110.000	31.000	1.110
33015	3007115	75.000	115.000	31.000	1.150
33016	3007116	80.000	125.000	36.000	1.650
33017	3007117	85.000	130.000	36.000	1.750
33018	3007118	90.000	140.000	39.000	2.157
33019	3007119	95.000	145.000	39.000	2.190
33020	3007120	100.000	150.000	39.000	2.320

33200E 系列 /SERIES					
新型号 Model	旧型号 Model	基本尺寸 Dimensions (mm)			重量 Weight (kg)
		d	D	T	
33205	3007205	25.000	52.000	22.000	0.220
33206	3007206	30.000	62.000	25.000	0.355
33207	3007207	25.000	72.000	28.000	0.530
33208	3007208	40.000	80.000	32.000	0.730
33209	3007209	45.000	85.000	32.000	0.810
33210	3007210	50.000	90.000	32.000	0.830
33212	3007212	60.000	110.000	38.000	1.530
33213	3007213	65.000	120.000	41.000	1.990
33214	3007214	70.000	125.000	41.000	2.080
33215	3007215	75.000	130.000	41.000	2.140
33216	3007216	80.000	140.000	46.000	2.940
33217	3007217	85.000	150.000	49.000	3.560
33218	3007218	90.000	160.000	55.000	4.690
33108	3007708	40.000	75.000	26.000	0.490
33109	3007709	45.000	80.000	26.000	0.520
33110	3007710	50.000	85.000	26.000	0.597
33111	3007711	55.000	95.000	30.000	0.877
33112	3007712	60.000	100.000	30.000	0.910
33113	3007713	65.000	110.000	34.000	1.240
33114	3007714	70.000	120.000	37.000	1.680
33115	3007715	75.000	125.000	37.000	1.730
33116	3007716	80.000	130.000	37.000	1.850




HI-TEC INCH TAPERED ROLLER BEARING

型号 Model	基本尺寸 Dimensions (mm)					基本额定负荷重量 Basic Load Rating		重量 Weight(kg)
	d	D	T	B	C	Cr	Cor	
11590/11520	15.875	42.862	14.288	14.288	9.525	17.100	17.200	0.100
LM11749/710	17.462	39.878	13.843	14.605	10.668	22.500	22.500	0.080
LM11949/910	19.050	45.237	15.494	16.637	12.065	28.500	28.900	0.120
09067/195	19.050	49.225	18.034	19.050	14.288	37.500	37.000	0.170
09067/196	19.050	49.225	21.209	19.050	17.462	37.500	37.000	0.190
09081/196	20.625	49.225	19.845	23.020	17.462	37.500	37.000	0.195
12580/520	20.638	49.225	19.845	19.845	15.875	36.000	37.000	0.180
M12649/610	21.430	50.005	17.526	18.288	13.970	38.500	40.000	0.160
LM12749/710	21.986	45.237	15.494	16.637	12.065	29.200	33.500	0.120
LM12749/711	21.986	45.975	15.494	16.637	12.065	29.200	33.500	0.120
L44643/610	25.400	50.292	14.224	14.732	10.668	27.600	32.000	0.120
M84548/510	25.400	57.150	19.431	19.431	14.732	14.732	49.000	0.230
15101/245	25.400	62.000	19.050	20.638	14.288	46.000	53.000	0.290
15101/250	25.400	63.500	20.638	20.638	15.875	46.000	53.000	0.320
L44649/10	26.988	50.292	14.224	14.732	10.668	27.800	32.900	0.110
15106/245	26.988	62.000	19.050	20.638	14.288	46.800	53.900	0.280
L45449/10	29.000	50.292	14.224	14.732	10.668	27.700	36.200	1.110
M86649/10	30.162	64.292	21.433	21.433	16.670	55.700	71.700	0.330
LM67048/10	31.750	59.131	15.875	16.764	11.811	36.500	44.600	0.170
15123/245	31.750	62.000	18.161	19.050	14.288	46.800	53.900	0.230
2580/20	31.750	66.421	25.400	25.357	20.638	77.500	94.400	0.390
2580/23	31.750	69.850	23.812	25.357	19.050	77.500	94.400	0.440
M88048/10	33.338	68.262	22.225	22.225	17.462	59.600	77.400	0.370
14131/276	33.338	69.012	19.845	19.583	15.875	77.500	94.400	0.340
LM48548/10	34.925	65.088	18.034	18.288	13.970	50.500	63.100	0.260
14137A/276	34.925	69.012	19.845	19.583	15.875	50.600	61.700	0.320
14138A/276	34.925	69.012	19.845	19.583	15.875	50.600	61.700	0.320
HM88649/10	34.925	72.233	25.400	25.400	19.842	71.100	94.200	0.500
25877/21	34.925	73.025	23.812	24.608	19.050	78.800	97.400	0.460
L68149/11	34.988	59.974	15.875	16.764	11.938	35.500	49.300	0.180
LM78349/10	34.988	61.973	16.700	17.000	13.600	34.900	52.400	0.190
2780/20	36.487	76.200	23.812	25.654	19.050	80.400	102.000	0.520
JL69345/10	38.000	63.000	17.000	19.000	13.500	39.800	55.000	0.200
JL69349/10	38.000	63.000	17.000	17.000	13.500	39.800	55.000	0.190
LM29748/10	38.100	65.088	18.034	18.288	13.970	45.000	60.300	0.220




HI-TEC INCH TAPERED ROLLER BEARING

型号 Model	基本尺寸 Dimensions (mm)					基本额定负荷重量 Basic Load Rating		重量 Weight(kg)
	d	D	T	B	C	Cr	Cor	
LM29749/10	38.100	65.088	18.034	18.288	15.748	45.000	60.300	0.220
57410/29749	38.100	65.088	12.700	24.080	15.748	45.000	60.300	0.260
2788/20	38.100	76.200	23.812	25.654	19.050	80.400	102.000	0.490
HM801346/10	38.100	82.550	29.370	28.575	23.020	95.100	130.000	0.760
418/414	38.100	88.500	26.988	29.083	22.225	107.000	124.000	0.820
LM300849/11	40.988	67.975	17.500	18.000	13.500	46.100	63.500	0.230
18590/20	41.275	73.025	16.667	17.462	12.700	47.000	58.100	0.270
LM501349/10	41.275	73.431	19.558	19.812	14.732	58.400	74.200	0.320
LM501349/14	41.275	73.431	21.430	19.812	16.604	58.400	74.200	0.340
24780/20	41.275	76.200	22.225	23.020	17.462	69.900	89.200	0.410
M802048/11	41.275	82.550	26.543	25.654	20.193	84.900	112.000	0.620
HM803146/10	41.275	88.900	30.162	29.370	23.020	105.000	144.000	0.890
HM803146/11	41.275	88.900	30.162	29.370	23.020	105.000	144.000	0.900
25577/20	42.875	82.931	23.812	25.400	19.050	83.800	111.000	0.580
25577/22	42.875	83.058	23.876	25.400	19.114	83.800	111.000	0.580
25580/20	44.450	82.931	23.812	25.400	19.050	83.800	111.000	0.550
25580/22	44.450	83.058	23.876	25.400	19.114	83.800	111.000	0.560
HM803149/10	44.450	88.900	30.162	29.370	23.020	105.000	144.000	0.840
3782/20	44.450	93.264	30.162	30.302	23.812	113.000	153.000	0.950
HM903249/10	44.450	95.250	30.958	28.300	22.225	107.000	132.000	1.000
LM102949/10	45.242	73.431	19.558	19.812	15.748	56.900	81.800	0.310
LM603049/11	45.242	77.788	19.842	19.842	15.080	59.600	77.900	0.360
LM603049/12	45.242	77.788	21.430	19.842	16.667	59.600	77.900	0.370
LM603049/14	45.242	80.000	19.842	19.842	15.080	59.600	77.900	0.390
25590/20	45.618	82.931	23.812	25.400	19.050	83.800	111.000	0.540
25590/21	45.618	83.058	23.812	25.400	19.050	83.800	111.000	0.530
25590/23	45.618	82.931	26.988	25.400	22.225	83.800	111.000	0.580
LM503349/10	45.987	74.976	18.000	18.000	14.000	52.600	75.400	0.300
18690/20	46.038	79.375	17.462	17.462	13.495	48.200	61.300	0.330
JLM104948/10	50.000	82.000	21.500	21.500	17.000	75.200	104.000	0.410
LM104949/11	50.800	82.550	21.590	22.225	16.510	75.200	104.000	0.420
18790/20	50.800	85.000	17.462	17.462	13.495	50.600	67.500	0.360
368/362A	50.800	88.900	20.638	22.225	16.513	79.500	95.800	0.500
368A/362A	50.800	88.900	20.638	22.225	16.513	79.500	95.800	0.500
368A/362	50.800	90.000	20.000	22.225	15.875	79.500	95.800	0.510



HI-TEC INCH TAPERED ROLLER BEARING


型号 Model	基本尺寸 Dimensions (mm)					基本额定负荷重量 Basic Load Rating		重量 Weight(kg)
	d	D	T	B	C	Cr	Cor	
28580/21	50.800	92.075	24.608	25.400	19.845	91.600	130.000	0.690
3780/20	50.800	93.264	30.162	30.302	23.812	113.000	153.000	0.840
28584/21	52.388	92.075	24.608	25.400	19.845	91.600	130.000	0.660
387/382A	57.150	96.838	21.000	21.946	15.875	84.200	108.000	0.580
387A/382A	57.150	96.838	21.000	21.946	15.875	84.200	108.000	0.570
387A/382S	57.150	96.838	25.400	21.946	20.274	84.200	108.000	0.640
387AS/382A	57.150	96.838	21.000	21.946	15.875	84.200	108.000	0.560
387S/382A	57.150	96.838	21.000	21.946	15.875	84.200	108.000	0.580
387A/382	57.150	98.425	21.000	21.946	17.826	84.200	108.000	0.620
387A/382A	57.150	96.838	21.000	21.946	17.846	84.200	108.000	0.570
462/453X	57.150	104.775	30.162	29.317	24.605	126.000	166.000	1.040
39580/20	57.150	112.712	30.162	30.162	23.812	155.000	224.000	1.370
39581/20	57.150	112.712	30.162	30.162	23.812	155.000	224.000	1.330
395/394A	63.500	110.000	22.000	21.996	18.824	91.600	126.000	0.820
HM212047/11	63.500	122.238	38.100	38.354	29.718	209.000	279.000	1.910
3982/20	63.500	112.712	30.162	30.048	23.812	129.000	191.000	1.220
29590/20	66.675	107.950	25.400	25.400	19.050	102.000	158.000	0.840
3984/20	66.675	112.712	30.162	30.048	23.812	129.000	191.000	0.780
39590/20	66.675	112.712	30.162	30.162	23.812	155.000	224.000	1.130
HM212049/10	66.675	122.238	38.100	38.354	29.718	209.000	279.000	1.850
HM212049/11	66.675	122.238	38.100	38.354	29.718	209.000	279.000	1.840
33281/462	71.438	117.475	30.162	30.162	23.812	128.000	197.000	1.180
29685/20	73.025	112.712	25.400	25.400	19.050	102.000	166.000	0.880
33287/462	73.025	117.475	30.162	30.162	23.812	128.000	197.000	1.170
575/572X	76.200	139.700	36.512	36.098	28.575	191.000	292.000	2.390
47687/20	82.550	133.350	33.338	33.338	26.195	167.000	262.000	1.660
580/572X	82.550	139.700	36.512	39.098	28.575	191.000	292.000	2.140
HM220149/10	99.974	156.975	42.000	42.000	34.000	278.000	438.000	2.750
37431/625	109.538	158.750	23.020	21.438	15.875	107.000	179.000	1.300
37431A/625	109.538	158.750	23.020	21.438	15.875	107.000	179.000	1.300



HI-TEC SPHERICAL ROLLER BEARING


轴承型号 Bearing No.			主要尺寸 Boundary Dimensions (mm)			重量 Weight (kg)
圆柱孔 (圆锥孔) Cylindrical bore (Tapered bore)			d	D	B	
21304CA(K)			20	52	15	0.165
22205CA(K)	22205CC(K)	22205MB(K)	25	52	18	0.168
22205E(K)				52	18	0.176
21305CA(K)				62	17	0.245
22206E(K)			30	62	20	0.276
22206CA(K)	22206CC(K)	22206MB(K)		62	20	0.296
21306CA(K)				72	19	0.425
22207E(K)			35	72	23	0.423
22207CA(K)	22207CC(K)	22207MB(K)		72	23	0.448
21307CA(K)				80	21	0.523
22208E(K)			40	80	23	0.521
22208CA(K)	22208CC(K)	22208MB(K)		80	23	0.538
21308CA(K)	21308CC(K)			90	23	0.75
22308E(K)				90	33	1.02
22308CA(K)	22308CC(K)	22308MB(K)		90	33	1.02
22209E(K)			45	85	23	0.554
22209CA(K)	22209CC(K)	22209MB(K)		85	23	0.59
21309CA(K)	21309CC(K)			100	25	1.03
22309E(K)				100	36	1.38
22309CA(K)	22309CC(K)	22309MB(K)		100	36	1.39
22210E(K)			50	90	23	0.6
22210CA(K)	22210CC(K)	22210MB(K)		90	23	0.63
21310CA(K)	22210CC(K)			110	27	1.4
22310E(K)				110	40	1.85
22310CA(K)	22310CC(K)	22310MB(K)		110	40	1.84
22211E(K)			55	100	25	0.8
22211CA(K)	22211CC(K)	22211MB(K)		100	25	0.83
21311CA(K)	21311CC(K)			120	29	1.68
22311E(K)				120	43	2.32
22311CA(K)	22311CC(K)	22311MB(K)		120	43	2.31
22212E(K)			60	110	28	1.14
22212CA(K)	22212CC(K)	22212MB(K)		110	28	1.2
21312CA(K)	21312CC(K)			130	31	2
22312E(K)				130	46	2.96
22312CA(K)	22312CC(K)	22312MB(K)		130	46	2.93
22213E(K)			65	120	31	1.53
22213CA(K)	22213CC(K)	22213MB(K)		120	31	1.6
21313CA(K)	21313CC(K)			140	33	2.57
22313E(K)				140	48	3.7
22313CA(K)	22313CC(K)	22313MB(K)		140	48	3.56

HI-TEC SPHERICAL ROLLER BEARING




轴承型号 Bearing No.			主要尺寸 Boundary dimensions (mm)			重量 Weight (kg)
圆柱孔 (圆锥孔) Cylindrical bore (Tapered bore)			d	D	B	
22214E(K)			70	125	31	1.65
22214CA(K)	22214CC(K)	22214MB(K)		125	31	1.76
21314CA(K)	21314CC(K)			150	35	3.2
22314E(K)				150	51	4.5
22314CA(K)	22314CC(K)	22314MB(K)		150	31	4.4
22215E(K)			75	130	31	1.73
22215CA(K)	22215CC(K)	22215MB(K)		130	31	1.85
21315CA(K)	21315CC(K)			160	37	3.76
22315E(K)				160	55	5.33
22315CA(K)	22315CC(K)	22315MB(K)		160	55	5.25
22216E(K)			80	140	33	2.09
22216CA(K)	22216CC(K)	22216MB(K)		140	33	2.1
21316CA(K)	21316CC(K)			170	39	4.81
22316E(K)				170	58	6.27
22316CA(K)	22316CC(K)	22316MB(K)		170	58	6.39
22217E(K)			85	150	36	2.64
22217CA(K)	22217CC(K)	22217MB(K)		150	36	2.75
21317CA(K)	21317CC(K)			180	41	5.3
22317E(K)				180	60	7.35
22317CA(K)	22317CC(K)	22317MB(K)		180	60	7.3
22218E(K)				160	40	3.45
22218CA(K)	22218CC(K)	22218MB(K)		160	40	3.5
22224CA (K)	22224CC(K)	22224MB(K)		215	58	8.5
23224CA(K)	23224CC(K)	23224MB(K)		215	76	11.8
22324CA(K)	22324CC(K)	22324MB(K)		260	86	22.3
23026CA(K)	23026CC(K)	23026MB(K)	130	200	52	6.3
24026CA(K)	24026CC(K)	24026MB(K)		200	69	7.45
23126CA(K)	23126CC(K)	23126MB(K)		210	64	8.62
24126CA(K)	24126CC(K)	24126MB(K)		210	80	10.25
22226CA(K)	22226CC(K)	22226MB(K)		230	64	11.3
23226CA(K)	23226CC(K)	23226MB(K)		230	80	13.95
22326CA(K)	22326CC(K)	22326MB(K)		280	93	28.5
23028CA(K)	23028CC(K)	23028MB(K)	140	210	53	6.8
24028CA(K)	24028CC(K)	24028MB(K)		210	69	8.12
23128CA(K)	23128CC(K)	23128MB(K)		225	68	10.85
24128CA(K)	24128CC(K)	24128MB(K)		225	85	12.45
22228CA(K)	22228CC(K)	22228MB(K)		250	68	14.6
23228CA(K)	23228CC(K)	23228MB(K)		250	88	18.6
22328CA(K)	22328CC(K)	22328MB(K)		300	102	34.5
23030CA(K)	23030CC(K)	23030MB(K)	150	225	56	8.2
24030CA(K)	24030CC(K)	24030MB(K)		225	75	11.1

HI-TEC SPHERICAL ROLLER BEARING




轴承型号 Bearing No.			主要尺寸 Boundary dimensions (mm)			重量 Weight (kg)
圆柱孔 (圆锥孔) Cylindrical bore (Tapered bore)			d	D	B	
23130CA(K)	23130CC(K)	23130MB(K)		250	80	17
24130CA(K)	24130CC(K)	24130MB(K)		250	100	18.95
22230CA(K)	22230CC(K)	22230MB(K)		270	73	18.45
23230CA(K)	23230CC(K)	23230MB(K)		270	96	23.96
22330CA(K)	22330CC(K)	22330MB(K)		320	108	42.45
23032CA(K)	23032CC(K)	23032MB(K)	160	240	60	9.85
24032CA(K)	24032CC(K)	24032MB(K)		240	80	12.1
23132CA(K)	23132CC(K)	23132MB(K)		270	86	19.45
24132CA(K)	24132CC(K)	24132MB(K)		270	109	24.3
22232CA(K)	22232CC(K)	22232MB(K)		290	80	23
23232CA(K)	23232CC(K)	23232MB(K)		290	104	29.3
22332CA(K)	22332CC(K)	22332MB(K)		340	114	50.2
23034CA(K)	23034CC(K)	23034MB(K)	170	260	67	12.5
24034CA(K)	24034CC(K)	24034MB(K)		260	90	16.45
23134CA(K)	23134CC(K)	23134MB(K)		280	88	21.05
24134CA(K)	24134CC(K)	24134MB(K)		280	109	25.6
22234CA(K)	22234CC(K)	22234MB(K)		310	86	28.45
23234CA(K)	23234CC(K)	23234MB(K)		310	110	34.9
22334CA(K)	22334CC(K)	22334MB(K)		360	120	59.6
23036CA(K)	23036CC(K)	23036MB(K)	180	280	74	17.2
24036CA(K)	24036CC(K)	24036MB(K)		280	100	22.1
23136CA(K)	23136CC(K)	23136MB(K)		300	96	26.9
24136CA(K)	24136CC(K)	24136MB(K)		300	118	31.8
22236CA(K)	22236CC(K)	22236MB(K)		320	86	30
23236CA(K)	23236CC(K)	23236MB(K)		320	112	37.85
22336CA(K)	22336CC(K)	22336MB(K)		380	126	69.85
23038CA(K)	23038CC(K)	23038MB(K)	190	290	75	19.8
24038CA(K)	24038CC(K)	24038MB(K)		290	100	22.95
23138CA(K)	23138CC(K)	23138MB(K)		320	104	34.9
24138CA(K)	24138CC(K)	24138MB(K)		320	128	40.5
22238CA(K)	22238CC(K)	22238MB(K)		340	92	35.8
23238CA(K)	23238CC(K)	23238MB(K)		340	120	46.1
22338CA(K)	22338CC(K)	22338MB(K)		400	132	80.9
23040CA(K)	23040CC(K)	23040MB(K)	200	310	82	23.65
24040CA(K)	24040CC(K)	24040MB(K)		310	109	29.4
23140CA(K)	23140CC(K)	23140MB(K)		340	112	47.5
24140CA(K)	24140CC(K)	24140MB(K)		340	140	49.8
22240CA(K)	22240CC(K)	22240MB(K)		360	98	47
23240CA(K)	23240CC(K)	23240MB(K)		360	128	55.3
22340CA(K)	22340CC(K)	22340MB(K)		420	138	93.5

HI-TEC SPHERICAL ROLLER BEARING




轴承型号 Bearing No.			主要尺寸 Boundary dimensions (mm)			重量 Weight (kg)
圆柱孔 (圆锥孔) Cylindrical bore(Tapered bore)			d	D	B	
23044CA(K)	23044CC(K)	23044MB(K)	220	340	90	28.9
24044CA(K)	24044CC(K)	24044MB(K)		340	118	39.2
23144CA(K)	23144CC(K)	23144MB(K)		370	120	51.5
24144CA(K)	24144CC(K)	24144MB(K)		370	150	62.5
22244CA(K)	22244CC(K)	22244MB(K)		400	108	61.8
23244CA(K)	23244CC(K)	23244MB(K)		400	144	78.3
22344CA(K)	22344CC(K)	22344MB(K)		460	145	120.6
23048CA(K)	23048CC(K)	23048MB(K)	240	360	92	32.8
24048CA(K)	24048CC(K)	24048MB(K)		360	118	40.9
23148CA(K)	23148CC(K)	23148MB(K)		400	128	63.9
24148CA(K)	24148CC(K)	24148MB(K)		400	160	77.2
22248CA(K)	22248CC(K)	22248MB(K)		440	120	85
23248CA(K)	23248CC(K)	23248MB(K)		440	160	108.1
22348CA(K)	22348CC(K)	22348MB(K)		500	150	152.9
23052CA(K)	23052CC(K)	23052MB(K)	260	400	104	46.9
24052CA(K)	24052CC(K)	24052MB(K)		400	140	63
23152CA(K)	23152CC(K)	23152MB(K)		440	144	88.6
24152CA(K)	24152CC(K)	24152MB(K)		440	180	106.8
22252CA(K)	22252CC(K)	22252MB(K)		480	130	106
22352CA(K)	22352CC(K)	22352MB(K)		540	165	190.2
23056CA(K)	23056CC(K)	23056MB(K)	280	420	106	51
24056CA(K)	24056CC(K)	24056MB(K)		420	140	66
23156CA(K)	23156CC(K)	23156MB(K)		460	146	95.2
24156CA(K)	24156CC(K)	24156MB(K)		460	180	113.5
22256CA(K)	22256CC(K)	22256MB(K)		500	130	113.1
22356CA(K)	22356CC(K)	22356MB(K)		580	175	237.1
23060CA(K)	23060CC(K)	23060MB(K)	300	460	118	72.1
24060CA(K)	24060CC(K)	24060MB(K)		460	160	95.2
23160CA(K)	23160CC(K)	23160MB(K)		500	160	133.8
22260CA(K)	22260CC(K)	22260MB(K)		540	140	134.9
23218CA(K)	23218CC(K)		90	160	52.4	4.62
21318CA(K)	21318CC(K)			190	43	6.2
22318E(K)				190	64	8.75
22318CA(K)	22318CC(K)	22318MB(K)		190	64	8.64
22219E(K)			95	170	43	4.15
22219CA(K)	22219CC(K)	22219MB(K)		170	43	4.15
21319E(K)	21319CC(K)			200	45	7.1
22319E(K)				200	67	9.8
22319CA(K)	22319CC(K)	22319MB(K)		200	67	10.1
24020CA(K)	24020CC(K)		100	150	50	3.2
23120CA(K)	23121CC(K)			165	52	5.05

HI-TEC SPHERICAL ROLLER BEARING





轴承型号 Bearing No.			主要尺寸 Boundary dimensions (mm)			重量 Weight (kg)
圆柱孔 (圆锥孔) Cylindrical bore(Tapered bore)			d	D	B	
22220E(K)				180	46	4.85
2220CA(K)	22220CC(K)	22220MB(K)		180	46	4.9
23220CA(K)				180	60.3	6.82
21320CA(K)	21320CC(K)			215	47	8.9
22320E(K)				215	73	12.8
22320CA(K)	22320CC(K)	22320MB(K)		215	73	13.2
23121CA(K)	23121CC(K)	23121MB(K)	105	175	56	6.25
21321CA(K)	21321CC(K)			225	49	10.1
23022CA(K)	23022CC(K)	23022MB(K)	110	170	45	3.92
24022CA(K)	24022CC(K)	24022MB(K)		170	60	5.05
23122CA(K)	23122CC(K)	23122MB(K)		180	56	6.25
24122CA(K)	24122CC(K)	24122MB(K)		180	69	6.73
22222CA(K)	22222CC(K)	22222MB(K)		200	53	7.5
23222CA(K)	23222CC(K)	23222MB(K)		200	69.8	9.8
21322CA(K)	21322CC(K)			240	50	11.82
22322CA(K)	22322CC(K)	22322MB(K)		240	80	18.2
23024CA(K)	23024CC(K)	23024MB(K)	120	180	46	4.2
24024CA(K)	24024CC(K)	24024MB(K)		180	60	5.15
23124CA(K)	23124CC(K)	23124MB(K)		200	62	7.63
24124CA(K)	24124CC(K)	24124MB(K)		200	80	9.62



HI-TEC PILLOW BLOCK BEARING


轴承型号 Bearing No.	外形尺寸 Boundary Dimensions(mm)			额定负荷 Basic Loadrating(kN)			重量 Weight(kg)
	d	D	B	ds	Cr	Cor	
UC201	12	40	27.4	M5×0.75	7.36	4.48	0.12
UC202	15	40	27.4	M5×0.75	7.36	4.48	0.11
UC203	17	40	27.4	M5×0.75	7.36	4.48	0.10
UC204	20	47	31	M6×0.75	9.88	6.65	0.16
UC205	25	52	34	M6×0.75	10.8	7.88	0.22
UC206	30	62	38.1	M6×0.75	15.0	11.2	0.35
UC207	35	72	42.9	M8×1.0	19.8	15.2	0.52
UC208	40	80	49.2	M8×1.0	22.8	18.2	0.70
UC209	45	85	49.2	M8×1.0	24.5	20.8	0.74
UC210	50	90	51.6	M10×1	27.0	23.2	0.83
UC211	55	100	55.6	M10×1	43.4	29.2	0.97
UC212	60	110	65.1	M10×1	52.5	35.9	1.47
UC213	65	120	65.1	M10×1.25	44.0	34.0	1.71
UC214	70	125	74.6	M12×1.5	46.8	37.5	2.06
UC215	75	130	77.8	M12×1.5	50.8	41.2	2.22
UC216	80	140	82.6	M12×1.5	55.0	44.8	2.82
UC217	85	150	85.7	M12×1.5	64.0	53.2	3.38
UC218	90	160	96	M12×1.5	73.8	60.5	4.34
UC305	25	62	38	M6×0.75	17.2	11.2	0.44
UC306	30	72	43	M6×0.75	20.8	14.2	0.56
UC307	35	80	48	M8×1.0	25.8	17.8	0.71
UC308	40	90	52	M10×1.25	31.2	22.2	1.00
UC309	45	100	57	M10×1.25	40.8	29.8	1.28
UC310	50	110	61	M12×1.5	47.5	35.5	1.65
UC311	55	120	66	M12×1.5	55.2	41.8	2.07
UC312	60	130	71	M12×1.5	62.8	48.5	2.59
UC313	65	140	75	M12×1.5	72.2	56.5	3.15
UC314	70	150	78	M12×1.5	80.2	63.2	3.83
UC315	75	160	82	M14×1.5	87.5	71.5	4.59
UC316	80	170	86	M14×1.5	94.5	80.0	5.40



HI-TEC BEARING HOUSING

轴承座型号 Housing No.	基本尺寸 Dimensions (mm)										重量 Weight(kg)
	Da	h	a	e	g	w	b	Be	s1	s2	
P201	47	30.2	127	95	14	62	38	17	13	19	0.33
P202	47	30.2	127	95	14	62	38	17	13	19	0.33
P203	47	30.2	127	95	14	62	38	17	13	19	0.33
P204	47	33.3	127	95	14	65	38	17	13	19	0.46
P205	52	36.5	140	105	15	71	38	17	13	19	0.6
P206	62	42.9	165	121	17	83	48	19	17	21	0.97
P207	72	47.6	167	127	18	93	48	20	17	21	1
P208	80	49.2	184	137	18	98	54	21	17	21	1.3
P209	85	54	190	146	20	106	54	22	17	20	1.4
P210	90	57.2	206	159	21	114	60	23	20	25	1.83
P211	100	63.5	219	171	23	126	60	24	20	25	2.4
P212	110	69.8	241	184	25	138	70	26	20	25	2.8
P213	120	76.2	265	203	27	151	70	27	25	29	3.5
P214	125	79.4	266	210	27	157	72	29	25	31	4.45
P215	130	82.6	275	217	28	163	74	30	25	31	4.9
P216	140	88.9	292	232	30	175	78	32	25	31	5.8
P217	150	95.2	310	247	32	187	83	34	25	31	6.9
P218	160	101.6	327	262	33	200	88	36	27	33	8.1


轴承座型号 Housing No.	基本尺寸 Dimensions (mm)								重量 Weight(kg)
	Da	l	a	e	l	g	Be	s	
F201	47	15	86	64	25.5	11	17	12	0.38
F202	47	15	86	64	25.5	11	17	12	0.38
F203	47	15	86	64	25.5	11	17	12	0.38
F204	47	15	86	64	25.5	11	17	12	0.38
F205	52	16	95	70	27	13	17	12	0.65
F206	62	18	108	83	31	13	19	12	0.85
F207	72	19	117	92	34	15	20	14	1.05
F208	80	21	130	102	36	15	21	16	1.25
F209	85	22	137	105	38	16	22	16	1.31
F210	90	22	143	111	40	16	23	16	1.30
F211	100	25	162	130	43	18	24	19	1.60
F212	110	29	175	143	48	18	26	19	3.00
F213	120	30	187	149	50	22	27	19	3.40
F214	125	31	193	152	54	22	29	19	3.70
F215	130	34	200	159	56	22	30	19	4.85
F216	140	34	208	165	58	22	32	23	5.00
F217	150	36	220	175	63	24	34	23	4.90
F218	160	40	235	187	68	24	36	23	6.30



HI-TEC BEARING HOUSING

轴承座型号 Housing No.	基本尺寸 Dimensions (mm)										重量 Weight(kg)
	Da	l	a	e	l	g	Be	b	s		
FL201	47	15	113	90	25.5	12	17	60	12	0.25	
FL202	47	15	113	90	25.5	12	17	60	12	0.25	
FL203	47	15	113	90	25.5	12	17	60	12	0.25	
FL204	47	15	113	90	25.5	12	17	60	12	0.28	
FL205	52	16	130	99	27	14	17	68	16	0.40	
FL206	62	18	148	117	31	14	19	80	16	0.54	
FL207	72	19	161	130	34	16	20	90	16	0.65	
FL208	80	21	175	144	36	16	21	100	16	0.80	
FL209	85	22	188	148	38	18	22	108	19	1.15	
FL210	90	22	197	157	40	18	23	115	19	1.25	
FL211	100	25	224	184	43	20	24	130	19	1.85	
FL212	110	29	250	202	48	20	26	140	23	2.10	
FL213	120	30	258	210	50	24	27	155	23	2.80	
FL214	125	31	265	216	54	24	29	160	23	3.20	
FL215	130	34	275	225	56	24	30	165	23	2.80	
FL216	140	34	290	233	58	24	32	180	25	3.53	
FL217	150	36	305	248	63	26	34	190	25	5.50	
FL218	160	40	320	265	68	26	36	205	25	6.00	


轴承座型号 Housing No.	基本尺寸 Dimensions (mm)														重量 Weight(kg)
	Da	O	g	p	q	s	b	k	e	g	w	l	j	h	
T201	47	16	10	51	32	19	51	12	76	89	96	21	32	61	0.56
T202	47	16	10	51	32	19	51	12	76	89	96	21	32	61	0.56
T203	47	16	10	51	32	19	51	12	76	89	96	21	32	61	0.56
T204	47	16	10	51	32	19	51	12	76	89	94	21	32	62	0.56
T205	52	16	10	51	32	19	51	12	76	89	97	24	32	62	0.63
T206	62	16	10	56	37	22	57	12	89	102	113	28	37	70	0.95
T207	72	16	13	64	37	22	64	12	89	102	129	30	37	78	1.09
T208	80	19	16	83	49	29	83	16	102	114	144	33	49	88	1.72
T209	85	19	16	83	49	29	83	16	102	117	144	35	49	87	1.75
T210	90	19	16	83	49	29	86	16	102	117	149	37	49	90	1.75
T211	100	25	19	102	64	35	95	22	130	146	171	38	64	106	2.80
T212	110	32	19	102	64	35	102	22	130	146	194	42	64	119	3.40
T213	120	32	21	111	70	41	121	26	151	167	224	44	70	137	5.00
T214	125	32	21	111	70	41	121	26	151	167	224	46	70	137	4.70
T215	130	32	21	111	70	41	121	26	151	167	232	48	70	140	5.10
T216	140	32	21	111	70	41	121	26	165	184	235	51	70	140	5.50
T217	150	38	29	124	73	48	157	30	173	198	260	54	73	162	7.40
T218	160	40	30	130	80	48	140	30	190	215	275	55	80	170	10.20



HI-TEC SINGLE ROW ANGULAR CONTACT BALL BEARING

型号 Model	基本尺寸 Principal dimensions(mm)				重量 Weight
	d	D	B		
7003C	17	35	10	0.15	0.040
7003A		35	10	0.15	0.031
7203C		40	12	0.30	0.067
7203A		40	12	0.30	0.060
7203B		40	12	0.30	0.062
7303C		47	14	1.00	0.109
7303A		47	14	0.60	0.111
7303B		47	14	0.60	0.113
7004C	20	42	12	0.30	0.071
7004A		42	12	0.30	0.063
7204C		47	14	0.60	0.113
7204A		47	14	0.60	0.100
7204B		47	14	0.60	0.104
7304C		52	15	1.10	0.140
7304A		52	15	0.60	0.140
7304B		52	15	0.60	0.144
7005C	25	47	12	0.30	0.083
7005A		47	12	0.30	0.074
7205C		52	15	0.60	0.139
7205A		52	15	0.60	0.126
7205B		52	15	0.60	0.129
7305C		62	17	1.10	0.222
7305A		62	17	0.60	0.230
7305B		62	17	0.60	0.236
7006C	30	55	13	0.60	0.130
7006A		55	13	0.60	0.111
7206C		62	16	0.60	0.218
7206A		62	16	0.60	0.191
7206B		62	16	0.60	0.197
7306C		72	19	1.10	0.330
7306A		72	19	0.60	0.341
7306B		72	19	0.60	0.349
7007C	35	62	14	0.60	0.169
7007A		62	14	0.60	0.148
7207C		72	17	0.60	0.316


型号 Model	基本尺寸 Principal dimensions(mm)			重量 Weight	
	d	D	B		
7207A		72	18	0.60	0.284
7207B		72	17	0.60	0.289
7307C		80	21	1.00	0.440
7307A		80	21	1.00	0.459
7307B		80	21	1.00	0.469
7008C	40	68	15	0.60	0.209
7008A		68	15	0.60	0.186
7208C		80	18	0.60	0.413
7208A		80	18	0.60	0.370
7208B		80	18	0.60	0.378
7308C		90	23	1.50	0.606
7308A		90	23	1.00	0.628
7308B		90	23	1.00	0.643
7009C	45	75	16	0.60	0.268
7209A		85	19	0.60	0.405
7209B		85	19	0.60	0.415
7309C		100	25	1.50	0.830
7309A		100	25	1.00	0.840
7309B		100	25	1.00	0.861
7010C	50	80	16	0.60	0.285
7010A		80	16	0.60	0.255
7210C		90	20	0.60	0.519
7210A		90	20	0.60	0.457
7210B		90	20	0.60	0.468
7310C		110	27	2.00	1.050
7310A		110	27	1.00	1.091
7310B		110	27	1.00	1.110
7011C	55	90	18	0.60	0.421
7011A		90	18	0.60	0.388
7211C		100	21	1.00	0.679
7211A		100	21	1.00	0.604
7211B		100	21	1.00	0.617
7311C		120	29	2.00	1.340
7311A		120	29	1.00	1.400
7311B		120	29	1.00	4.441



HI-TEC SINGLE ROW ANGULAR CONTACT BALL BEARING


型号 Model	基本尺寸 Principal dimensions(mm)				重量 (kg) Weight
	d	D	B	T	
7012C	60	95	18	0.60	0.449
7012A		95	18	0.60	0.406
7212C		110	22	1.00	0.878
7212A		110	22	1.00	0.787
7212B		110	22	1.00	0.804
7312C		130	31	2.10	1.680
7312A		130	31	1.10	1.729
7312B		130	31	1.10	1.769
7013C	65	100	18	0.60	0.483
7013A	65	100	16	0.6	0.445
7213C		120	23	1	1.13
7213A		120	23	1	1.02
7213B		120	23	1	1.04
7313C		140	33	2.1	2.06
7313A		140	33	1.1	2.11
7313B		140	33	1.1	2.16
7014C	70	110	20	0.6	0.688
7014A		110	20	0.6	0.615
7214C		125	24	1	1.23
7214A		125	24	1	1.1
7214B		125	24	1	1.13
7314C		150	35	2.1	2.5
7314A		150	35	1.1	2.59
7314B		150	35	1.1	2.64
7015C	75	115	20	0.6	0.739
7015A		115	20	0.6	0.652
7215C		130	25	1	1.351
7215A		130	25	1	1.181
7215B		130	25	1	1.211
7315C		160	37	2.1	3.09
7315A		160	37	1.1	3.121
7315B		160	37	1.1	3.181
7016C	80	125	22	0.6	0.968
7016A		125	22	0.6	0.872
7216C		140	26	1	1.622

型号 Model	基本尺寸 Principal dimensions(mm)				重量 (kg) Weight
	d	D	B	T	
7216A		140	26	1	1.452
7216B		140	26	1	1.482
7316C		170	39	2.1	3.55
7316A		170	39	1.1	3.702
7316B		170	39	1.1	3.782
7017C	85	130	22	0.6	1.005
7017A		130	22	0.6	0.909
7217C		150	28	1	2.036
7017A		150	28	1	1.825
7217B		150	28	1	1.885
7317C		180	41	3	4.18
7317A		180	41	1.1	4.326
7317B		180	41	1.1	4.415
7018C	90	140	24	1	1.332
7018A		140	24	1	1.183
7018C		160	30	1	2.501
7218A		160	30	1	2.243
7218B		160	30	1	2.285
7318C		190	43	3	4.88
7318A		190	43	1.1	5.054
7318B		190	43	1.1	5.164
7019C	95	145	24	1	1.411
7019A		145	24	1	1.422
7219C		170	32	1.1	3.041
7219A		170	32	1.1	2.673
7219B		170	32	1.1	2.733
7319C		200	45	3	5.65
7319A		200	45	1.1	5.622
7319B		200	45	1.1	5.974
7020C	100	150	24	1	1.455
7020A		150	24	1	1.473
7220C		180	34	1.1	3.643
7220A		180	34	1.1	3.211
7220B		180	34	1.1	3.272
7320C		215	47	3	6.9



HI-TEC DOUBLE ROW ANGULAR CONTACT BALL BEARING


轴承型号 Bearing No.			外型尺寸 Dimensions (mm)			额定负荷 (KN) Basic Load Rating		重量 Weight (kg)
Open	ZZ	2RS	d	D	B	Cr	Cor	
5200A	5200ZZ	52002RS	10	30	14.3	7.0	3.8	0.049
5201A	5201ZZ	52012RS	12	32	15.9	9.2	5.1	0.057
5202A	5202ZZ	52022RS	15	35	15.9	10.0	6.1	0.064
5203A	5203ZZ	52032RS	17	40	17.5	12.8	7.9	0.096
5204A	5204ZZ	52042RS	20	47	20.6	19.0	12.1	0.153
5205A	5205ZZ	52052RS	25	52	20.6	20.6	14.3	0.175
5206A	5206ZZ	52062RS	30	62	23.8	28.6	20.4	0.286
5207A	5207ZZ	52072RS	35	72	27	38.0	27.8	0.436
5208A	5208ZZ	52082RS	40	80	30.2	42.5	32.5	0.590
5209A	5209ZZ	52092RS	45	85	30.2	48.0	37.0	0.640
5210A	5210ZZ	52102RS	50	90	30.2	51.0	42.0	0.689
5211A	5211ZZ	52112RS	55	100	33.3	63.0	53.0	0.986
5212A	5212ZZ	52122RS	60	110	36.5	71.5	58.5	1.270
5213A	5213ZZ	52132RS	65	120	38.1	83.5	72.5	1.570
5214A	5214ZZ	52142RS	70	125	39.7	87.5	79.5	1.800
5215A	5215ZZ	52152RS	75	130	41.3	90.0	80.5	1.900
5216A	5216ZZ	52162RS	80	140	44.4	106	95.5	2.390
5217A	5217ZZ	52172RS	85	150	49.2	112	106	3.060
5218A	5218ZZ	52182RS	90	160	52.4	140	129	3.730
5219A	5219ZZ	52192RS	95	170	55.6	163	184	5.100
5220A	5220ZZ	52202RS	100	180	60.3	210	240	6.140
5300A	5300ZZ	53002RS	10	35	19	9.2	5.1	0.092
5301A	5301ZZ	53012RS	12	37	19	10.0	6.1	0.109
5302A	5302ZZ	53022RS	15	42	19	12.8	7.9	0.132
5303A	5303ZZ	53032RS	17	47	22.2	20.4	12.1	0.181
5304A	5304ZZ	53042RS	20	52	22.2	20.6	12.7	0.227
5305A	5305ZZ	53052RS	25	62	25.4	30.5	20.5	0.362
5306A	5306ZZ	53062RS	30	72	30.2	39.5	27.5	0.553
5307A	5307ZZ	53072RS	35	80	34.9	49.5	35.0	0.766
5308A	5308ZZ	53082RS	40	90	36.5	60.5	44.0	1.010
5309A	5309ZZ	53092RS	45	100	39.7	72.5	54.0	1.340
5310A	5310ZZ	53102RS	50	110	44.4	85.5	64.5	1.810
5311A	5311ZZ	53112RS	55	120	49.2	106	82.0	2.320
5312A	5312ZZ	53122RS	60	130	54	122	95.5	3.050
5313A	5313ZZ	53132RS	65	140	58.7	138	109	3.960
5314A	5314ZZ	53142RS	70	150	63.5	155	125	4.740
5315A	5315ZZ	53152RS	75	160	68.3	168	141	5.650
5316A	5316ZZ	53162RS	80	170	68.3	175	151	7.210
5317A	5317ZZ	53172RS	85	180	73	196	240	8.300
5318A	5318ZZ	53182RS	90	190	73	225	266	9.015



HI-TEC SELF-ALIGNING BALL BEARING

轴承型号 Bearing No.		外形尺寸 Dimensions (mm)			重量 (kg) Weight
圆柱孔 Cylindrical bore	圆锥孔 Tapered bore	d	D	B	
1203	1203K	17	40	12	0.072
1204	1204K	20	47	14	0.120
1205	1205K	25	52	15	0.140
1206	1206K	30	62	16	0.220
1207	1207K	35	72	17	0.32
1208	1208K	40	80	18	0.42
1209	1209K	45	85	19	0.47
1210	1210K	50	90	20	0.53
1211	1211K	55	100	21	0.71
1212	1212K	60	110	22	0.90
1213	1213K	65	120	23	1.15
1214	1214K	70	125	24	1.30
1215	1215K	75	130	25	1.41
1216	1216K	80	140	26	1.74
1217	1217K	85	150	28	2.10
1218	1218K	90	160	30	2.56
1303	1303K	17	47	14	0.135
1304	1304K	20	52	15	0.165
1305	1305K	25	62	17	0.225
1306	1306K	30	72	19	0.385
1307	1307K	35	80	21	0.51
1308	1308K	40	90	23	0.72
1309	1309K	45	100	25	0.96
1310	1310K	50	110	27	1.25
1311	1311K	55	120	29	1.6
1312	1312K	60	130	31	2.03
1313	1313K	65	140	33	2.54
1314	1314K	70	150	35	3.19
1315	1315K	75	160	37	3.65
1316	1316K	80	170	39	4.32
1317	1317K	85	180	41	5.15
1318	1318K	90	190	43	5.95


轴承型号 Bearing No.		外形尺寸 Dimensions (mm)			重量 (kg) Weight
圆柱孔 Cylindrical bore	圆锥孔 Tapered bore	d	D	B	
2203	2203K	17	40	16	0.085
2204	2204K	20	47	18	0.133
2205	2205K	25	52	18	0.15
2206	2206K	30	62	20	0.25
2207	2207K	35	72	23	0.38
2208	2208K	40	80	23	0.48
2209	2209K	45	85	23	0.52
2210	2210K	50	90	23	0.56
2211	2211K	55	100	25	0.75
2212	2212K	60	110	28	1.03
2213	2213K	65	120	31	1.4
2214	2214K	70	125	31	1.52
2215	2215K	75	130	31	1.6
2216	2216K	80	140	33	1.98
2217	2217K	85	150	36	2.5
2218	2218K	90	160	40	3.14
2303	2303K	17	47	19	0.155
2304	2304K	20	52	21	0.193
2305	2305K	25	62	24	0.319
2306	2306K	30	72	27	0.48
2307	2307K	35	80	31	0.64
2308	2308K	40	90	33	0.89
2309	2309K	45	100	36	1.2
2310	2310K	50	110	40	1.58
2311	2311K	55	120	43	2.03
2312	2312K	60	130	46	2.57
2313	2313K	65	140	48	3.2
2314	2314K	70	150	51	3.9
2315	2315K	75	160	55	4.77
2316	2316K	80	170	58	5.55
2317	2317K	85	180	60	6.58



HI-TEC THRUST BALL BEARING

新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions (mm)
			d x D x T
51100	8100	0.019	10x24x9
51101	8101	0.021	12x26x9
51102	8102	0.024	15x28x9
51103	8103	0.025	17x30x9
51104	8104	0.038	20x35x10
51105	8105	0.056	25x42x11
51106	8106	0.06	30x47x11
51107	8107	0.066	35x52x12
51108	8108	0.12	40x60x13
51109	8109	0.15	45x65x14
51110	8110	0.16	50x70x14
51111	8111	0.24	55x78x16
51112	8112	0.29	60x85x17
51113	8113	0.324	65x90x18
51114	8114	0.36	70x95x18
51115	8115	0.392	75x100x19
51116	8116	0.404	80x105x19
51117	8117	0.46	85x110x19
51118	8118	0.64	90x120x22
51120	8120	1	100x135x25
51122	8122	1.08	110x145x25
51124	8124	1.16	120x155x25
51124M	8124H	1.15	120x155x25
51126	8126	1.8	130x170x30
51128	8128	2.1	140x180x31
51130	8130	2.2	150x190x31
51130M	8130H	2.2	150x190x31
51132	8132	2.3	160x200x31
51132M	8132H	2.3	160x200x31
51134	8134	3.3	170x215x34
51134M	8134H	3.3	170x215x34
51136	8136	3.5	180x225x34
51136M	8136H	3.5	180x225x34
51138	8138	4.1	190x240x37
51138M	8138H	4.1	190x240x37
51140	8140	4.2	200x250x37
51140M	8140H	4.2	200x250x37
51144	8144	4.65	220x270x37
51144M	8144H	4.65	220x270x37


新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions (mm)
			d x D x T
51148	8148	7.49	240x300x45
51148M	8148H	7.5	240x300x45
51152	8152	8.1	260x320x45
51152M	8152H	7.86	260x320x45
51156	8156	12.3	280x350x53
51156M	8156H	12	280x350x53
51200	8200	0.0293	10x26x11
51201	8201	0.0324	12x28x11
51202	8202	0.0444	15x32x12
51203	8203	0.0506	17x35x12
51204	8204	0.0773	20x40x14
51205	8205	0.109	25x47x15
51206	8206	0.138	30x52x16
51207	8207	0.22	35x62x18
51208	8208	0.27	40x68x19
51209	8209	0.32	45x73x20
51210	8210	0.39	50x78x22
51211	8211	0.619	55x90x25
51212	8212	0.69	60x95x26
51213	8213	0.75	65x100x27
51214	8214	0.79	70x105x27
51215	8215	0.85	75x110x27
51216	8216	0.925	82x115x28
51217	8217	1.3	85x125x31
51218	8218	1.77	90x135x35
51218M	8218H	1.71	90x135x35
51220	8220	2.4	100x150x38
51220M	8220H	2.45	100x150x38
51222	8222	2.6	110x160x38
51224	8224	2.9	120x170x39
51226	8226	3.91	130x190x45
51228	8228	4.6	140x200x46
51230	8230	5.8	150x215x50
51232	8232	6.7	160x225x51
51234	8234	8.3	170x240x55
51234M	8234H	8.3	170x240x55
51236	8236	8.9	180x250x56
51236M	8236H	8.9	180x250x56
51238	8238	11.9	190x270x62



HI-TEC THRUST BALL BEARING

新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions(mm) d x D x T
51240	8240	12.4	200x280x62
51240M	8240H	12.4	200x280x62
51244	8244	13.7	220x300x63
51244M	8244H	13.7	220x300x63
51248	8284	21.8	240x340x78
51248M	8248H	23.6	240x340x78
51252	8252	25.5	260x360x79
51252M	8252H	25.5	260x360x79
51256	8256	27.8	280x380x80
51256M	8256H	26.2	280x380x80
51260M	8260H	42.75	300x420x95
51264M	8264H	44.3	320x440x95
51268M	8268H	46	340x460x96
51272M	8272H	69.1	360x500x110
51276M	8276H	73	380x520x112
51304	8304	0.15	20x47x18
51305	8305	0.171	25x52x18
51306	8306	0.25	30x60x21
51307	8307	0.378	35x68x24
51308	8308	0.43	35x68x21
51309	8309	0.67	40x78x26
51310	8310	1	45x85x28
51311	8311	1.34	50x95x31
51312	8312	1.43	55x105x35
51313	8313	1.57	60x110x35
51314	8314	1.93	65x115x36
51314M	8314H	1.93	70x125x40
51315	8315	2.7	75x135x44
51316	8316	2.8	80x140x44
51316M	8316H	2.8	80x140x44
51317	8317	3.7	85x150x49
51317M	8317H	3.7	85x150x49
51318	8318	3.9	90x155x50
51318M	8318H	4.18	90x155x50
51320	8320	5.1	100x170x55
51320M	8320H	6.18	100x170x55
51322	8322	7.9	110x190x63
51322M	8322H	7.9	110x190x63
51324	8324	10.9	120x210x70
51324M	8324H	10.9	120x210x70
51326	8326	13.3	130x225x75
51326M	8326H	13	130x225x75


新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions(mm) d x D x T
51328	8328	14.904	140x240x80
51328M	8328H	14.094	140x240x80
51330	8330	16.7	150x250x80
51332	8332	18.6	160x270x87
51334	8334	26.1	170x280x87
51334M	8334H	23.4	170x280x87
51336	8336	27.5	180x300x95
51336M	8336H	27.5	180x300x95
51338	8338	41	190x320x105
51340	8340	44	200x340x110
51344M	8344H	44	220x360x112
51348	8348	51	240x380x112
51405	8405	0.34	25x60x24
51406	8406	0.35	30x70x28
51407	8407	0.82	35x80x32
51408	8408	1.18	40x90x36
51409	8409	1.64	45x100x39
51410	8410	1.99	50x110x43
51411	8411	2.82	55x120x48
51411M	8411H	2.62	55x120x48
51412	8412	3.3	60x130x51
51412M	8412H	3.3	60x130x51
51413	8413	4.2	65x140x56
51413M	8413H	4	65x140x56
51414	8414	5.18	70x150x60
51414M	8414H	5	70x150x60
51415	8415	6.97	75x160x65
51415M	8415H	6.75	75x160x65
51416	8416	8	80x170x68
51416M	8416H	7.95	80x170x68
51417	8417	9.5	85x180x72
51417M	8417H	9.5	85x180x72
51418	8418	9.76	90x190x77
51418M	8418H	11	90x190x77
51420	8420	14.9	100x210x85
51420M	8420H	14.9	100x210x85
51422	8422	18.49	110x230x95
51422M	8422H	19.49	110x230x95
51424	8424	25.5	120x250x102
51424M	8424H	29.5	120x250x102
51426	8426	29.7	130x270x110
51428	8428	32.2	140x280x112
51428M	8428H	34.5	140x280x112



HI-TEC THRUST ROLLER BEARING

新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions(mm)
81102	9102	0.024	15*28*9
81103	9103	0.027	17*30*9
81104	9104	0.037	20*35*10
81105	9105	0.053	25*42*11
81106	9106	0.057	30*47*11
81107	9107	0.073	35*52*12
81108	9108	0.11	40*60*13
81109	9109	0.13	45*65*14
81110	9110	0.14	50*70*14
81111	9111	0.22	55*78*16
81112	9112	0.27	60*85*17
81113	9113	0.31	65*90*18
81114	9114	0.33	70*95*18
81115	9115	0.37	75*100*19
81116	9116	0.4	80*105*19
81117	9117	0.52	85*110*19
81118	9118	0.62	90*120*22
81120	9120	0.95	100*135*25
81122	9122	1.05	110*145*25
81124	9124	1.1	120*155*25
81126	9126	1.7	130*170*30
81128	9128	1.9	140*180*31
81130	9130	2	150*190*31
81132	9132	2.2	160*200*31
81134	9134	2.95	170*215*34
81136	9136	3.05	180*225*34


新型号 Present code	旧型号 Original code	重量 (kg) Weight	外形尺寸 Dimensions(mm)
81138	9138	3.85	190*240*37
81140	9140	4	200*250*37
81144	9144	4.5	220*270*37
81148	9148	7.25	240*300*45
81202	9202	0.024	15*32*12
81203	9203	0.029	17*35*12
81204	9204	0.051	20*40*14
81205	9205	0.07	25*47*15
81206	9206	0.12	30*52*16
81207	9207	0.2	35*62*18
81208	9208	0.25	40*68*19
81209	9209	0.29	45*73*20
81210	9210	0.36	50*78*22
81211	9211	0.57	55*90*25
81212	9212	0.64	60*95*26
81213	9213	0.72	65*100*27
81214	9214	0.77	70*105*27
81215	9215	0.98	75*110*27
81216	9216	0.9	80*115*28
81217	9217	1.44	85*125*31
81218	9218	1.75	90*135*35
81220	9220	2.58	100*150*38
81222	9222	2.3	110*160*38
81224	9224	2.55	120*170*39
81226	9226	4.2	130*190*45
81228	9228	4.55	140*200*46
81230	9230	5.9	150*215*50



HI-TEC CYLINDRICAL ROLLER BEARING

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
15	35	11	0.6	0.3	0.050	N202
	35	11	0.6	0.3	0.050	NJ202
	35	11	0.6	0.3	0.050	NU202
17	40	12	0.6	0.3	0.600	N203
	40	12	0.6	0.3	0.600	NJ203
20	47	14	1.0	0.8	0.109	N204
	47	14	1.0	0.6	0.111	NJ204
	47	14	1.0	0.6	0.111	NU204
	52	15	1.1	0.6	0.149	N304
	52	15	1.1	0.6	0.153	NJ304
	52	15	1.1	0.6	0.153	NU304
25	52	15	1.0	0.8	0.134	N205
	52	15	1.0	0.6	0.137	NJ205
	52	18	1.1	0.6	0.170	NJ2205V
	52	15	1.0	0.6	0.137	NU205
	62	17	1.1	1.1	0.235	N305
	62	17	1.1	1.1	0.241	NJ305
	62	17	1.1	1.1	0.241	NU305
	62	24	1.1	1.1	0.370	NJ2305V
30	62	16	1.0	0.6	0.203	N206
	62	16	1.0	0.6	0.207	NJ206
	62	16	1.0	0.6	0.207	NU206
	72	19	1.1	1.1	0.350	N306
	72	19	1.1	1.1	0.358	NJ306
	72	19	1.1	1.1	0.358	NU306
	72	17	1.1	0.8	0.289	N207
35	72	17	1.1	0.6	0.295	NJ207
	72	17	1.1	0.6	0.295	NU207
	80	21	1.5	1.1	0.451	N307
	80	21	1.5	1.1	0.461	NJ307
	80	21	1.5	1.1	0.461	NU307
	80	21	1.5	1.5	0.536	NUP307V
	80	18	1.1	1.1	0.370	N208
40	80	18	1.1	1.1	0.378	NJ208


外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	80	18	1.1	1.1	0.378	NU208
40	90	23	1.5	1.5	0.643	N308
	90	23	1.5	1.5	0.658	NJ308
	90	23	1.5	1.5	0.658	NU308
45	85	19	1.1	1.1	0.423	N209
	85	19	1.1	1.1	0.432	NJ209
	85	19	1.1	1.1	0.432	NU209
	100	25	1.5	1.5	0.859	N309
	100	25	1.5	1.5	0.877	NJ309
	100	25	1.5	1.5	0.877	NU309
	100	25	2.5	2.5	1.019	NUP309NV
	100	25	1.5	1.5	1.000	NJ309V
50	90	20	1.1	1.1	0.460	N210
	90	20	1.1	1.1	0.470	NJ210
	90	20	1.1	1.1	0.470	NU210
	110	27	2.0	2.0	1.110	N310
	110	27	2.0	2.0	1.140	NJ310
	110	27	2.0	2.0	1.140	NU310
	110	27	2.0	2.0	1.280	NUP310NV
55	100	21	1.5	1.1	0.626	N211
	100	21	1.5	1.1	0.626	NJ211
	100	21	1.5	1.1	0.626	NU211
	120	29	2.0	2.0	1.420	N311
	120	29	2.0	2.0	1.450	NJ311
	120	29	3.0	3.0	1.670	NUP311NV
60	110	22	1.5	1.5	0.802	N212
	110	22	1.5	1.5	0.802	NJ212
	110	22	1.5	1.5	0.802	NU212
	130	31	2.1	2.1	1.760	N312
	130	31	2.1	2.1	1.800	NU312
65	120	23	1.5	1.5	1.000	N213
	120	23	1.5	1.5	1.000	NJ213
	120	23	1.5	1.5	1.000	NU213
	140	33	2.1	2.1	2.180	N313



HI-TEC CYLINDRICAL ROLLER BEARING

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	140	33	2.1	2.1	2.230	NU313
	120	23	1.5	1.5	1.174	NUP213NV
70	125	24	1.5	1.5	1.10	N214
	125	24	1.5	1.5	1.10	NJ214
	125	24	1.5	1.5	1.10	NU214
	150	35	2.1	2.1	2.65	N314
	150	35	2.1	2.1	2.71	NU314
75	130	25	1.5	1.5	1.21	N215
	130	25	1.5	1.5	1.21	NJ215
	130	25	1.5	1.5	1.21	NU215
80	140	26	2.0	2.0	1.47	N216
	140	26	2.0	2.0	1.47	NJ216
	140	26	2.0	2.0	1.47	NU216
	170	39	2.1	2.1	3.77	N316
	170	39	2.1	2.1	3.86	NU316
85	150	28	2.0	2.0	1.86	N217
	150	28	2.0	2.0	1.83	NJ217
	150	28	2.0	2.0	1.83	NU217
	180	41	3.0	3.0	4.44	N317
	180	41	3.0	3.0	4.44	NU317
90	160	30	2.0	2.0	2.25	N218
	160	30	2.0	2.0	2.25	NJ218
	160	30	2.0	2.0	2.25	NU218
	190	43	3.0	3.0	5.18	N318
	190	43	3.0	3.0	5.18	NU318
95	170	32	2.1	2.1	2.72	N219
	170	32	2.1	2.1	2.72	NJ219
	170	32	2.1	2.1	2.72	NU219
	200	45	3.0	3.0	5.99	N319
	200	45	3.0	3.0	5.99	NU319
20	52	15	1.0	0.6	0.150	NUP304
	47	18	1.0	0.6	0.144	NU2204
	47	18	1.0	0.6	0.140	NUP2204
	47	18	1.0	0.6	0.140	NJ2204


外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
25	62	17	1.1	1.1	0.250	NUP305
	80	21	1.5	1.5	0.620	N405
	80	21	1.5	1.5	0.570	NU405
	80	21	1.5	1.5	0.620	NUP405
	80	21	1.5	1.5	0.620	NJ405
	52	18	1.0	0.6	0.167	NU2205
	52	18	1.0	0.6	0.170	NUP2205
	52	18	1.0	0.6	0.180	NJ2205
	62	24	1.1	1.1	0.346	NU2305
	62	24	1.1	1.1	0.390	NJ2305
30	72	19	1.1	1.1	0.380	NUP306
	90	23	1.5	1.5	0.880	N406
	90	23	1.5	1.5	0.758	NU406
	90	23	4.5	1.5	0.880	NUP408
	90	23	1.5	1.5	0.880	NJ406
	62	20	1.0	0.6	0.266	NU2206
	62	20	1.0	0.6	0.270	NUP2206
	62	20	1.0	0.6	0.270	NJ2206
	72	27	1.1	1.1	0.514	NU2306
	72	27	1.1	1.1	0.550	NUP2306
	72	27	1.1	1.1	0.540	NJ2306
	55	19	1.0	1.0	0.191	NN3006
35	80	21	1.5	1.1	0.510	NUP307
	100	25	1.5	1.6	0.980	N407
	100	25	1.5	1.5	1.010	NU407
	100	25	1.5	1.5	0.980	NJ407
	100	25	1.5	1.5	0.980	NUP407
	72	23	1.1	0.6	0.414	NU2207
	72	23	1.1	0.6	0.420	NUP2207
	72	23	1.1	0.6	0.410	NJ2207
35	80	31	1.5	1.1	0.702	NU2307
	80	31	1.5	1.1	0.750	NUP2307
	80	31	1.5	1.1	0.730	NJ2307
	62	20	1.0	1.0	0.249	NN3007



HI-TEC CYLINDRICAL ROLLER BEARING

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
40	90	23	1.5	1.5	0.680	NUP308
	110	27	2.0	2.0	1.150	N408
	110	27	2.0	2.0	1.150	NJ408
	110	27	2.0	2.0	1.280	NJ408
	110	27	2.0	2.0	1.150	NUP408
	80	23	1.1	1.1	0.496	NU2208
	80	23	1.1	1.1	0.560	NUP2208
	80	23	1.1	1.1	0.550	NJ2208
	90	33	1.5	1.5	0.960	NU2308
	90	33	1.5	1.5	0.980	NUP2308
	90	33	1.5	1.5	0.960	NJ2308
	68	21	1.0	1.0	0.303	NN3008
45	100	25	1.5	1.5	0.950	NUP309
	120	29	2.0	2.0	1.770	N409
	120	29	2.0	2.0	1.770	NJ409
	120	29	2.0	2.0	1.620	NJ409
	120	29	2.0	2.0	1.770	NUP409
	85	23	1.1	1.1	0.540	NU2209
	85	23	1.1	1.1	0.550	NUP2209
	85	23	1.1	1.1	0.540	NJ2209
	100	36	1.5	1.5	1.260	NU2309
	100	36	1.5	1.5	1.350	NUP2309
	100	36	1.0	1.5	1.350	NJ2309
	75	23	1.0	1.0	0.393	NN3009
	85	30	1.1	1.1	0.843	NU5209XPC3
50	110	27	2.0	2.0	1.200	NUP310
	130	31	2.1	2.1	2.260	N410
	130	31	2.1	2.1	1.990	NJ410
	130	31	2.1	2.1	2.260	NJ410
	130	31	2.1	2.1	2.260	NUP410
50	90	23	1.1	1.1	0.580	NU2210
	90	23	1.1	1.1	0.590	NUP2210
	90	23	1.1	1.1	0.590	NJ2210
	110	40	2.0	2.0	1.700	NU2310


外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
15	35	11	0.6	0.3	0.050	N202
	35	11	0.6	0.3	0.050	NJ202
	35	11	0.6	0.3	0.050	NU202
	40	12	0.6	0.3	0.600	N203
	40	12	0.6	0.3	0.600	NJ203
20	47	14	1.0	0.6	0.109	N204
	47	14	1.0	0.6	0.111	NU204
	47	14	1.0	0.6	0.111	NJ204
	52	15	1.1	0.6	0.149	N304
	52	15	1.1	0.6	0.153	NJ304
	52	15	1.1	0.6	0.153	NJ304
25	52	15	1.0	0.6	0.134	N205
	52	15	1.0	0.6	0.137	NJ205
	52	18	1.1	0.6	0.170	NJ2205V
	52	15	1.0	0.6	0.137	NU205
	62	17	1.1	1.1	0.235	N305
	62	17	1.1	1.1	0.241	NJ305
	62	17	1.1	1.1	0.241	NU305
	62	24	1.1	1.1	0.370	NJ2305V
30	62	16	1.0	0.6	0.203	N206
	62	16	1.0	0.6	0.207	NJ206
	62	16	1.0	0.6	0.207	NU206
	72	19	1.1	1.1	0.350	N306
	72	19	1.1	1.1	0.358	NJ306
	72	19	1.1	1.1	0.358	NU306
	72	17	1.1	0.6	0.289	N207
35	72	17	1.1	0.6	0.295	NJ207
	72	17	1.1	0.6	0.295	NU207
	80	21	1.5	1.1	0.451	N307
	80	21	1.5	1.1	0.461	NJ307
	80	21	1.5	1.1	0.461	NU307
	80	21	1.5	1.5	0.536	NUP307V
	80	18	1.1	1.1	0.370	N208
40	80	18	1.1	1.1	0.378	NJ208



HI-TEC CYLINDRICAL ROLLER BEARING

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	120	31	1.5	1.5	1.470	NU2213
	120	31	1.5	1.5	1.500	NUP2213
	120	31	1.5	1.5	1.450	NJ2213
	140	48	2.1	2.1	3.250	NU2213
	140	48	2.1	2.1	3.350	NJ2213
	100	26	1.1	1.1	0.715	NN3013
	120	38	1.5	1.5	1.960	NU5213XPC3
70	150	35	2.1	2.1	2.850	NUP314
	150	35	2.1	2.1	2.800	NJ314
	180	42	3.0	3.0	5.280	NU414
	180	42	3.0	3.0	5.350	NJ414
	125	31	1.5	1.5	1.530	NU2214
	125	31	1.5	1.5	1.550	NUP2214
	125	31	1.5	1.5	1.550	NJ2214
	150	51	2.1	2.1	4.040	NU2314
	150	51	2.1	2.1	4.150	NUP2314
	150	51	2.1	2.1	4.050	NJ2314
	110	30	1.1	1.1	1.040	NN3014
	125	40	1.5	1.5	2.170	NU5214XPC3
75	160	37	2.1	2.1	3.450	NUP215
	160	37	2.1	2.1	3.350	NJ315
	190	45	3.0	3.0	6.270	NU415
	190	45	3.0	3.0	6.900	NJ415
	130	31	1.5	1.5	1.580	NU2215
	130	31	1.5	1.5	1.650	NUP2215
	130	31	1.5	1.5	1.600	NJ2215
	160	55	2.1	2.1	4.910	NU2315
	160	55	2.1	2.1	5.000	NJ2315
	115	30	1.1	1.1	1.090	NN3015
	130	41	1.5	1.5	2.270	NU5215XPC3
80	170	39	2.1	2.1	4.10	NUP316
	170	39	2.1	2.1	4.00	NJ316
	200	48	3.0	3.0	7.36	NU416
	200	48	3.0	3.0	8.05	NJ416


外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	140	33	2.0	2.0	1.95	NU2216
	140	33	2.0	2.0	2.10	NUP2216
	140	33	2.0	2.0	2.05	NJ2216
	170	58	2.1	2.1	5.90	NU2316
	170	58	2.1	2.1	6.00	NJ2316
	125	34	1.1	1.1	1.51	NN3016
	140	45	2.0	2.0	3.03	NU5216
85	180	41	3.0	3.0	4.90	NUP317
	180	41	3.0	3.0	4.80	NJ317
	210	52	4.0	4.0	9.56	NU417
	210	52	4.0	4.0	8.90	NJ417
	150	36	2.0	2.0	2.58	NU2217
	150	36	2.0	2.0	2.65	NUP2217
	150	36	2.0	2.0	2.56	NJ2217
	180	60	3.0	3.0	6.81	NU2317
	180	60	3.0	3.0	7.00	NJ2317
	130	34	1.1	1.1	1.58	NN3017
	150	49	2.0	2.0	3.88	NU5217XPC3
90	190	43	3.0	3.0	5.65	NUP218
	190	43	3.0	3.0	5.65	NJ318
	225	54	4.0	4.0	11.50	NU418
	225	54	4.0	4.0	11.00	NJ418
	160	40	2.0	2.0	3.18	NU2218
	160	40	2.0	2.0	3.20	NJ2218
	190	64	3.0	3.0	8.04	NU2318
	190	64	3.0	3.0	8.15	NJ2318
	140	37	1.5	1.5	2.05	NN3018
	160	52	2.0	2.0	4.50	NU5218XPC3
95	200	45	3.0	3.0	6.25	NUP319
	200	45	3.0	3.0	6.45	NJ319
	240	55	4.0	4.0	13.60	NU419
	240	55	4.0	4.0	13.60	NJ419
	170	43	2.1	2.1	3.89	NU2219
	170	43	2.1	2.1	2.95	NJ2219



HI-TEC CYLINDRICAL ROLLER BEARING

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	200	67	3.0	3.0	9.38	NU2319
	200	67	3.0	3.0	9.85	NJ2319
	145	37	1.5	1.5	2.14	NN3019
	170	56	2.0	3.0	5.48	NU5219XPC3
100	180	34	2.1	2.1	3.36	N220
	180	34	2.1	2.1	3.45	NU220
	180	34	2.1	2.1	3.50	NJ220
	215	47	3.0	3.0	7.59	N320
	215	47	3.0	3.0	7.96	NU320
	215	47	3.0	3.0	7.65	NJ320
	250	58	4.0	4.0	15.50	NU420
	250	58	4.0	4.0	15.50	NJ420
	180	46	2.1	2.1	4.68	NU2220
	180	46	2.1	2.1	4.80	NJ2220
	215	73	3.0	3.0	11.90	NU2320
	215	73	3.0	3.0	12.20	NJ2320
	150	37	1.5	1.5	2.25	NN3020
	180	60	2.1	4.0	7.69	NU5220XPC3
105	190	36	2.1	2.1	4.00	N221
	190	36	2.1	2.1	4.00	NU2219
	190	36	2.1	2.1	4.10	NJ221
	225	49	3.0	3.0	8.69	N321
	225	49	3.0	3.0	8.68	NU321
	225	49	3.0	3.0	9.00	NJ321
	160	41	2.0	2.0	2.94	NN3021
110	200	38	2.1	2.1	4.64	N222
	200	38	2.1	2.1	4.80	NU222
	200	38	2.1	2.1	4.90	NJ222
	240	50	3.0	3.0	10.30	N322
	240	50	3.0	3.0	10.30	NU322
110	240	50	3.0	3.0	11.10	NJ322
	200	53	2.1	2.1	6.85	NJ2222
	240	80	3.0	3.0	18.60	NU2322
	240	80	3.0	3.0	18.90	NJ2322


外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	170	45	2.0	2.0	3.74	NN3022
120	215	40	2.1	2.1	5.63	N224
	215	40	2.1	2.1	5.75	NU224
	215	40	2.1	2.1	5.85	NJ224
	260	55	3.0	3.0	12.90	N324
	260	55	3.0	3.0	13.20	NU324
	260	55	3.0	3.0	13.50	NJ324
	215	58	2.1	2.1	8.38	NU2224
	215	58	2.1	2.1	8.50	NJ2224
	260	86	3.0	3.0	23.40	NU2324
	260	86	3.0	3.0	24.30	NJ2324
	180	46	2.0	2.0	3.85	NN3024
	215	76	2.0	5.1	12.60	NU524XPC3
130	230	40	3.0	3.0	6.48	N226
	230	40	3.0	3.0	6.45	NU226
	230	40	3.0	3.0	6.60	NJ226
	280	58	4.0	4.0	17.70	N326
	280	58	4.0	4.0	18.00	NU326
	280	58	4.0	4.0	18.40	NJ326
	230	64	3.0	3.0	10.50	NU2226
	230	64	3.0	3.0	12.20	NJ2226
	280	93	4.0	4.0	29.40	NU2326
	280	93	4.0	4.0	30.50	NJ2326
	200	52	2.0	2.0	5.54	NN3026
140	300	62	4.0	4.0	21.70	N328
	300	62	4.0	4.0	19.60	NU328
	250	42	3.0	3.0	8.08	N228
	250	42	3.0	3.0	8.19	NU228
	250	42	3.0	3.0	8.75	NJ228
	300	62	4.0	4.0	23.00	NJ3228
140	250	68	3.0	3.0	13.30	NU228
	250	68	3.0	3.0	15.30	NJ2228
	300	102	4.0	4.0	36.90	NU2328
	300	102	4.0	4.0	37.50	NJ2328



HI-TEC CYLINDRICAL ROLLER BEARING



外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	210	53	2.0	2.0	6.05	NN3028
	250	83	3.0	5.1	18.30	NU5528XPC3
150	270	45	3.0	3.0	10.40	N230
	270	45	3.0	3.0	10.40	NU230
	270	45	3.0	3.0	12.00	NJ230
	320	65	4.0	4.0	25.80	N330
	320	65	4.0	4.0	23.40	NU330
	320	65	4.0	4.0	28.00	NJ330
	270	73	3.0	3.0	20.30	NJ2230
	320	108	4.0	4.0	44.60	NU2230
	320	108	4.0	4.0	46.00	NJ2330
	225	56	2.1	2.1	7.75	NN3030
	270	89	2.6	6.4	23.60	NU5230XPC3
160	290	48	3.0	3.0	14.10	N232
	290	48	3.0	3.0	14.40	NU232
	290	48	3.0	3.0	15.00	NJ232
	340	64	4.0	4.0	14.10	N332
	340	64	4.0	4.0	31.60	NU332
	340	64	4.0	4.0	33.50	NJ332
	290	80	3.0	3.0	24.10	NU2232
	290	48	3.0	3.0	24.50	NJ2232
	240	60	2.1	2.1	8.38	NN3032
	310	42	4.0	4.0	17.40	N234
170	310	42	4.0	4.0	17.70	NU234
	310	42	4.0	4.0	19.50	NJ234
	360	72	4.0	4.0	36.6	N334
	360	72	4.0	4.0	37.50	NU334
	360	72	4.0	4.0	38.40	NJ334
	310	86	4.0	4.0	29.40	NU2234
	260	67	2.1	2.1	13.30	NN3034
180	320	52	4.0	4.0	18.10	N236
	320	52	4.0	4.0	18.40	NU236
	320	52	4.0	4.0	20.20	NJ236
	380	75	4.0	4.0	42.60	N336

外形尺寸 Principal dimensions(mm)					重量 (kg) weight	轴承型号 Bearing Number
d	D	B	r _{1min}	r _{2min}		
	280	74	2.1	2.1	16.90	NN3036
190	340	55	4.0	4.0	22.00	N238
	340	55	4.0	4.0	22.30	NU238
	340	55	4.0	4.0	24.50	NJ238
	290	75	2.1	2.1	18.00	NN3038
200	360	58	4.0	4.0	26.20	N240
	360	58	4.0	4.0	26.60	NU240
	360	58	4.0	4.0	29.00	NJ240
	310	82	2.1	2.1	22.10	NN3034
220	400	65	4.0	4.0	37.00	N244
	400	65	4.0	4.0	39.00	NJ244
	400	65	4.0	4.0	37.30	NU244
	340	90	3.0	3.0	31.00	NN3034
240	360	92	3.0	3.0	31.60	NN3048
	440	146	4.0	4.0	#####	NU5248/P5
260	400	104	4.0	4.0	46.00	NN3052
280	420	106	4.0	4.0	52.30	NN3056
300	460	118	4.0	4.0	77.90	NN3060
320	480	121	4.0	4.0	74.20	NN3064
340	520	133	5.0	5.0	99.30	NN3068
360	540	134	5.0	5.0	#####	NN3072
380	560	135	5.0	5.0	#####	NN3076




HI-TEC WHEEL HUB BEARING

型号 Bearing No.	基本尺寸 Dimensions(mm)				密封 Seal	重量 (kg) Weight	使用车型 Application in Automobile Type
	d	D	B	C			
DAC20420030/29	20	42	30	29	C	0.19	
DAC255200206	25	52	20.6	20.6	A	0.19	Fiat,Seat
DAC255200206A	25	52	20.6	20.6	A	0.19	Fiat,Seat
DAC25520037	25	52	37	37	C	0.31	Renault,Peugeot,Citroen 富康后轮
DAC25520042	25	52	42	42	C	0.35	
DAC25520043	25	52	43	43	C	0.36	Renault,Peugeot,Citroen
DAC25550043	25	55	43	43	C	0.44	Renault,Peugeot,Citroen
DAC25560032	25	56	32	32	E	0.32	
DAC255600206/29	25	56	20.6	29	A	0.28	
DAC256000206/29	25	60	20.6	29	A	0.34	
DAC25620028/17	25	62	28	17	D	0.25	
DAC25720043	25	72	43	43	C	0.88	
DAC27520045/43	27	52	45	43	D	0.35	
DAC27520050	27	52	50	50	C	0.38	
DAC27600050	27	60	50	50	C	0.56	Nissan
DAC28580042	28	58	42	42	A	0.47	
DAC28610042	28	61	42	42	D	0.56	Toyota
DAC30580042	30	58	42	42	C	0.52	
DAC30600037	30	60	37	37	C/B/E	0.42	Fiat,Lada,Lancia,Seat,Volvo
DAC30600337	30	60.03	37	37	C	0.44	Fiat,Lada,Lancia,Seat,Volvo
DAC30630042	30	63	42	42	D	0.56	
DAC30640042	30	64	42	42	C	0.49	
DAC30650021	30	65	21	21	A	0.27	
DAC32700038	32	70	38	38		0.65	
DAC32720345	32	72.03	45	45	D	0.6	
DAC34620037	34	62	37	37	C	0.41	Chrysler
DAC34640034	34	64	34	34			
DAC34640037	34	64	37	37	B/E	0.43	Volkswagen,Lada,Opel,Chrysler
DAC34660037	34	66	37	37	C	0.5	Opel,Vauxhall,Golf,Jetta
DAC34680037	34	68	37	37	C	0.56	Accord
DAC34720037	34	72	37	37	C	0.65	
DAC34740037	34	74	37	37	C	0.7	
DAC34740040	34	74	40	40	B	0.75	
DAC35620040	35	62	40	40	E	0.5	
DAC35640037	35	64	37	37	B	0.41	夏利 TJ7300, 幸福使者
DAC35650035	35	65	35	35	C/E	0.4	Renault,Chrysler
DAC35660032	35	66	32	32	C	0.42	Citroen
DAC35660033	35	66	33	33	C	0.43	Volkswagen
DAC35660037	35	66	37	37	B	0.48	Volkswagen,Jetta,Golf,Polo
DAC35680037	35	68	37	37	C/E	0.52	Fiat,Lancia,Seat,Volvo
DAC35680233/30	35	68.02	33	30	D	0.17	Nissan,Zastava
DAC35720028	35	72	28	28	D	0.49	



HI-TEC WHEEL HUB BEARING

型号 Bearing No.	基本尺寸 Dimensions(mm)				密封 Seal	重量 (kg) Weight	使用车型 Application in Automobile Type
	d	D	B	C			
DAC35720228	35	72.02	28	28	D	0.49	Giroen, Peugeot, Renault, Simeia
DAC35720033	35	72	33	33	C	0.58	Citroen, Peugeot
DAC35720433	35	72.04	33	33	C	0.58	Fiat, Lancia
DAC35720233/31	35	72.02	33	31	D	0.56	
DAC35720034	35	72	34	34	D	0.58	
DAC35720434	35	72.04	34	34	D	0.58	
DAC35720042	35	72	42	42	C	0.85	
DAC35760054	35	76	54	54	E		
DAC35770042	35	77	42	42	D	0.86	
DAC35800047	35	80	47	47	A	0.96	Suzuki
DAC36680033	36	68	33	33	D	0.48	SUZUKI SWIFT, 1.086-89 1.3 84-89 GT11
DAC36720033/28	36	72	33	28			
DAC36720034	36	72	34	34	D	0.57	
DAC36720534	36	72.05	34	34	D	0.58	Chrysler, Honda
DAC36760029/27	36	76	29	27	D	0.58	
DAC37720033	37	72	33	33	E		
DAC37720233	37	72.02	33	33	C		标志 206
DAC37720037	37	72	37	37	A/E	0.59	Fiat, Ford, Lancia, Renault, Chrysler
DAC37720237	37	72.02	37	37	A	0.59	
DAC37720437	37	72.04	37	37	E	0.59	Alfa Romeo, Fiat, Lancia, Chrysler, Renault
DAC37740045	37	74	45	45	C	0.79	BMW, Opel, Ford
DAC38650050	38	65	50	50	C		
DAC38700037	38	70	37	37	E	0.53	赛利
DAC38700038	38	70	38	38	E	0.55	
DAC381700037	38.1	70	37	37	C/E		
DAC38710233/30	37.99	71.02	33	30	D	0.5	Toyota, F/W/Corolla
DAC38720034	38	72	34	34	D	0.46	OPEL
DAC38720036	38	72	36	36	C	0.55	
DAC38720040	38	72	40	40	B	0.63	本田
DAC38720236/33	38	72.02	36	33	D	0.54	Honda, Rover
DAC38730040	38	73	40	40	C/E	0.67	Honda, 本田飞度
DAC38740036/33	38	74	36	33	D	0.61	
DAC38740036	38	74	36	36	C		
DAC38740236/33	38	74.02	36	33	D	0.58	Toyota, 佳美
DAC38740050	38	74	50	50	E/C	0.78	Nissan/Chrysler
DAC38740040	38	74	40	40			
DAC38740450	38	74.04	50	50	S	0.85	
DAC39680037	39	68	37	37	B/E	0.48	Volkswagen, Ford, Audi, Santana
DAC39680637	39	68.06	37	37	B	0.5	Volkswagen, Ford, Audi, Chrysler
DAC39680737	39	68.07	37	37	B	0.51	Volkswagen, Ford, Audi, Chrysler
DAC39720037	39	72	37	37	B/E	0.5	BMW, Opel, Ford, Bedford, Vauxhall, Santana2000
DAC39720637	39	72.06	37	37	B	0.56	BMW, Opel, Ford, Bedford, Vauxhall



HI-TEC WHEEL HUB BEARING

型号 Bearing No.	基本尺寸 Dimensions(mm)				密封 Seal	重量 (kg) Weight	使用车型 Application in Automobile Type
	d	D	B	C			
DAC39740039	39	74	39	39	C	0.66	Opel,Vauxhall
DAC39740036/34	39	74	36	34	E	0.6	
DAC39/41750037	39/41	75	37	37	C	0.62	Audi
DAC40700043	40	70	43	43	C	0.63	
DAC40720036/33	40	72	36	33	D	0.53	
DAC40720037	40	72	37	37	C/B/E	0.55	Volkswagen,Seat,Golf, 捷达
DAC40720637	40	72.06	37	37	C	0.57	
DAC40740034	40	74	34	34	A	0.53	
DAC40740036	40	74	36	36	C/E	0.59	proton
DAC40740036/34	40	74	36	34	D	0.58	poton
DAC39750037	39	75	37	37	C		
DAC40740040	40	74	40	40	B/E	0.67	宝顺, 马自达, Colf,Bora,Seat,Audi A3
DAC40740042	40	74	42	42	E		
DAC40750037	40	75	37	37	C	0.62	Ford
DAC40750039	40	75	39	39	ABS		
DAC40760033/28	40	76	33	28	C	0.54	Chrysler,Volkswagen
DAC40760033	40	76	33	33	C	0.55	
DAC40760041/38	40	76	41	38	C/E	0.7	Honda,Rover
DAC40760441/38	40	76.04	41	38			
DAC408000302	40	80	30.2	30.2	D	0.74	Peugeot,Simca,Talbot
DAC40800031	40	80	31	31	D/C		Alfa Romeo,Citroen,Peugeot
DAC40800036/34	40	80	36	34	D/E	0.74	
DAC408000381	40	80	38.1	38.1	C		
DAC40800045/44	40	80	45	44	D		
DAC40820040	40	82	40	40			Citroen
DAC408402538	40	84.025	38	38	C	0.97	Renault
DAC41680040/35	41	68	40	35	D		Suzuki
DAC42720033	42	72	33	33			
DAC42720038	42	72	38	38	C		
DAC42720038/35	42	72	38	35	C		
DAC42750037	42	75	37	37	C	0.59	Alfa Romeo,Audi,Porsche,Saab,BMW
DAC42760033	42	76	33	33	C		
DAC42760038/35	42	76	38	35	D	0.65	Nissan
DAC42760039	42	76	39	39	A	0.62	Chrysler
DAC42760040/37	42	76	40	37	C		Chrysler
DAC42780045	42	78	45	45	F		
DAC42800036/34	42	80	36	34	E	0.72	伊兰特
DAC42800037	42	80	37	37			
DAC42800045	42	80	45	45	E	0.86	Mazda Alfa Romeo
DAC42800042	42	80	42	42			
DAC42800342	42	80.3	42	42			BMW,Chrysler
DAC42820036	42	82	36	36	C/E	0.77	Citroen , Peugeot,GM, 富康, 华普前轮

We offers customized high tech bearings.



直线轴承/杆端轴承
Linear bearing / Rod end bearing



陶瓷轴承
Ceramic Bearing



自润滑轴承
Self-lubricating bearing



塑料轴承
Plastic Bearing