



## CERTIFICATE

No. U10 023993 0013 Rev. 00

### Holder of Certificate:

#### LAMILUX Heinrich Strunz GmbH

Zehstraße 2 95111 Rehau GERMANY

**Certification Mark:** 



**Product:** 

### Powered pedestrian doors (Flat Roof Access Hatch)

CAN/UL 325:2017

### Tested according to:

This product was voluntarily tested to the relevant safety requirements referenced on this certificate. It can be marked with the certification mark above. The mark must not be altered in any way. The certificate holder shall not transfer this certificate to third parties. This product certification system operated by TÜV SÜD America Inc. most closely resembles system 3 as defined in ISO/IEC 17067. Certification is based on the TÜV SÜD "Testing and Certification Regulations". For Canadian standards TÜV SÜD America Inc. is accredited by the Standards Council of Canada to ISO/IEC 17065.

Test report no.:

713234019

Date, 2022-03-18

(Benedikt Pulver)



# CERTIFICATE

No. U10 023993 0013 Rev. 00

Model(s):

LAMILUX Flat Roof Access Hatch Comfort Duo LAMILUX Flat Roof Access Hatch Comfort Solo

### Brand Name(s): LAMILUX

### Parameters:

Rated voltage:	120 VAC
Rated frequency:	60 Hz
Rated power consumption:	250 W
Protection class:	I

#### **Conditions of Acceptability:**

- When installing requirements of test standards and installation guide must be fulfilled.
- This system is not dedicated to be used by persons (including kids) with restricted physical, sensorial or mental capabilities or restricted experience and/or for lack of knowledge, unless they are supervised by a person responsible for their security or got instructions how to handle the unit. Kids should be attended to "make sure "that they are not playing with the unit.
- Electrical installation shall be carried out only by a trained electrician. The power supply wire cross section shall be min. 3x1.5 mm<sup>2</sup>.
- Local construction and safety regulations as well as the guidelines of the health authorities and regulation authorities shall be considered.
- The key button and emergency stop switch must always be installed to ensure safe use of the system. The key must be removed after each use so that it does not get into the hands of children.