

PRODUCT SUMMARY

The lightweight Infinity galvanised steel rainwater range provides a contemporary, eco-friendly and cost effective alternative to uPVC gutters.

Infinity galvanised steel is a lightweight range of contemporary, eco-friendly and cost effective alternative to plastic gutters, without the risk of shrinking, leaking or colour fading. The gutter is available in a choice of four widths in the popular Half Round profile along with a connecting round downpipe system.

Applications

- Ideal for traditional and modern buildings in both new build and refurbishment applications
- A competitive alternative to uPVC systems, with increased flow rates and longevity

Features & Performance

- All gutter widths are deep half round providing maximum flow rates
- Higher flow capacity on outlets due to larger inlet funnels
- Gutter angle is 'deep drawn' and one piece giving greater flow capacity
- Lightweight, durable and non-corrodible
- Quick and easy installation
- Internally seamed downpipe gives a smooth and modern finish
- Downpipe brackets have two concealed vertical fixing points
- Low maintenance

Manufacture

- Manufactured to ISO 9001: 2008
- Manufactured to ISO 14001: 2004

Colours & Finishes


- Available in steel in either a Galvanised and 6 other galvanised pre-coated colour finishes from stock for next day delivery, and a few others in 15 days. The system is also available in Quarz Zinc, Natural Zinc or Copper
- All colour coated lengths are protected with an adhesive film to prevent damage on-site

Installation & Fixing

- Dry Joint system without the need for additional silicone sealants
- Gutter lengths and angles are jointed with 'EPDM rubber sealed' connectors for fast and watertight installation
- Downpipes and offsets are push fit with 'Swaged' ends, again for fast and watertight installation
- Stop ends are push-fit with 'EPDM rubber sealed' inserts


Gutter Profile & Sizes

STEEL HALF ROUND GUTTER




115 X 70MM _ST100HRG
125 X 80MM _ST125HRG
150 X 90MM _ST150HRG
190 X 90MM _ST190HRG

NATURAL & QUARTZ ZINC HALF ROUND GUTTER




115 X 70MM QZ100HRG
125 X 80MM QZ125HRG

COPPER ROUND GUTTER




115 X 70MM CP100HRG
125 X 80MM CP125HRG
150 X 90MM CP150HRG

STEEL CIRCULAR DOWNPIPE




80MM (3 1/2") _ST80RDP-
100MM (4") _ST100RDP

NATURAL & QUARTZ ZINC CIRCULAR DOWNPIPE




80MM (3 1/2") QZ80RDP

COPPER CIRCULAR DOWNPIPE




80MM (3 1/2") CP80RDP
100MM (4") CP100RDP



HALF ROUND GUTTERS & FITTINGS

Gutters - 3M Length


Note: All dimensions are in mm unless shown otherwise.



| Gutter Size | A | B | T | WEIGHT | GALVANISED | COLOUR COATED |
|-------------|-----|----|-----|---------|------------|---------------|
| 115MM (4") | 115 | 75 | 0.6 | 3.24 KG | GST100HRG | __ST100HRG |
| 125MM (5") | 125 | 80 | 0.6 | 3.63 KG | GST125HRG | __ST125HRG |
| 150MM (6") | 150 | 90 | 0.6 | 4.32 KG | GST150HRG | __ST150HRG |


Note: T = Gutter Thickness (nominal +/- 0.1mm)

Union Connector




| Gutter Size | A | GALVANISED | COLOUR COATED |
|-------------|----|------------|---------------|
| 115MM (4") | 45 | GST100HRU | __ST100HRU |
| 125MM (5") | 45 | GST125HRU | __ST125HRU |
| 150MM (6") | 45 | GST150HRU | __ST150HRU |

Push-Fit Stop-Ends




| Gutter Size | A | B | C | GALVANISED | COLOUR COATED |
|-------------|-----|-----|----|------------|---------------|
| 115MM (4") | 140 | 75 | 10 | GST100HRE1 | __ST100HRE1 |
| 125MM (5") | 165 | 85 | 10 | GST125HRE1 | __ST125HRE1 |
| 150MM (6") | 190 | 100 | 10 | GST150HRE1 | __ST150HRE1 |

Prefabricated Gutter Outlet




| Gutter Size | PIPE SIZE | A | B | C | GALVANISED | COLOUR COATED |
|-------------|-----------|-----|-----|----|------------|---------------|
| 115MM (4") | 80 DIA | 300 | 245 | 75 | GST100HO4 | __ST100HO4 |
| 125MM (5") | 80 DIA | 300 | 270 | 75 | GST125HO4 | __ST125HO4 |
| 150MM (6") | 80 DIA | 300 | 290 | 75 | GST150HO4 | __ST150HO4 |
| 150MM (6") | 100 DIA | 300 | 290 | 95 | GST150HO5 | __ST150HO5 |

Wrap-Around Gutter Outlet




| Gutter Size | PIPE SIZE | A | B | C | GALVANISED | COLOUR COATED |
|-------------|-----------|-----|-----|----|------------|---------------|
| 115MM (4") | 80 DIA | 170 | 145 | 75 | GST100HRO1 | __ST100HRO1 |
| 125MM (5") | 80 DIA | 190 | 160 | 75 | GST125HRO1 | __ST125HRO1 |
| 150MM (6") | 80 DIA | 200 | 190 | 75 | GST150HRO2 | __ST150HRO2 |
| 150MM (6") | 100 DIA | 200 | 190 | 95 | GST150HRO1 | __ST150HRO1 |

90° External Angle



| Gutter Size | A | B | GALVANISED | COLOUR COATED |
|-------------|-----|-----|------------|---------------|
| 115MM (4") | 160 | 295 | GST10090E | __ST10090E |
| 125MM (5") | 145 | 300 | GST12590E | __ST12590E |
| 150MM (6") | 110 | 295 | GST15090E | __ST15090E |

90° Internal Angle



| Gutter Size | A | B | GALVANISED | COLOUR COATED |
|-------------|-----|-----|------------|---------------|
| 115MM (4") | 160 | 290 | GST10090I | __ST10090I |
| 125MM (5") | 150 | 300 | GST12590I | __ST12590I |
| 150MM (6") | 120 | 300 | GST15090I | __ST15090I |


STOCK COLOURS

| Colour | begin code with |
|---------------------------|-----------------|
| RAL9005M Black | B |
| RAL 7016M Anthracite Grey | AG |
| RAL 7037M Dusty Grey | DG |
| RAL 9002M Grey White | GW |
| RAL8019M Sepia Brown | SB |
| RAL 9016M White | WH |
| RAL9007M Grey Aluminium | GA |

HALF ROUND GUTTERS & FITTINGS


135° External Angle

Note: All dimensions are in mm unless shown otherwise.




| Gutter Size | A | B | GALVANISED | COLOUR COATED |
|-------------|-----|-----|------------|---------------|
| 115MM (4") | 250 | 300 | GST100135E | __ST100135E |
| 125MM (5") | 250 | 300 | GST125135E | __ST125135E |
| 150MM (6") | 250 | 300 | GST150135E | __ST150135E |

135° Internal Angle




| Gutter Size | A | B | GALVANISED | COLOUR COATED |
|-------------|-----|-----|------------|---------------|
| 115MM (4") | 300 | 250 | GST100135I | __ST100135I |
| 125MM (5") | 300 | 250 | GST125135I | __ST125135I |
| 150MM (6") | 300 | 250 | GST150135I | __ST150135I |

Fascia Bracket (short back)




| Gutter Size | A | B | C | GALVANISED | COLOUR COATED |
|-------------|-----|-----|----|------------|---------------|
| 115MM (4") | 90 | 140 | 60 | GST100HRFB | __ST100HRFB |
| 125MM (5") | 100 | 155 | 62 | GST125HRFB | __ST125HRFB |
| 150MM (6") | 115 | 190 | 62 | GST150HRFB | __ST150HRFB |

Side Fix Gutter Rafter Bracket




| Gutter Size | A | B | C | D | GALVANISED | COLOUR COATED |
|-------------|-----|-----|-----|-----|------------|---------------|
| 115MM (4") | 250 | 130 | 205 | 40° | GST100RAFT | __ST100RAFT |
| 125MM (5") | 250 | 130 | 225 | 40° | GST125RAFT | __ST125RAFT |
| 150MM (6") | 250 | 130 | 240 | 40° | GST150RAFT | __ST150RAFT |

Top Fix Gutter Rafter Bracket (bend on site*) *N.B. To bend on-site a vice or bracket bender will be required




| Gutter Size | A | B | C | D | GALVANISED | COLOUR COATED |
|-------------|-----|-----|-----|--------------|-------------|---------------|
| 115MM (4") | 250 | 130 | 205 | Bend on site | GST100RAFT1 | __ST100RAFT1 |
| 125MM (5") | 250 | 130 | 225 | Bend on site | GST125RAFT1 | __ST125RAFT1 |
| 150MM (6") | 250 | 130 | 240 | Bend on site | GST150RAFT1 | __ST150RAFT1 |

Rise & Fall Bracket



| Gutter Size | A | GALVANISED |
|-------------|-----|------------|
| 115MM (4") | 300 | GST100RFB |
| 125MM (5") | 300 | GST125RFB |
| 150MM (6") | 300 | GST150RFB |

Fascia Bracket Angle Adjuster




| Gutter Size | A | B | GALVANISED |
|-------------|----|----|------------|
| ONE SIZE | 95 | 80 | GSTFBA |

Note: Only for use with Standard Fascia Bracket - see page 7

ROUND DOWNPIPES & FITTINGS

Pipes


Note: All dimensions are in mm unless shown otherwise.



| Pipe Size (A) | PIPE LENGTH (B) | GALVANISED | COLOUR COATED |
|---------------|-----------------|------------|---------------|
| 80 DIA | 3000 | GST80RDP | __ST80RDP |
| 100 DIA | 3000 | GST100RDP | __ST100RDP |


| STOCK COLOURS | | | *begin code with |
|---------------|-----------------|--|------------------|
| RAL9005M | Black | | B |
| RAL 7016M | Anthracite Grey | | AG |
| RAL 7037M | Dusty Grey | | DG |
| RAL 9002M | Grey White | | GW |
| RAL8019M | Sepia Brown | | SB |
| RAL 9016M | White | | WH |
| RAL9007M | Grey Aluminium | | GA |

Pipe Clip




| Pipe Size | A | B | GALVANISED | COLOUR COATED |
|-----------|-----|----|------------|---------------|
| 80 DIA | 120 | 25 | GST80DPC | __ST80DPC |
| 100 DIA | 135 | 25 | GST100DPC | __ST100DPC |

Offset Bend 70°




| Pipe Size | A | GALVANISED | COLOUR COATED |
|-----------|----|------------|---------------|
| 80 DIA | 34 | GST80B70 | __ST80B70 |
| 100 DIA | 30 | GST100B70 | __ST100B70 |


Offset Bend 90°



| Pipe Size | A | GALVANISED | COLOUR COATED |
|-----------|----|------------|---------------|
| 80 DIA | 43 | GST80B90 | __ST80B90 |
| 100 DIA | 34 | GST105B90 | __ST100B90 |




Fixed Offset




| Pipe Size | A | B | C | GALVANISED | COLOUR COATED |
|-----------|----|----|-----|------------|---------------|
| 80 DIA | 64 | 60 | 160 | GST80OS60 | __ST80OS60 |
| 100 DIA | 68 | 60 | 195 | GST100OS60 | __ST100OS60 |

2-part Adjustable Offset



| Pipe Size | A | B | C | GALVANISED | COLOUR COATED |
|-----------|----|---------|-----|-------------|---------------|
| 80 DIA | 36 | 200-700 | 330 | GST80TP700 | __ST80TP700 |
| 100 DIA | 29 | 200-700 | 270 | GST100TP700 | __ST100TP700 |

Shoe - long heel




| Pipe Size | A | B | D | GALVANISED | COLOUR COATED |
|-----------|----|-----|-----|------------|---------------|
| 80 DIA | 36 | 127 | 70° | GST80SH | __ST80SH |
| 100 DIA | 29 | 155 | 70° | GST100SH | __ST100SH |

ROUND DOWNPIPES & FITTINGS


Shoe - Short heel

Note: All dimensions are in mm unless shown otherwise.




| Pipe Size | A | B | D | GALVANISED | COLOUR COATED |
|-----------|----|-----|-----|------------|---------------|
| 80 DIA | 36 | 127 | 40° | GST80SHS | __ST80SHS |
| 100 DIA | 29 | 155 | 40° | GST100SHS | __ST100SHS |

Downpipe Connector




| Pipe Size | A | GALVANISED | COLOUR COATED |
|-----------|-----|------------|---------------|
| 80 DIA | 118 | GST80SOC | __ST80SOC |
| 100 DIA | 117 | GST100SOC | __ST100SOC |

Branch 72°




| Pipe Size | A | B | GALVANISED | COLOUR COATED |
|-----------|-----|----|------------|---------------|
| 80 DIA | 280 | 72 | GST80J | __ST80J |
| 100 DIA | 285 | 55 | GST100J | __ST100J |

Rainwater Diverter




| Pipe Size | A | B | C | D | GALVANISED | COLOUR COATED |
|-----------|-----|----|-----|----|------------|---------------|
| 80 DIA | 400 | 57 | 135 | 78 | GST80DIV | __ST80DIV |
| 100 DIA | 400 | 53 | 155 | 98 | GST100DIV | __ST100DIV |

M10 Pipe Clip - for use with M10 Screw (sold separately)




| Pipe Size (A) | B | GALVANISED | COLOUR COATED |
|---------------|----|------------|---------------|
| 80 DIA | 32 | GST100M10 | __ST100M10 |
| 100 DIA | 32 | GST125M10 | __ST125M10 |

Downpipe Drain Cover



| Pipe Size | A | B | C | GALVANISED |
|-----------|-----|----|----|------------|
| 80 DIA | 118 | 98 | 27 | GST80110 |
| 100 DIA | 118 | 98 | 27 | GS100110 |

Downpipe Drain Cover Rubber Seal




| Pipe Size | A | B | RUBBER |
|-----------|----|-----|----------|
| 80 DIA | 25 | 105 | RS80110 |
| 100 DIA | 25 | 120 | RS100110 |

ROUND DOWNPIPES & FITTINGS

Leaf Guard

Note: All dimensions are in mm unless shown otherwise.




| Pipe Size | A | B | GALVANISED | COLOUR COATED |
|-----------|---------|-----|------------|---------------|
| 80 DIA | 85-80 | 100 | GST80LG | BST80LG |
| 100 DIA | 105-100 | 100 | GST100LG | BST100LG |

STOCK COLOURS


| Colour | *begin code with |
|---------------------------|------------------|
| RAL9005M Black | B |
| RAL 7016M Anthracite Grey | AG |
| RAL 7037M Dusty Grey | DG |
| RAL 9002M Grey White | GW |
| RAL8019M Sepia Brown | SB |
| RAL 9016M White | WH |
| RAL9007M Grey Aluminium | GA |

Rainwater Collector




| Pipe Size | B | C | GALVANISED | COLOUR COATED |
|-----------|------|-----|------------|---------------|
| 80 DIA | 1000 | 110 | GST80COL | __ST80COL |
| 100 DIA | 1000 | 120 | GST100COL | __ST100COL |

Hopper Head - embellished





| Pipe Size | A | B | C | D | GALVANISED | COLOUR COATED |
|-----------|-----|-----|-----|----|------------|---------------|
| 80 DIA | 385 | 220 | 220 | 80 | GST80HO1 | __ST80HO1 |
| 100 DIA | 385 | 220 | 220 | 80 | GST100HO1 | __ST100HO1 |

Hopper Head - plain box




| Pipe Size | A | B | C | D | GALVANISED | COLOUR COATED |
|-----------|-----|-----|-----|----|------------|---------------|
| 80 DIA | 200 | 200 | 200 | 80 | GST80HO2 | __ST80HO2 |
| 100 DIA | 200 | 200 | 200 | 80 | GST100HO2 | __ST100HO2 |

Downpipe Reducer

| GALVANISED | |
|---|---|
| GST80RED | GST100RED |
|  |  |

HALF ROUND GUTTERS & FITTINGS


Gutters



Note: T = Gutter Thickness (nominal +/- 0.1mm)

| Gutter Size | Gutter Length | A | B | T | WEIGHT (KG) | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|---------------|-----|----|-----|-------------|----------|-------------|--------------|-----------------|
| 115MM (4") | 3000MM | 100 | 75 | 0.6 | 3.24 | CP100HRG | QZ100HRG | NZ100HRG | |
| 125MM (5") | 3000MM | 125 | 80 | 0.6 | 3.63 | CP125HRG | QZ125HRG | NZ125HRG | SST125HRG |
| 150MM (6") | 3000MM | 150 | 90 | 0.6 | 4.32 | CP150HRG | | | |


Union Connector



| Gutter Size | A | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|----|----------|-------------|--------------|-----------------|
| 115MM (4") | 45 | CP100HRU | QZ100HRU | NZ100HRU | |
| 125MM (5") | 45 | CP125HRU | QZ125HRU | NZ125HRU | SST125HRU |
| 150MM (6") | 45 | CP150HRU | | | |

*N.B. QUARTZ ZINC COLOUR COATED GALVANISED STEEL


Push-Fit Stop-Ends



| Gutter Size | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|----|-----------|-------------|--------------|-----------------|
| 115MM (4") | 140 | 75 | 10 | CP100HRE1 | QZ100HRE1 | NZ100HRE1 | |
| 125MM (5") | 165 | 85 | 10 | CP125HRE1 | QZ125HRE1 | NZ125HRE1 | SST125HRE1 |
| 150MM (6") | 190 | 100 | 10 | CP150HRE1 | | | |


*N.B. QUARTZ ZINC COLOUR COATED GALVANISED STEEL

Standard Fascia Brackets



| Gutter Size | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|----|----|-----|-----------|-------------|--------------|-----------------|
| 115MM (4") | 80 | 70 | 135 | CP100HRFB | | | |
| 125MM (5") | 80 | 70 | 145 | CP125HRFB | | | |
| 150MM (6") | 80 | 70 | 210 | CP150HRFB | | | |


Short-Back Fascia Brackets



| Gutter Size | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|----|--------|-------------|--------------|-----------------|
| 115MM (4") | 90 | 140 | 60 | | QZ100HRFB | NZ100HRFB | |
| 125MM (5") | 100 | 155 | 62 | | QZ125HRFB | NZ125HRFB | SST125HRFB |
| 150MM (6") | 115 | 190 | 62 | | | | |


*N.B. QUARTZ ZINC COLOUR COATED GALVANISED STEEL
Natural Zinc and Stainless steel versions do not exist so use the Galv Steel version

Wrap-Around Gutter Outlet



| Gutter Size | PIPE SIZE | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----------|-----|-----|----|-----------|-------------|--------------|-----------------|
| 115MM (4") | 80 DIA | 170 | 145 | 75 | CP100HRO1 | QZ100HRO1 | NZ100HRO1 | |
| 125MM (5") | 80 DIA | 190 | 160 | 75 | CP125HRO1 | QZ125HRO1 | NZ125HRO1 | SST125HRO1 |
| 150MM (6") | 80 DIA | 200 | 190 | 75 | CP150HRO2 | | | |
| 150MM (6") | 100 DIA | 200 | 190 | 95 | CP150HRO1 | | | |

Prefabricated Gutter Outlet




| Gutter Size | PIPE SIZE | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----------|-----|-----|----|----------|-------------|--------------|-----------------|
| 115MM (4") | 80 DIA | 300 | 245 | 75 | CP100HO4 | QZ100HO4 | NZ100HO4 | |
| 125MM (5") | 80 DIA | 300 | 270 | 75 | CP125HO4 | QZ125HO4 | NZ125HO4 | SST125HO4 |
| 150MM (6") | 80 DIA | 300 | 290 | 75 | CP150HO4 | | | |
| 150MM (6") | 100 DIA | 300 | 290 | 95 | CP150HO5 | | | |

ROUND DOWNPIPES & FITTINGS

Side Fix Gutter Rafter Bracket


Note: All dimensions are in mm unless shown otherwise.



| Gutter Size | A | B | C | D | COPPER |
|-------------|-----|-----|-----|-----|-----------|
| 115MM (4") | 300 | 130 | 205 | 40° | CP100RAFT |
| 125MM (5") | 300 | 130 | 225 | 40° | CP100RAFT |
| 150MM (6") | 300 | 130 | 240 | 40° | CP100RAFT |

Natural Zinc and Stainless steel versions do not exist so use the Galv Steel version


Top Fix Gutter Rafter Bracket (bend on site*)



| Gutter Size | A | B | C | D | COPPER |
|-------------|-----|-----|-----|--------------|------------|
| 115MM (4") | 300 | 130 | 205 | Bend on site | CP100RAFT1 |
| 125MM (5") | 300 | 130 | 225 | | CP100RAFT1 |
| 150MM (6") | 300 | 130 | 240 | | CP100RAFT1 |


Natural Zinc and Stainless steel versions do not exist so use the Galv Steel version
*N.B. To bend on-site a vice or bracket bender will be required

90° External Angle




| Gutter Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|----------|-------------|--------------|-----------------|
| 115MM (4") | 160 | 295 | CP10090E | QZ10090E | NZ10090E | |
| 125MM (5") | 145 | 300 | CP12590E | QZ12590E | NZ12590E | SST12590E |
| 150MM (6") | 110 | 295 | CP15090E | | | |

90° Internal Angle




| Gutter Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|----------|-------------|--------------|-----------------|
| 115MM (4") | 160 | 290 | CP10090I | QZ10090I | NZ10090I | |
| 125MM (5") | 150 | 300 | CP12590I | QZ12590I | NZ12590I | SST12590I |
| 150MM (6") | 120 | 300 | CP15090I | | | |

135° External Angle



| Gutter Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|-----------|-------------|--------------|-----------------|
| 115MM (4") | 250 | 300 | CP100135E | QZ100135E | NZ100135E | |
| 125MM (5") | 250 | 300 | CP125135E | QZ125135E | NZ125135E | SST125135E |
| 150MM (6") | 250 | 300 | CP150135E | | | |

135° Internal Angle




| Gutter Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-------------|-----|-----|-----------|-------------|--------------|-----------------|
| 115MM (4") | 300 | 250 | CP100135I | QZ100135I | NZ100135I | |
| 125MM (5") | 300 | 250 | CP125135I | QZ125135I | NZ125135I | SST125135I |
| 150MM (6") | 300 | 250 | CP150135I | | | |

| | | |
|----------------------|--|------------------|
| STOCKED RANGES | | *begin code with |
| COPPER | | CP |
| NATURAL ZINC | | NZ |
| DELIVERED IN 15 DAYS | | |
| STAINLESS STEEL | | SST |
| QUARTZ ZINC | | QZ |




Pipes




| Pipe Size (A) | PIPE LENGTH (B) | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|-----------------|----------|-------------|--------------|-----------------|
| 80 DIA | 3000 | CP80RDP | QZ80RDP | NZ80RDP | SST80RDP |
| 100 DIA | 3000 | CP100RDP | QZ100RDP | NZ100RDP | |

Pipe Clip




| Pipe Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|-----|----|----------|-------------|--------------|-----------------|
| 80 DIA | 120 | 25 | CP80DPC | QZ80DPC | NZ80DPC | SST80DPC |
| 100 DIA | 135 | 25 | CP100DPC | QZ100DPC | NZ100DPC | |

M10 Pipe Clip - for use with M10 Screw (sold separately)




| Pipe Size (A) | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|----|----------|-------------|--------------|-----------------|
| 80 DIA | 25 | CP80DPC | QZ80DPC | NZ80DPC | SST80DPC |
| 100 DIA | 25 | CP100DPC | QZ100DPC | NZ100DPC | |

Offset Bend 70°




| Pipe Size (A) | A | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|----|----------|-------------|--------------|-----------------|
| 80 DIA | 34 | CP80B70 | QZ80B70 | NZ80B70 | SST80B70 |
| 100 DIA | 30 | CP100B70 | QZ100B70 | NZ100B70 | |

Offset Bend 90°




| Pipe Size (A) | A | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|----|----------|-------------|--------------|-----------------|
| 80 DIA | 43 | CP80B90 | QZ80B90 | NZ80B90 | SST80B90 |
| 100 DIA | 34 | CP100B90 | QZ100B90 | NZ100B90 | |

Fixed Offset




| Pipe Size (A) | A | B | C | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|----|----|-----|-----------|-------------|--------------|-----------------|
| 80 DIA | 64 | 60 | 160 | CP80OS60 | QZ80OS60 | NZ80OS60 | SST80OS60 |
| 100 DIA | 68 | 60 | 195 | CP100OS60 | QZ100OS60 | NZ100OS60 | |

2-part Adjustable Offset




| Pipe Size | A | B | C | NATURAL ZINC |
|-----------|----|---------|-----|--------------|
| 80 DIA | 36 | 200-700 | 330 | NZ80TP700 |
| 100 DIA | 29 | 200-700 | 270 | NZ100TP700 |

Leaf Guard




| Pipe Size | A | B | COPPER |
|-----------|-------|-----|--------|
| 80 DIA | 85-80 | 100 | CP80LG |

Branch 72°




| Pipe Size (A) | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|---------------|-----|----|--------|-------------|--------------|-----------------|
| 80 | 280 | 72 | CP80J | QZ80J | NZ80J | SST80J |
| 100 | 285 | 55 | CP100J | QZ100J | NZ100J | |

Shoe




| Pipe Size | A | B | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|----|-----|---------|-------------|--------------|-----------------|
| 80 DIA | 36 | 127 | CP80SH | QZ80SH | NZ80SH | SST80SH |
| 100 DIA | 29 | 155 | CP100SH | QZ100SH | NZ100SH | |

Downpipe Connector




| Pipe Size | A | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|-----|----------|-------------|--------------|-----------------|
| 80 DIA | 118 | CP80SOC | QZ80SOC | NZ80SOC | SST80SOC |
| 100 DIA | 117 | CP100SOC | QZ100SOC | NZ100SOC | |

Hopper Head - Embellished




| Pipe Size | A | B | C | D | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|-----|-----|-----|----|----------|-------------|--------------|-----------------|
| 80 DIA | 390 | 250 | 250 | 80 | CP80HO1 | QZ80HO1 | NZ80HO1 | SST80HO1 |
| 100 DIA | 390 | 250 | 250 | 80 | CP100HO1 | QZ100HO1 | NZ100HO1 | |

Hopper Head - plain box



| Pipe Size | A | B | C | D | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|-----|-----|-----|----|----------|-------------|--------------|-----------------|
| 80 DIA | 200 | 200 | 200 | 80 | CP80HO2 | QZ80HO2 | NZ80HO2 | SST80HO2 |
| 100 DIA | 200 | 200 | 200 | 80 | CP100HO2 | QZ100HO2 | NZ100HO2 | |

Rainwater Diverter



| Pipe Size | A | B | C | D | COPPER | QUARTZ ZINC | NATURAL ZINC | STAINLESS STEEL |
|-----------|-----|----|-----|----|----------|-------------|--------------|-----------------|
| 80 DIA | 400 | 57 | 135 | 78 | CP80DIV | QZ80DIV | NZ80DIV | SST80DIV |
| 100 DIA | 400 | 53 | 155 | 98 | CP100DIV | QZ100DIV | NZ100DIV | |

Note: All dimensions are in mm unless shown otherwise.

| | | |
|----------------------|--|------------------|
| STOCKED RANGES | | *begin code with |
| COPPER | | CP |
| NATURAL ZINC | | NZ |
| DELIVERED IN 15 DAYS | | |
| STAINLESS STEEL | | SST |
| QUARTZ ZINC | | QZ |