





SUNHAN TECHNOLOGY LIMITED

E-mail:info@sunhanpack.com Whatsapp:0086 135 6037 4877

SUNHΛN **DRIVING FORCE OF A COMPLETE** PACKAGING SOLUTION

Capping Machine



been committed to the packaging system, including R&D, manufacturing, and sales since 2014. It is a domestic professional company engaged in the food and daily chemical industries. It is a high-tech and modern enterprise with a number of national patent certificates. The company's plant is about 6,800. It mainly develops and produces a series of packaging equipment such as filling machines, capping machines, labeling machines, coding machines, sealing machines, etc., to provide customers with one-stop supply and technical solutions. At present, the products have been exported to more than 100 countries and regions around the world, and are well-recognized by domestic and foreign customers.



ABOUT US

SUNHAN has





SUNHAN RAK





The company operates 3 ubsidiaries with a total area of over 6800 sqm and a staff of 95. It has earned an ISO9001 certificate, reaching the international quality and management standard.



SUNHAN

Now **SUNHAN** is aiming to become one of China's hightech enterprises and a model enterprise in the packaging industry.

Desktop Capping Machine

This machine is used for automatic capping of plastic bottles and glass bottles in cosmetics, food and beverage, pesticide and fertilizer, chemical industry, suitable for various shapes of bottle caps, high production efficiency. The desktop design saves working space, suitable for small scale production.

- 1. Capping feeding machine can be customized for saving production labor.
- 2. Bottle guding structure can be customized for prevent bottles falling down during tranporting.
- 3. It can work with desktop automatic filling/labeling machine to realize automated production.

Machine model	SH-XG1870
Working voltage	AC220V/110V 50-60HZ
Bottle height	60–270mm
Bottle caps diameter	18–70mm
Working speed	20-40 bottles/minute(depending on bottle and caps)
Working pressure	0.4–0.6 MPa
Machine size	1120*580*1110mm
Conveyor length	1117mm
Size of air compressor connector	OD 8mm
Package size	1160*610*1140mm
Package weight	About 97.5kg



Automatic Cap Pressing Machine With Cap Guide Rail

Designed for pressing cork cap bottles, this machine is with cap guiding rail which can help you arrange bottle caps before pressing caps. The guiding rail can be customized according to cap diameter. This machine is widely used in drinks and wine industries.

- 1. Dust cover can be customized for improving production quality.
- 2. Capping feeding machine can be customized for saving production labor.
- 3. It can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-XG16D1
Working Voltage	AC220V/110V 50-60HZ
Bottle Height	30–300mm
Bottle Caps Diameter	18–70mm
Bottle Diameter	30–100mm
Working Speed	20-60 bottles/minute(depending on bottle and caps)
Working Pressure	0.4-0.6 MPa
Size Of Air Compressor Connector	OD 8mm
Conveyor Length	115mm(W)*1020mm(L)
Machine Size	About 680*680*1730mm
Machine Weight	About 112.5kg
Package Size	About 770*1650*1970mm
Package Weight	About 180kg



ng production quality. ed for saving production labor. machine to realize automated production.





Aull Automatic Capping Machine

This machine is used for automatic capping of plastic bottles and glass bottles in cosmetics, food and beverage, pesticide and fertilizer, chemical industry,Can be applied to a variety of bottle types, high production efficiency.

- 1. Dust cover can be customized for improving production quality.
- 2. Capping feeding machine can be customized for saving production labor.
- 3. Can equipped with pressing head for realize dual use.
- 4. Bottle guding structure can be customized for prevent bottles falling down during tranporting.

Machine model	SH-XG16
Bottle height	30–300mm
Cap diameter	18–70mm
Bottle diameter	20–160mm
Working speed	20-60 bottles / minute (depending on bottle and cap size and shape)
Working voltage	AC220V/110V 50- 60HZ
Working pressure	0.4-0.6MPa
Dimension	1930x740x1600mm
Packing size	2000x820x1760mm
Weight	150KG

Automatic High Speed Capping Machine

This high speed capping machine can work stably and fast, the working speed is adjustable, and this machine is with guiding device which is adjustable according to bottle width. This ensures the capping speed and effect. This machine is suitable for food, beverage, cosmetics and pharmaceutical industries.

- 1. Multiple capping wheels can be customized to improve working efficiency.
- 2. Easy to debug and operate, suitable for new hands.
- 3. It can work with cap elevator to save production labor.

Machine model	SH-X0
Voltage	220V/110
Power	2k
Production Capacity	3000-5000bottles/h(depen
Suitable Bottle Diameter	35-120mm(Can
Suitable Bottle Height	60-200mm(Can
Machine Size	About 2000*
Package Size	About2100*1





d to improve working efficiency. w hands. uction labor.

(G440B

0V 50-60Hz

KW

nding on bottle and cap size)

n be customized)

n be customized)

*900*1600mm

1100*1800mm

SUNH^N

Desktop Capping Machine

This machine is designed for pressing cap on bottles like T-cork,inner plug of bottles. The small desktop machine saves production cost and suitable for small scale production. It is widely used in food,daily chemical,liquor industries.

- 1. Cap feeding machine is optional to save production process.
- 2. Desktop design saves working space.
- 3. High working efficiency, it can work automatically and cap 20-40 bottles/min.

Machine model	SH-XG1870D
Working voltage	AC220V/110V 50-60HZ
Bottle height	60–270mm
Bottle caps diameter	customize(≤130mm)
Working speed	20-40 bottles/minute(depending on bottle and caps)
Working pressure	0.4-0.6 MPa
Size of Air Compressor Connector	OD 8mm
Conveyor length	115mm(W)*1020mm(L)
Machine size	1020*580*1220mm
Machine weight	52kg
Package size	1130*600*1120mm
Package weight	About 83.5kg



Automatic Ropp Capping Machine

ZS–XG440C is the automatic capping machine which is designed to tighten pilfer proof cap for wine bottles, olive oil bottles, drinks bottles etc. It is suitable for ϕ 20–32mm bottle caps. The automatic operation helps you save labor and reduce production error.

1.Multiple capping heads can be customized as production need. 2.Cap feeding machine is optional.

3.It can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-XG440C4
Capping Speed	4500pc/h
Capping Heads	Single Heads(4/6/8/12 heads can be customized)
Power	1.5kw
Bottle Diameter	ф30mm–90mm
Bottle Mouth Diameter	φ22–38mm
Bottle Height	100mm-330mm
Machine Size	About 1300*986*1925mm



Automatic Perfume **Bottle Capping Machine**

This perfume capping machine is suitable for two kinds of bottle caps, the pressing type and the crimping type. It can also be used to cap collar ring. It can work with automatic filling machine to realize automated production, and change the capping mold, it can be used for different sizes of bottles.

1. Suitable for crimping type and pressing type perfume bottle. 2.Each of capping heads can work separately. 3.Different sizes of capping head can be customized.

Machine model	SH-YG09
Bottle height	60–200mm
Bottle opening size	13/15/18/20mm(customized)
Bottle diameter	≤100mm
Caps diameter	Customized
Machine size	About 1345*655*1460mm
Machine weight	About 151.5kg
Package size	About 1460*810*1630mm
Package weight	About 193kg



This perfume capping machine is suitable for crimping perfume bottles. It can work with automatic filling machine to realize automated production, and change the capping mold, it can be used for different sizes of bottles.

- 1. Multiple capping heads can be customized as production need.
- 2. Different sizes of bottle opening sizes can be customized.
- 3. It can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-1
Voltage	220V/110\
Production Capacity	About 540
Crimping Head	Custo
Suitable Bottle Height	65-20
Conveyor Belt Size	About 2200mm
Machine Size	About 2200mm*6
Machine Weight	About





Bottle Crimping Machine

YG11 0V 50-60Hz 10bottles/h omized 200mm m*115mm(L*W) 680mm*1600mm 161kg

\mathbf{O} \mathbf{D} J ס Ζ G Ζ \mathbf{D} \mathbf{O} Т _ Ζ

Tirgger Pump Capping Machine With Cap Feeder

This machine is designed for the trigger pump bottles which has long tube inside bottles, it can feed bottle caps automatically and tighten bottles smoothly. It is widely used in advanced cosmetics, daily chemical industries.

- 1. Equipped with cap feeding machine, it saves production labor.
- 2. Suitable for various kinds of caps.
- 3. Can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-XG445
	30-70443
Voltage	110/220V
Power	900W
Capacity	5–25 Bottle/Min(based on bottle and cap size)
Material	304 SUS
Air pressure	0.6–0.8Mpa
Suitable bottles	Customize according to sample Cap feeding way:Pneumatic fetch
Capping way	Servo drive screw capping
Machine size	About 2900*950*2000mm
Packaging size A	bout 3020*905*2140mm(machine),1870*1220*840mm(Vibratory bowl sorter)
Packaging weight	About 600kg(machine),316kg(Vibratory bowl sorter)



Full Automatic Cans Seaming Machine

Designed for tightening metal cans, this kind of automatic capping machine is equipped with upgrade electric rotation shaft, this can work for a long time and not easy to be broken during using. This machine is widely used in food, daily chemical industries.

- 1. Size of rotary plate can be customized according to cans' size.
- 2. Can work with automatic filling/labeling machine to realize automated production.

Machine model	SH–AI
Bottle height	40-200mm(Can cust
Bottle diameter	35–13
Working speed	30-50 bottles/minute (dep
Working voltage	AC220V/110V 5
Working Temperature	0–4
Working humidity	35%-
Working pressure	0.4 -0
Machine size	3000* 900
Machine weight	500



cording to cans' size. achine to realize automated production.

AFK300

- tomize for other sizes)
- 130mm
- pending on bottle and caps)
- 50- -60HZ 1.9KW
- 45°C
- -85%
- 0.8 MPa
- 0* 1700mm
- 0KG



Ζ

 \mathbf{O}

Automatic Twist **Off Capping Machine**

Designed for tightening twist off bottle caps, this kind of automatic capping machine has large torsion, it can improve capping quality. This machine is widely used in food, daily chemical industries.

- 1. Size of capping head can be customized according to cap size.
- 2. Can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-XG440D
Working voltage	AC220V/110V 50-60HZ
Bottle height	≤200mm
Bottle caps diameter	customize
Working speed	20-30 bottles/minute(depending on bottle and caps)
Working pressure	0.4-0.6 MPa
Conveyor size	100mm(W)*1950mm(L)
Package size	About 2000*820*1800mm
Package weight	About 380kg



Automatic Bottle **Capping Machine**

Designed for capping F-style bottles, the capping head of this machine can be customized according to cap height and diameter. It is widely used in food, cosmetics and daily chemical industries.

- and transporting work.

Machine model	SH-XG16F
Working voltage	AC220V/110V 50- 60HZ
Bottle height	30–300mm
Cap Diameter	18–70mm
Bottle Diameter	20–160mm
Working speed	20-60 bottles / minute (depending on bottle and cap size)
Working pressure	0.4-0.6MPa
Machine size	About 1930*650*1800mm
Machine weight	About 141kg
Package Size	About 1970*360*1840mm
Gross weight	About 284kg



1. It can work with automatic filling and labeling machine to realize automated production. 2. Equipped with bottle guiding structure, it can prevent that bottles fall down during capping

> \mathbf{O} \triangleright τ τ Ζ G Ζ \mathbf{D} \mathbf{O} Т Ζ

4 in 1 Automatic Perfume Bottle Capping Machine

This machine simulate manual operation to feed bottle caps, improves working accuracy. It has function to feed caps, crimp bottle and press outer cover, and can work with automatic filling/labeling machine to realize automated production.

- 1. Can be customized for FEA15/18/20mm or other size perfume bottles.
- 2. Rotary plate will be customized according to bottle size.
- 3. Can feed bottle caps and crimp bottles automatically.

Machine model	SH-AFC8
Machine voltage	AC220V/110V 50-60HZ
Bottle diameter	Customize
Bottle height	Customize
Working speed	20-30 bottles/min.(depending on liquid,bottle and caps)
Max power	2.5KW
Conveyor size	About 2000*100mm (L*W)
Machine size	About 2000*900*1420mm
Package size/weight	1100*540*600mm,83kg,2100*990*1620mm,418kg



Automatic Crown Capping Machine

This automatic bottle capping machine is designed to tighten pilfer proof cap for wine bottles, olive oil bottles, drinks bottles etc. The automatic operation can help to save labor and reduce production error greatly.

- 1. Multiple capping heads can be customized as production need.
- 2. Cap feeding machine can be equipped with to save production labor.
- 3. It can work with automatic filling/labeling machine to realize automated production.

Machine model	SH-XG440E
Capping Speed	2000 bottles/h
Power	1KW
Bottle Diameter	ф30mm–90mm
Bottle Cap Diameter	Customized
Bottle Height	100mm-330mm
Machine Size	About 3400*1040*1890mm
Packing Weight	About 622kg
Package Size	About 1700*1250*2220mm



as production need. h to save production labor. machine to realize automated production.