

LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W



28-70W

The Semi-Cutoff Wall Pack LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications.

**WATT/CCT
SELECTABLE**



48-120W



Features:

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design, high quality and better cooling for LED Tj < 85°C .
- Excellent Optics design, greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**

Packaging information:

❖ **WSD-HWP2842567W27-345K:**

Carton Size: 370MMX205MMX178MM
14.57" X8.07" X7.01" (1Pcs/CTN)


❖ **WSD-HWP48729612W27-45K:** Carton
Size: 370MMX170MMX170MM
14.57" X6.69" X6.69" (1Pcs/CTN)

SPECIFICATION								
TYPE	WSD-HWP2842567W27-345K				WSD-HWP48729612W27-45K			
WATTAGE	28W	42W	56W	70W	48W	72W	96W	120W
LUMEN	4483 lm	5896 lm	7740 lm	9753 lm	7496 lm	10985 lm	14162 lm	17226 lm
EFFICACY	> 140 lm/W							
CCT	3000K,4000K,5000K				4000K,5000K			
CRI	> 70							
INPUT VOLTAGE	AC120-277V							
LIGHTING ANGLE	96.3X71°				95.3X62.9°			
FACTORY SETTINGS	70W & 4000K				120W & 4000K			
LED TYPE	2835							
PF	> 0.95							
DRIVER EFFICIENCY	> 89%							
PROTECTION LEVEL	WET							
LIFE TIME	> 50000 hours							
WARRANTY	5 year limited							

LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

DIMENSION:



Specifications:

Shell materials: Aluminum & PC.
Finish: Dark Bronze(Standard)
Net weight :

28-70W:6.88(lbs)
48-120W:9.1(lbs)

Product Size:

28-70W:356.2mmX158.9mmX198.5mm
14.03”X6.26”X7.82”

48-120W:355mmX156.9mmX154.5mm
13.98”X6.18”X6.08”

Control Module:



ORDERING INFORMATION:

EXAMPLE:

WSD-HWP2842567W27-345K-Z[D,W,B,S]-Y[Blank,P] / WSD-HWP48729612W27-45K-Z[D,W,B,S]-Y[Blank,P]

WSD	HWP	2842567	27	345K	Z	Y
COMPANY	PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
WSD LED INC	HWP Semi-Cutoff Wall Pack light	2842567 28W/42W 56W/70W 48729612 48W/72W 96W/120W	27 AC120-277V	345K 3000K/4000K/5000K 45K 4000K/5000K	D (Dark Bronze) W (White) B (Black) S (Silvery)	P (Photocell)


LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:

For complete IES files, please visit our website.


WSD-HWP2842567W27-345K (28W&4000K)



WSD-HWP2842567W27-345K (42W&4000K)



WSD-HWP2842567W27-345K (56W&4000K)




LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:

For complete IES files, please visit our website.


WSD-HWP2842567W27-345K (70W&4000K)



WSD-HWP48729612W27-45K (48W&4000K)



WSD-HWP48729612W27-45K (72W&4000K)




LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:

For complete IES files, please visit our website.

WSD-HWP48729612W27-45K (96W&4000K)



WSD-HWP48729612W27-45K (120W&4000K)

