

Solar LED Post Top Light


Wattages: 15W



The working principle of Solar LED Post Top Light: The solar panel is irradiated by sunlight, absorbs the sun light and converts it into electric energy to charge the battery. At night, the battery pack provides power to supply the LED lighting to realize the illumination.

The DC controller can ensure that the battery pack is not damaged due to overcharging or overdischarging, meanwhile, it has temperature compensation and lightning protection, reverse polarity protection and other functions such as Light control, Can be illuminated for about 3 rainy days.

Ideal for park, villa residence, Lawns, Courtyards, Roadways and many other applications.



FEATURES

- High luminous efficiency and long working life.
- A special solar controller is used.
- Osram light source chip is used.
- Monocrystalline silicon solar panel.
- Excellent optics design, greatly improve the light utilization and evenness.




SPECIFICATION	
TYPE	WSD-SPRCPT15W5-50K-B
WATTAGE	15W
CCT	5000K
LUMEN	1800.2 LM
CRI	80
MATERIAL	Die-casting aluminum
SOLAR PANELS	5V/25W
BATTERY	3.2V/36000mAh
CHIP	OSRAM 3030
LAMP SIZE	24.80 X 19.49 inch
WORKING TIME	≥10H
CHARGING TIME	≥5H
WORKING TEMPERATURE	-4°F ~ 122°F
CABLE	NO
OUTDOOR RATING	IP65
WARRANTY	2 year limited

Solar LED Post Top Light

Wattages: 15W

DIMENSION



PACKAGING INFORMATION

❖WSD-SPRCPT15W5-50K-B

OUTER BOX:

720MMX490MMX165MM(1Pcs/CTN)

28.35" X 19.29" X 6.50"

SPECIFICATIONS:

Shell materials: Aluminum & PC

Net weight : 12.39 lbs

Finish: Black(Standard)

Product Size:630 X 495(mm)

24.80"X19.49"

ACCESSORIES (standard)



Screw+Hex wrench

ORDERING INFORMATION

EXAMPLE: **WSD-SPRCPT15W5-50K-Z[D, W, B, S]**

WSD	SPRCPT	15W	5	50K	Z
COMPANY	PRODUCT	WATTAGE	VOLTAGE	CCT	FINISH
WSD LED INC	SPRCPT (Solar LED Post Top Light)	15W - (15W)	5 - (5V)	50K - (5000K)	D - (Dark Bronze) W - (White) B - (Black) S - (Silver)

PHOTOMETRICS

For complete IES files, please visit our website.

WSD-SPRCPT15W5-50K

