

www.keteles.net

E-BIKE USER MANUAL



ATTENTION

Please read this manual carefully before using the larkeleisi electricbicycle. Ifyou do not understand this information, or ifyou do not cover the issues covered in this manual, please contact the dealer.





FULLY CHARGE BATTERIES BEFORE FIRST USE- Batteries should be fully charged immediately when they are received and immediately after each use for the recommended charge times (see below).

**Li-Ion (Lithium Ion) batteries 4-6 hours (2-3 hours for Via Urbano)

We recommend that you consult a bicycle specialist if you have doubts or concerns as to your experience or ability to properly assembly, repair, or maintain your bicycle.

Additional warning/cautions are in the assembly section of this manual

With proper care and maintenance your Currie Technologies@ Hybrid Electric Bicycle will provide ease of use and be fun to ride .

Below are points that will help you to maximize the enjoyment you get from your new hybrid electric bicycle

FACTORS TO MAXIMIZE THE RANGE OF YOUR HYBRID ELECTRIC BICYCLE

- . Ride R input -the more the rider pedals the further the distance traveled. Continuous riding, as opposed to frequent stopping and starting, will yield the greatest range possible
- . elevation Gain -the flatter the road the further the distance traveled
- . Weathe R-cold weather can adversely affect the battery capacity
- . Wind traveling with a tailwind will increase distance traveled, traveling into a headwind will decrease distance traveled
- . teRRaIn -the smoother the terrain (roadways vs. fireroads, etc.) the further the distance traveled
- . Ride R WeiGht -the lighter the rider, resulting in less drain on the batteries, the further distance traveled
- . Bicycle Maintenance- a properly maintained bicycle will yield the greatest range possible
- . tiRe pRessu Re properly infiated tires have less rolling resistance and will be easier to pedal
- . Batte Ries- properly charged and maintained batteries will yield the greatest range possible. Batteries stored in cold areas (below 50 degrees Fahrenheit/ 10 degrees Celsius) will show reduced range. Batteries that have not een kept in optimum condition will show reduced range and run time.

- ALWAYS WEAR A PROPERTY FITTED HELMET WHEN YOU RIDE YOUR BICYCLE.
- DO NOT RIDE AT NIGHT
- CPSC RECORDS SHOW THAT ABOUT 35% OF BIGYCLE RELATED DEATHS OCCUR AFTER DARK.
- AVOID RIDING IN WET CONDITIONS.
- CPSC RECORDS SHOW THAT ABOUT 65% OF INJURIES HAPPEN TO CHILDREN UNDER 15 YEARS OF AGE.
- · RIDE ONLY WITH ABULT SUPERVISION



CORRE CTFITT- MAKE SUREYOUR HELMETCOVERSYOURFOREHEAD.



INCORRECT FITTING, FOREHEADIS EXPOSED AND VULNERABLETO SERIOUS INJURY.



Riding Mode	Electric Power Assist (5 Shifts)	
	Pure Electric (5 shifts)	
	Pure Human Riding	

CRUISE CONTROL SYSTEM:

Pure electric riding mode, during riding process (turn rotatable grip + long press - button for 5 seconds) to enters cruise mode (instrument display Cruise sign). Brake cancels cruise. (Cruise mode need to be used in good road conditions, with few pedestrian and vehicles on the road)

Note: For the normal use of each function, please ensure that the led panel works.

Switch on and off: Long press power button for five seconds to turn the meter on/off, quick press power

button to check solo/total mileage.

Switch Speed Grade: press the +/- button to switch the speed grade

0 grade instructions:

At 0 grade mode, at this time, the motor doesn't work when you turn throttle grip, and the human riding has no electric power.

Speed Grade 1-5 instruction:

Speed Grade 1-5, turn the throttle grip, the motor works, and PAS starts at the same time. At this time,

different assist and speed are matched according to the selected speed grade.





The Carton of the E-bike.




Open the Carton



Take the bike and accessories out

Remove the packing EPE pearl cotton





Turn the stem forward. Do not turn the whole fork. The fork brace should be facing forward.





Remove the 4 bolts





Fit the stem and handlebar together





Tighten the 4 bolts





Tighten the bolts





Handlebar installation completed

The Seat Post Clamp





Open the lever and turn the nut to loose seat post clamp





Lock the clamp lever tightly

Saddle installation completed





Turn the bike upside down



The fork spacer and brake caliper spacer



Remove the fork spacer. (it is not a part of the

Put the front wheel on the fork.

bike)



The axle of the motor goes into the grooves of the fork.





Put the washers in the right places.





Tighten the nuts on both sides





Connect the inline connectors of front motor cable





Front wheel installation completed





The pedal with letter L should be fixed on the left






The pedal with letter R should be fixed on the right

t Turn the spanner clockwise to fix the pedal R





Fix Headlight and fender to the fork brace





Fix rear fender and rear rack to the frame





Tighten the two upper bolts on both sides





Fenders and Rear Rack installation completed

The battery base on the down tube





Put the battery on the battery base



Push the battery downward and lock it




Side view of the completed e-bike







Press button M for 3 seconds to turn on display



The buttons and the LCD display

The power assisted mode match with the gear shift to achieve the riding experience of labor-saving and power saving.

In the setting of power assist riding, on few slopes and good road conditions, it is recommended to match with variable gears, 7-6 high-speed gears, with the best power-saving effect and speed ratio.

In case of large slope road conditions, gear 4-7 is adopted, which can easily and effortlessly climb the slope.

Riding with power assisted mode, if use speed shifting & climbing mode on flat road will waste electric power and accompany with the feeling of empty treading.

5 PAS Grades	Labour power	Motor power	Effect
PAS 0	100%	0	Cycling for exercise
PAS1~PAS2	70%~80%	20%~30%	Slight power assist makes exercise easier
PAS 3	50%	50%	Use power assist to ride faster and farther
PAS 4 ~ PAS 5	20%~30%	70%~80%	Fast cycling, labor saving

Maintenance and use skills of electric bicycle.

The maintenance methods of electric bicycle under different use conditions mainly include the following points.

1,Influence of temperature.

Temperature has an impact on the use of lithium batteries. Generally speaking, the impact on the use of lithium batteries at room temperature is not significant, but when the temperature is higher than 40 $^{\circ}$ C or lower than - 10 $^{\circ}$ C, the discharge capacity of lithium batteries will change.

For example, if the temperature is below 0 ° C in winter, the effect will be affected. When the battery is fully charged, the driving mileage will be shortened, because under this condition, the battery capacity can only be released by 60% -70%. Therefore, the driving mileage when the battery is fully charged in winter will be much less than in summer.

Maintenance method.

A,When the temperature is low in winter, the battery should be placed indoors, and the charging should also be carried out indoors. After the battery is fully charged, the charging time should be extended for another two hours.

B,In summer, avoid the sun exposure of batteries. Avoid charging the battery at high temperature. Avoid charging the battery immediately after use in high temperature. Do not charge for too long. The battery needs to be charged for another one or two hour after the red indicator turns green.

2. Use on different road conditions

E-bike is not suitable for driving on the road with bad or steep conditions. If there are many uphill on the way, we will find that the mileage of charging once will be much less than that on the flat road. When starting, uphill, loading or driving against the wind, please use the motor drive combined with human pedal to ensure the working life of your battery and motor be longer.

- 3,Avoid exposure to the sun and rain. Although the electric bicycle has good waterproof performance, it can still ride in rainy and snowy weather, but when passing through water puddles and ponding and other roads, pay attention to the wading height, which shall not be higher than the motor, so as to prevent the motor from damage caused by water inflow. Do not use a high-pressure water gun to wash the electric bicycle, so as to avoid damage caused by water entering the electronic parts and accessories.
- 4,Frequent braking is bound to be accompanied by frequent start-up, which will lead to frequent large current discharge and power cut-off of the battery, which has a certain impact on its life. Countermeasures: pay attention to safety when driving, drive at a proper speed, and try to avoid frequent braking.

KETELES

BENFUTO TRADING CO., LTD

French Office Add:50 BD STALINGRAD 06300 NICE FR

Whats APP 1: +86 13632624062 Whats APP 2: +44 07355779889 WWW. KETELES. NET