



8 Gigabit Ports Unmanaged Switch

AP-GS1008

Main Features

- ❑ 8GE Full Gigabit Switch
- ❑ Port VLAN support to easily segment IP Camera security traffic
- ❑ Power Budget According to Cable Length
- ❑ Green Ethernet technology saves the power up to 82%
- ❑ Plug and play, no configuration needed

What This Product Does

The 8 10/100/1000Mbps Desktop Switch IT provides you an easy way to make the transition to gigabit Ethernet. Increase the speed of your network server and backbone connections, or make gigabit to the desktop a reality. Moreover, IT adopts lower power consumption design. With the innovative energy-efficient technology, the IT can save up to 82% of the power consumption, making it an eco-friendly solution for your home or office network.

Gigabit Switch

Featured with 8 10/100/1000Mbps ports, IT greatly expands your network capacity, enabling instant large files transferring. So, power users in the home, office, workgroup, or creative production environment can now move large, bandwidth-intensive files faster. Transfer graphics, CGI, CAD, or multimedia files across the network instantly.

TECHNICAL SPECIFICATIONS

| Hardware | |
|------------------------|---|
| Model No. | AP-GS1008 |
| Interface | 8 10/100/1000Mbps RJ45 Ports (Auto Negotiation / Auto MDI / MDIX) |
| Network Media | 10BASE-T: UTP category 3, 4, 5 cable (maximum 100m) 100BASE-TX/1000Base-T: UTP category 5, 5e, 6 or above cable (maximum 100m) 1000BASE-X: MMF, SMF 1000Base-L X:62.5µm/50µm MM(2m~550m) or 10µm SMF(2m~5000m) |
| Fan Quantity | Fanless |
| Exchange Capacity | 16G |
| Packet Forwarding Rate | 11.9Mpps |
| Mac Address Table | 8K |
| Packet Buffer Memory | 1.5Mb |
| Jumbo Frame | 15000 Byte |
| Port VLAN | YES |
| Dimensions | Product Size: 209mm* 126mm*26mm (L*W*H) |

OTHERS

| Hardware | |
|------------------|---|
| Certification | CE, FCC, RoHS |
| Package Contents | Gigabit Switch Electric Line Guide Book/Warranty Card |
| Environment | Working Temperature: 0°C~40°C Storage temperature : -40°C~70°C Working Humidity : 10%~90% RH non-condensing Storage Humidity: 5%~90% RH non-condensing |



www.airpro.in