Customer:

Sun State Hemp 4800 SW 51st Street, Suite 106,

Davie, FL 33314

D8BK6321 / Banana Kush

Sample ID: **Laboratory Number: ATL-460** 



Report Issue Date 05/20/2021

Extraction Technician: HP

Analytical Chemist: HP

Sample Description/Size:

Cartridge 1ml

## CANNABINOID PROFILE



Order Date 05/20/2021 Analysis Date 05/20/2021

<b>Cannabinoids</b>	(HPLC)
---------------------	--------

Results	Cannabin

Cannabinoids (HPLC	Results		Cannabinoid (%)							
Test	LOD (mg/	mg/cartridg	ge %	0	20	14	40	60	80	100
Cannabidivarin (CBDV)	<2.0	0	0		1/1/		// /	1		
Cannabidiolic Acid (CBD-A)	N/A	0	0	VV	777	1	111	7		
Cannabigerolic Acid (CBG-A)	N/A	0	0	N	L	1	1	X		
Cannabigerol (CBG)	<2.0	0	0	P						
Cannabidiol (CBD)	<2.0	0	0				1			
Tetrahydrocannabivarin*(THCV)	<2.0	0	0							
Cannabinol (CBN)	<2.0	0	0				1	7/	1	
delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0	1.	AM	1	17		-	
delta 8-Tetrahydrocannabidol	<2.0	911.5	91.15	/////		ШШ	IIIIIIIII	ПППП		1111111
delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0	X	X	1	4			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0	1	MY	V	M	1		7

## **Cannabinoids Total**

Test	1/6/	X	mg/cartridge	%	0	20	40	60	80	100
Max Active THC	11	111	0	0	VV	X	M	1	M	
Max Active CBD	1.1	FI	0	0	$\Lambda \Lambda$	1/1		1	M	
T.Active Cannabinoids	-11	1	911.5	91.15	1111111	ШШШ	ППППППППППППППППППППППППППППППППППППППП	ШШШ	11111111111	
Total Cannabinoids			911.5	91.15	VIIIIIIII	HIIIIIIIII	ШШШШ	ШШШ		11111111

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

info@AccurateTestLab.com

Accurate Test Lab, LLC

N/A = Not Analalyze

2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA

Tel: (954) 515-0200