

AXEON

S-100 Antiscalant

AXEON S-100 Antiscalant is a highly effective antiscalant, specially formulated for feedwaters with the highest levels of metal oxides, silica and scale-forming minerals. It is effective over a wide range of concentrations, and does not flocculate dissolved polymers such as residual coagulants, iron or aluminum rich silica. Use of this product is recommended for reducing the operating and capital costs of reverse osmosis (RO), nanofiltration (NF) and ultrafiltration (UF) systems. A special utility is in its application as a substitute for pretreatment with ion exchange beds.



Product Benefits

- Effective in retarding polymerization and precipitation of silica
- Effectively controls inorganic scales over a large concentration range.
- Certified under ANSI/NSF Standard 60 for drinking water production.
- Compatible with major manufacturer's RO, NF, and UF membranes.
- Does not flocculate dissolved iron/aluminum oxide/silica complexes.
- Effective in controlling calcium carbonate and calcium sulfate scales.
- Effective in feedwaters with pH range 5.0 – 10.0
- Efficacious for controlling aluminum, iron and heavy metal salts.

Technical Specifications

Liquid*

Appearance:	Clear, colorless
pH:	1.5 ± 0.8
Specific Gravity:	1.08 ± 0.05

Powder*

Appearance:	Colorless
pH (1% in water):	11 – 12

Dosing Recommendations

AXEON S-100 Antiscalant should be injected into the feed-stream prior to the static mixer and cartridge filter. Effective pH range is 5 – 10. If frozen, may be thawed and mixed before use. Stability is excellent, but best used within 12 months.

Dosing Recommendations

In the useful dosage range of 1 – 15 mg/L (neat), **S-100** controls a wide range of inorganic scales at up to 100x saturation values or higher is possible. By monitoring the concentrate stream and trend charts, optimal dosage can be achieved for the control of scales including that from calcium carbonate, calcium sulfate, barium sulfate, strontium sulfate, iron hydroxide, aluminum hydroxide and silica.

Packaging

Liquid: Pails and drums
Powder (concentrate): Totes

* MSDS available upon request.

Engineered Membrane Solutions

AXEON
WATER TECHNOLOGIES

MKTF-190

P: 800-320-4074 • W: www.axonwater.com
F: 800-609-0829 • E: sales@axonwater.com
40980 County Center Drive, Suite 100, Temecula, CA 92591

AXEON is a registered trademark of AXEON Water Technologies.



02/12 ©2012 AXEON Water Technologies