AIR INNOVATIONS





100 HOUR RUNTIME



Up To Extra Large Size Rooms



Antimicrobial Tank & Base*



Silent Operation



Permanent Ceramic Filter



Bluetooth Enabled Use your smart device to monitor humidity levels and adjust settings



CLEAN MIST® TOP-FILL SENSA TOUCH™

BLUETOOTH HUMIDIFIER WITH

CONTROL CONTROL

Instruction Manual and Warranty Information

READ AND SAVE THESE INSTRUCTIONS

Contents



If you have a respiratory condition, please contact your physician prior to use.

FCC Statement

Potential for Radio/Television interference

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. A recommended separation distance of 20 cm from the radiating element should be maintained.

Note: This device complies with Part 15 and 18 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 and Part 18 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/TV technician for help.

SAFETY INSTRUCTIONS

READ AND SAVE THESE INSTRUCTIONS: Falure to follow all the instructions may result in electrical shock.

AWARNING

- This appliance has a polarized plug (one blade is wider than the other) as a safety feature. If the plug does not fit fully into the outlet, reverse the plug. If it still doesn't fit, contact a qualified electrician. DO NOT attempt to defeat this safety feature.
- Before using the humidifier, extend the cord and inspect for any signs of damage; DO
 NOT use if the cord has been damaged.
- Keep cord away from heated surfaces and out of the way, where it cannot be stepped on or tripped over.
- NEVER use in an environment where explosive gases are present.
- Place humidifier on a stable level surface; DO NOT place on carpet, next to
 heating vents, under direct sunlight, in high temperature areas, or near computers
 and electronic equipment.
- DO NOT place the the humidifier directly on wood furniture or other surfaces which could get damaged by water.
- DO NOT direct the mist against a wall or home appliances.
- NEVER operate without water in the Tank; DO NOT use anything other than room temperature tap or distilled water.
- NEVER add essential oils directly to the water, as this will damage the unit and void the warranty.
- DO NOT touch the water in the Base during operation.
- DO NOT expose or immerse the Base in water when cleaning.
- DO NOT pour water into the base through the Air Outlet during cleaning and filling.
- NEVER block the Air Outlet or intake or cover the unit when it's in operation
- DO NOT use any attachments not provided with the unit.
- Discontinue use if humidifier makes loud noises or has a strange smell.
- DO NOT attempt to repair or adjust the unit; servicing must be performed by professional or qualified personnel.

CAUTION

- Only operate when fully assembled; only use as intended and described in this manual.
- Keep out of reach of small children.
- Always insert plug securely into the power source.
- Unplug the unit and empty the Water Tank and Base before carrying/moving.
- Only unplug when the humidifier is turned off; ensure hands are dry.
- Always turn off the unit before removing, emptying or filling the Water Tank.
- Perform regular maintenance of the Ultrasonic Nebulizer; NEVER scrape Nebulizer with a hard or sharp object.
- Dry the unit completely before storage; store in a cool, dry place.
- Do not drop, hit or otherwise subject this product to excessive shock.

No More Dry Air

Thank you for choosing the Air Innovations® – Clean Mist® Top-Fill Sensa Touch™ Bluetooth Humidifier with Bluetooth Speaker & Aroma Tray and congratulations on taking this important step in improving the quality of air in your home or office. The humidifier uses Ultrasonic Technology to create humidity instantaneously - working silently to erase the discomforts of dry air.

Unpacking

1



Remove the Dual Directional Mist Nozzle.

 \mathcal{D}





Carefully remove the Extension Nozzle and humidifier from the box by pulling the Base of the unit (Do not take the unit out of the box by pulling the tank).

 \mathcal{C}



Remove the plastic bag from the humidifier.

*Follow directions to fill and operate the humidifier.

Specifications

Product Model	Power Consumption	Rating Voltage	Tank Capacity	Dimensions	Weight
MH-906	30W	110-120V~60Hz	6.1L / 1.6G	10.5"W x 7.75"D x 34"H	4.47 Lbs.

Parts & Contents



- 1. Dual Directional Mist Nozzle
- 2. Extension Nozzle
- 3. 3a. Water Tank Lid / 3b. Finger Lift
- 4. Water Tank
- 5. Base with Built-In
 - Orisp Sound™Bluetooth Speaker
- 6. Sensa Touch™ Control Panel
- 7. Air Outlet

- 8. Cleaning Brush
- 9. Water Reservoir
- 10. Ultrasonic Nebulizer
- 11. Water Sensors
- 12. Water Inlet
- 13. Ceramic Filter
- 14. Silicone Plug (to be used during cleaning ONLY)
- 15. Aroma Tray (located on the rear of the unit)

Filling The Water Tank

Never turn Water Tank upside down when full.

MARNING: DO NOT use extremely cold water, since it may temporarily reduce the mist output.

MARNING: NEVER fill with hot/warm water or use additives as this could damage the unit and void the warranty.

MARNING: If you have hard water use our Humidifier Demineralization Filters (available at www. Air-Innovations.com) or use **ONLY** filtered/distilled water.



Ensure the Water Tank is firmly seated on the Base so there is no visible gap between Water Tank and Base.



Use the Finger Lift to open the Water Tank Lid.



Fill the Water Tank using clean, cool water. **Note:** Do not fill past the MAX fill line.



Close the Water Tank Lid. NOTE: DO NOT block air holes as this will effect the performance of the unit.









Attach the Dual Directional Mist Nozzle to the top of the Water Tank. To easily control the direction of the mist simply separate the Dual Directional Mist Nozzle and position as desired-see photo above.

Extension Nozzle – To convert this unit from a Tabletop unit to Floor unit simply remove the Dual Directional Mist Nozzle from the top of the Water Tank. Position the unit on a flat, level surface and insert the Extension Nozzle into the top of the Water Tank. Place the Mist Nozzle on top of the Extension Nozzle.

Operating Instructions

Plug unit into a standard (120V AC) electrical outlet.

ON/OFF - Touch the Sensa Touch™ power button to turn the humidifier on. NOTE: During the first use the waterless indicator may illuminate before mist appears; allow up to 15 minutes for the water in the tank to transfer to the base.

Mist Output - When you turn the unit ON, it will default to the Low mist setting and one white LED light will be lit. Touching the power button again will increase the output, and is indicated by the additional white LED lights (see below). Touch once for Medium, twice for High, three times for the Supreme setting. Touching the power button a fourth time will turn the humidifier off.









Auto LED Dim: After approximately 30 seconds, the LED light will automatically turn off. Touching the power button on the unit will illuminate the light again but will not change the setting. Touch the power button a second time to alter the setting. The humidifier is factory set to silent mode and will only beep to indicate the unit is out of water.

Auto Safety Shut-Off - When the Tank is out of water the Waterless indicator will illuminate and the automatic safety shut-off will turn the unit OFF. The unit will beep three times before turning off.

Aroma Tray- By inserting an Air Innovations Aroma Pad into the built-in Aroma Tray, you can transform your humidifier into an easy-to-use fragrance dispenser. Visit www.Air-Innovations.com to purchase additional Aroma Pads.





Bluetooth Operation Instructions

- Bluetooth Enabled Control The humidifier can be turned On/Off and mist settings can be adjusted from any smart device.
- Crisp Sound™ Bluetooth Speaker Our humidifier has a built-in speaker which is compatible with all Bluetooth audio devices. The speaker can be enjoyed with the humidifier turned On or Off.
- To use the Bluetooth Function first download the App from the App Store / Google Play Store, see below. Look for "Air Innovations Technology"



App Store A. iOS / Apple App Store



B. Android / Google Play Store



2. Open the App & Press the Red Bluetooth Icon labeled "Press To Connect".

Note: To disconnect humidifier "Al-906 Device" toggle OFF your Bluetooth in your phone settings. To disconnect from Speaker "AI - 906 Spkr" choose to "forget" or "unpair" from your phone settings.

Weekly Cleaning & Care

MARNING: Before cleaning always turn power off and unplug the unit from outlet.

NARNING: DO NOT rinse Base under faucet. To clean, wipe the Base with a soft cloth.

/!\ WARNING: DO NOT use any solvents or aggressive cleaning agents. Keep water away from the Air Outlet.

! WARNING: DO NOT tamper with the Water Sensor.

About White Dust -Use of high-mineral content water may cause a white mineral residue to accumulate on room surfaces near the humidifier. The mineral residue is commonly referred to as "White Dust". The higher the mineral content (the harder your water), the greater the potential for White Dust. The White Dust is not caused by a defect in the humidifier, but is due only to minerals suspended in the water from your tap. \(\tilde{\text{MARNING:}}\) Hyou have hard tap water STOP using tap water and visit our website (www.Air-Innovations.com) to purchase our Humidifier Demineralization Filters or use ONLY filtered or distilled water.

Tank Cleaning - Unplug unit & remove the Mist Nozzle from the top of the Water Tank then remove the Water Tank from the unit. Turn the tank upside down and drain any water from the tank. Wipe the tank with a soft damp cloth then rinse it with warm water inside and out.

Base Cleaning

- 1. Unplug unit.
- 2. Use enclosed Silicone Plug and place over water inlet (see below).
- 3. Clean the Base by gently wiping with a soft damp cloth.

Using Silicone Plug

Please apply the enclosed plug during cleaning **ONLY** in order to avoid debris from entering the pump. **NOTE:** the plug **MUST** be **REMOVED** for normal operation and filling.





White Dust Cleaning - If mineral deposits are evident around the Ultrasonic Nebulizer ③ and Water Sensor, clean these surfaces with a soft cloth and a small amount of undiluted white vinegar. If necessary, mix a solution of 50% white vinegar and 50% water and fill the Base with enough solution to cover the Ultrasonic Nebulizer ⑤. Allow it to soak for an hour and then use the provided brush to gently loosen buildup on the Ultrasonic Nebulizer ⑤. Put 1 cup of water in the Base and wipe clean with a soft cloth.

WARNING: DO NOT rinse Base under faucet.

WARNING: When emptying the Water Reservoir in the Base, make sure that the water is poured away from the Air Outlet .

If water is poured into the outlet it may damage the humidifier.

Ceramic Water Filter Cleaning

Unplug unit and empty water from Tank.

2. Lift Water Tank Lid and place hand inside the Tank and moderately grasp the Ceramic Water Filter and unscrew by twisting counterclockwise 6. Rinse the Ceramic Filter with running tap water for approx 20-30 seconds 6. Then replace filter inside Water Tank by twisting clockwise until secure 6.

Surface Cleaning - Clean all surfaces of the unit with a clean damp soft cloth.

Storage

- 1. Follow all cleaning instructions prior to storage.
- 2. Dry all parts, including the inside of the Water Tank.
- 3. Preferably store in its original box, in a dry place away from high temperatures.
- 4. Follow all cleaning instructions after long periods of storage.













Troubleshooting

Problem	Solution
My device will not connect to the humidifier.	Bluetooth is not on: On your smartphone go to Settings and turn Bluetooth on, then follow the instructions on the Bluetooth section.
	The smartphone is out of range: Move the smartphone closer to the humidifier - depending on your surroundings, your device will stay connected up to 75 feet.
	A different device is connected: Disconnect the device and re-connect with another.
Weak or no mist output.	The water in the unit is too cold: Replace with cool but not cold water or set output to High and wait 10-15 minutes.
	The surface of the Ultrasonic Nebulizer is dirty: Clean Ultrasonic Nebulizer. (see pg. 6 "White Dust Cleaning")
	Ultrasonic Nebulizer is not working: See Warranty.
	Air Holes in Lid are blocked: Do not cover or block air holes.
White dust is forming on nearby furniture.	Hard tap water may deposit a certain amount of dust. Visit our website (www.Air-Innovations.com) to purchase Humidifier Demineralization Filters or use distilled water.
Water is leaking.	Water Tank Installation: Make sure the tank is correctly attached. (see pg. 4 "Filling the Water Tank")
	Humidifier is not on a level surface: Place on level surface.
Condensation is forming around humidifier or windows.	Mist output level is too high for room size: Decrease the mist output.
windows.	Direction of Rotating Mist Nozzle: Change direction of nozzle.
4 LED lights continuously flash for more than one minute.	Unit is in Alert Mode: Unplug and restart the humidifier; if problem continues, call our Customer Service Center for assistance.
Missing parts.	Call us toll free at: 844-600-1370, Monday thru Friday 8:30am to 5pm EST. Please reference model: MH-906
	- I ISSUE TOTOTOLO TITOGOLI MILT SOU



Try These Other Great Products For Your Life!



Available at: www.ForLifeProducts.com, www.Air-Innovations.com, www.Pursfection.com, www.RejuvenateProducts.com



Pursfection







1-YEAR WARRANTY - MH-906



Air Innovations® Clean Mist™ Top-Fill Sensa Touch™ Bluetooth Humidifier with Crisp Sound™ Bluetooth Speaker & Aroma Tray comes with a 1-year manufacturer's warranty. If this unit should become defective within 1-year from the date of purchase, or if you have any questions or comments or regarding replacements for any of our products, please contact us directly at:

Call us toll free at: 844-600-1370
Monday thru Friday 8:30 AM to 5:00 PM EST.
Visit us on the web at: www.Air-Innovations.com
e-mail us: sales@air-innovations.com

Or write us:

Great Innovations, LLC Att: Quality Assurance Dept. 2301 SW 145th Ave. Miramar, FL. 33027 USA

Please fill out the warranty card and mail back to the above address.
Or, register your warranty online today.
Simply go to:
www.Air-Innovations.com

NAME
ADDRESS
CITY
STATEZIP
TELEPHONE
E-MAIL
DATE OF PURCHASE
PLACE OF PURCHASE
Please check here if you would not like to receive any solicitations from our company

THIS UNIT COMES WITH A 1-YEAR WARRANTY SUBJECT TO THE FOLLOWING CONDITIONS:

In the first year, all repairs will be performed free of charge or the unit will be replaced. This warranty is not transferable, it is valid only for the original purchaser. This warranty will be voided if the unit is subjected to unauthorized repair or impact damage. If you have any questions please call toll free: 844-600-1370. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

