





Powered By Das-Kit




The Das-Kit X15F motor is long lasting, efficient, and powerful. Combined with the sleek, fully-integrated yet large capacity battery, our ET.Cycle bikes give you the ultimate feeling of freedom. Ride further, faster, without breaking a sweat.

WHAT IT MEANS TO BE POWERED BY DAS-KIT



The patented design of the **I5/I6** and **T6/T7** controllers allows for easy cable management that runs through the bike's frame. Without the jumble of cables like other e-bike controllers, Das-Kit keeps you stress free with this low-maintenance design.






ABOUT US

MAKE YOUR OWN RULES

At ET, we've taken the spirit of American motorcycles and put it into the heart of our fat tire electric bikes. Our goal is freedom across all terrains-city, sand, trail, snow. We've engineered strong frames and powerful drive systems and motors to open up the city and the country to your imagination. Give your attitude an extra charge.





ET - F Series

BIG THINGS COME IN LITTLE PACKAGES. THIS ONE JUST GOT BIGGER | Our Smallest Step Through, Foldable Frame, Powerful Drive System, Bold Design.













____ to 200km



48V, 21Ah, Rat 1008Wh

Electrcial peda assist



Powered By Das-Kit

F1000 Electric Fat Tire Bike

F1000 ET - F Series

Embrace exploration with a fat tire e-bike built for bridging new frontiers. The F1000 now comes with a headlight that can be toggled through the Das-Kit display. Not only will you be able to keep the road in front of you lit-up, but you'll be easy to spot, keeping you safer than ever on the road or on the trails!

		Das-Kit, G20 Integrated rim motor, 48V 500W Continuous, 750W peak,	
Motor	- _ -	max speed 32km	
Battery	[[[[[[[[[[[[[[[[[[[[Das-Kit, B1M-4821, 1008WH, 48V 21Ah, Panasonic Cells	
Controller		Das-Kit, CT6-FB, 48V 22A	
Display	E03	Das-Kit, C7, LCD	
Charger	[f]	Das-Kit, 48V 3A	
Frame		Alu. 6061, 415mm, 20"	
Fork	F	RST, Guide-TNL 20, with hydraulic suspension and lock system	
Brakes		F/R.: Tektro HD- E350 Hydraulic Disc Brake System with L&R Brake Sensors. F: 180mm rotor R: 180mm rotor	
Crank		Das-Kit, CF52AA, 52T	
Rear Derailleur	\$	8 speed	
Saddle	N. S.	Selle Royal, JUSTEK: 6534UEN	
Tires		CST, CTC06, 20" × 4.0	
Range	48	Up to 90 km when using throttle, up to 200 km with pedal assist	
Net Weight (with battery)	LBS	34 kg	





up to 32km









Powered By Das-Kit

F720 Electric Fat Tire Bike

F720

ET - F Series

The 500W contrinuous Das-Kit motor and 20"x 4" anti-puncture CST fat tires will keep you rolling whether the ground beneath you is sand, asphalt, dirt, or even snow. The F-series' folding mechanism allows for easy transport and convenient storage. Take it anywhere, store it anywhere. The next-gen electric bike for next-gen riders. Your road is up to you!

Motor	-	Das-Kit, G20 Integrated rim motor, 48V 500W Continuous, 750W peak, max speed 32km
Battery	[Das-Kit, B1M-4815, 720WH, 48V 15Ah
Controller		Das-Kit, CT6-FB, 48V 22A
Display		Das-Kit, C7, LCD Display
Charger	[+]"	Das-Kit, 48V 3A
Frame		Alu. 6061, 415mm, 20"
Fork	FF.	RST, Guide-T-20, with suspension
Brakes		F/R.: Tektro MD- M280 Mechanical Disc Brake System with left Brake Sensor. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CF52AA, 52T
Rear Derailleur	É	8 speed
Saddle		Selle Royal
Tires		CST, CTC06, 20" × 4.0
Range	#8	Up to 70 km when using throttle, up to 150 km with pedal assist
Net Weight (with battery)	LBS	33 kg







WHEEL SIZE 20"

SUITABLE FOR RIDERS 157cm+

*Sizing may vary for each individual. Please refer to the stand over height in the chart below to find the best fit for you.

. Stand Over Height	N/A
. Wheel Base	112.9cm
. Frame Size	41.5cm
. Min / Max Seat Height	84 - 103cm
. Reach	43cm
Overall Length	171cm









ET - F Series

BIG THINGS COME IN LITTLE PACKAGES. THIS ONE JUST GOT BIGGER | Our Smallest Step Through, Foldable Frame, Powerful Drive System, Bold Design.













up to 32km



T1000 Electric Fat Tire Bike

T1000 ET - T Series

The fatbike for going the extra EXTRA mile.





Motor		Das-Kit, X15F, rear hub motor, G26, 48V 500W continuous,750W peak, max speed 32km/h
Battery	[Das-Kit, i5M-4821, Panasonic cells, 1008WH, 48V 21AH
Controller		Das-Kit, CT5-i5, 48V 22A
Display		Das-Kit, C7, LCD Display
Charger	į	Das-Kit, 48V 3A
rame	1	Alu. 6061, 460mm, 26"
-ork	Ŕ	RST, Guide-TNL 26, with hydraulic suspension and lock system
3rakes		F/R.: Tektro HD- E350 Hydraulic Disc Brake System with L&R Brake Sensors. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CT48A, 48T
Rear Derailleur	E .	8 speed
Saddle		Selle Royal
Tires		CST, CTC06, 26" × 4.0
Range	<i>8</i> 8	Up to 90 km when using throttle, up to 200 km with pedal assist
Net Weight with battery)	Q LBS	35.5 kg











48V, 15Ah, 720Wh



T720 Electric Fat Tire Bike

T720

ET - T Series

Our T720 electric fat tire bike is designed to let you cruise safely down the road with an air of authority. Built with utility and style in mind, the front and rear luggage racks are perfect for those planning to go on long-distance rides or those that want to take their pets with them for a weekend excursion. Sand, snow, rugged trails, and rough city streets, the T-series handles terrain most e-bikes would find unforgiving.





Motor		Das-Kit, X15F, rear hub motor, G26, 48V 500W continuous, 750W peak, max speed 32km/h	
Battery	[Das-Kit, i5M-4815, 48V 15AH, 720WH	_
Controller		Das-Kit, CT5-i5, 48V 22A	_
Display		Das-Kit, C7, LCD Display	_
Charger	Į	Das-Kit, 48V 3A	_
Frame	D	Alu. 6061, 460mm, 26"	4
Fork	Ñ	RST, Guide-T-26, with suspension	
Brakes		F/R: Tektro, MD-M280 Mechanical disc brake system with left brake sensor. F: 180mm rotor R: 180mm rotor	
Crank		Das-Kit, CT48AA, 48T	- 1
Rear Derailleur	Š	8 speed	- 1
Saddle		Selle Royal	
Tires		CST, CTC06, 26" × 4.0	_
Range	<i>#</i> A	Up to 70 km when using throttle, up to 150 km with pedal assist	
Net Weight (with battery)	LBS	34.5 kg	_













WHEEL SIZE 26"

SUITABLE FOR RIDERS 160cm +

*Sizing may vary for each individual. Please refer to the stand over height in the chart below to find the best fit for you.

T720 / T1000

A. Stand Over Height	66.5c
B. Wheel Base	114cr
C. Frame Size	46cr
D. Min / Max Seat Height	90 - 111
E. Reach	43cr
F. Overall Length	188c



SPECS OVERVIEW



ET.CYCLE F1000 20"



ET.CYCLE F720 20"



BICYCLE

PARTS

WEIGHT

	-[])-	Motor	G20 Integrated rim motor, 48V 500W Continuous, 750w peak, max speed 32km	« «
	503	Display	Das-Kit, C7, LCD Display	***
	[##F]	Battery	Das-Kit, B1M-4821, 1008WH, 48V 21Ah, Panasonic Cells	Das-Kit, B1M-4815, 720WH, 48V 15Ah
AL	ij	Charger	Das-Kit, 48V 3A	<<<
	<i>8</i> 8	Range	200 km with pas, 90km with throttle	150 km with pas, 70km with throttle
	8	Top Assist Speed	Up to 32km/h	***
		Pedal Assistance	Cadence Sensor	***
	D	Frame	Alu. 6061, 16 inches, 20" fat wheels	<<<
- - -	FF	Fork	RST, Guide-TNL 20, with hydraulic suspension and lock system	RST, Guide-T-20, with suspension
		Brakes	F/R.: Tektro HD-E350 Hydraulic Disc Brake System with L&R Brake Sensors. F: 180mm rotor R: 180mm rotor	F/R.: Tektro, MD-M280 Mechanical Disc Brake System with Left brake sensor. F: 180mm rotor R: 180mm rotor
	Ş	Saddle	Selle Royal	***
	J —	Handle Grips	Selle Royal, JF510, Brown	***
	0	Tire	CST, CTC06, 20×4.0	***
	&	Crank	Das-Kit, CF52AA, 52T	~~
		Pedal	Wellgo, F178, foldable pedal	~~
	†	Freewheel	8 speed, 11-32T	<<<
	F	Rear Derailleur	8 speed, 11-32T	<<<
	Â	Net weight (with battery)	34kg	33kg
٠.	(###)	Battery Weight	4.1kg	4kg
	đ	Max Load	104kg	<<<



ET.CYCLE T1000 26"

X15F Rear hub motor, 48V 500W Continuous, 750w peak,



ET.CYCLE T720 26"

LECTRICAL
PARTS

-∏⊩ Motor

-[])-	Motor	max speed 32km	<<<
503	Display	Das-Kit, C7, LCD Display	***
(***)	Battery	Das-Kit, i5M-4821, 1008WH, 48V 21Ah, Panasonic Cells	Das-Kit, i5M-4815, 720WH, 48V 15Ah
[J]	Charger	Das-Kit, 48V 3A	***
#	Range	200 km with pas, 90km with throttle	150 km with pas, 70km with throttle
60	Top Assist Speed	Up to 32km/h	***
<u> </u>	Pedal Assistance	Cadence Sensor	***
D	Frame	Alu. 6061, 18 inches, 26" fat wheels	***
P	Fork	RST, Guide-TNL 26, with hydraulic suspension and lock system	RST, Guide-T-26, with suspension
*	Brakes	F/R.: Tektro HD-E350 Hydraulic Disc Brake System with L&R Brake Sensors F: 180mm rotor R: 180mm rotor	F/R.: Tektro, MD-M280 Mechanical Disc Brake System with Left brake sensor. F: 180mm rotor R: 180mm rotor
S.	Saddle	Selle Royal	***
7_	Handle Grips	Selle Royal, JF510, Brown	***
0	Tire	CST, CTC06, 26×4.0	***
&	Crank	Das-Kit, CT48AA, 48T	***
Œ	Pedal	Wellgo, B087, Black	~~
£0;}-	Freewheel	8 speed, 11-32T	***
7	Rear Derailleur	8 speed, 11-32T	***
Lass	Net weight (with battery)	35.5kg	34.5kg

BICYCLE

PARTS

			3	
	£Ç;	Freewheel	8 speed, 11-32T	***
	7	Rear Derailleur	8 speed, 11-32T	***
	/us/	Net weight (with battery)	35.5kg	34.5kg
WEIGHT	[***]	Battery Weight	4.7kg	4.6kg
	d ⁴ b	Max Load	104kg	<<<







BECOME PART OF A STRONG COMMUNITY

Find us on social media to join a fun, friendly community of mobility enthusiasts. Share snaps of the scenery on your latest ride, learn how to get the most out of your new ebike, and be the first to learn all the latest news from ET.CYCLE.

© @et.cycle

f @etcycleofficial

www.etcycle.com

OUR OFFICES

USA

ontact +1 (833) 663-0566 -Mail info@etcycle.com inddress 1400 NW 49th St, Seattle, WA 98107

CANADA

Contact +1 (604) 917-0756
E-Mail info.ca@etcycle.com
Address 3030 St. John's Street,
Port Moody, BC V3H 2C5

GERMANY

ontact +49 (511) 999957 0

Mail info.de@etcycle.com
ddress Eckenerstr.3 D-30179
Hanover

SPAIN

act +34 (644) 643 835 iil info.es@etcycle.com ess Passatge del mar d'alboran 8, Local, 08918 Badalona

AUSTRALIA

ntact +61 (03) 9069 5443
Mail info.au@etcycle.com
Idress 3/45 Leakes Road, Laverton North , VIC | 3026





WWW.ETCYCLE.COM

ADVENTURES WITH ATTITUDE

Powered By Das-Kit



