

DESCRIPTION

Vektor 2 projector version is a slim and functional LED track light that will fit smoothly into optimum accurate lighting for museums, exhibitions, art galleries and sales and showroom areas. Featuring a group of precision optical lens and framing patterns mechanism designed to provide sharp-edged, high-contrast square & triangle light shapes, logo projection is also available. The head can be adjusted precisely 360°+ horizontal(rotation) and 90° vertical without dead angle. The light, as a result, is targeted exactly where you need it.

DETAILS



LOGO/Filter




Framing blades

The framing blades controls the light beam for square/ rectangular illustrations.



Iris diaphragm

The iris diaphragm controls the light beam for circular illustrations and the beam angle could be precisely adjusted from 3° to 45° with using the iris diaphragm base.




Clear or Soft Outline

Rotate it to change the sharpness of the light outline.



Zoomable 21°-34° / 18°-30° & 27°-42°

Push in & pull out the cylinder to change the light beam from 21° to 34° / 18° to 30° & 27° to 42°.




FEATURES

- Tailor-made contour projector for high-end museums & galleries thanks to its precise light control.
- Designed for sharp-focused or soft-focused projection of a light field.
- A set of four framing blades bring sharp-edged or soft edged, high-contrast square & triangle light shape at user's convenience.
- Logo projection, customized logo can be projected at your request.
- Proprietary-designed joints hold the track head at any positions without any issues.
- 360° + rotation without dead angle and 90° vertical aiming.
- Standard beam angle 21-34/18-30° & 27-42 can be switched to 3°-45° by using the iris diaphragm.

SPECIFICATION

INPUT VOLTAGE	100-120V / 100-277V AC, 50-60Hz
DIMMABLE	Phase, 1-10V, DALI
BEAM ANGLE	21°-34°/18°-30°&27°-42°
INSTALLATION	On 4-pin, 3-pin track
HOUSING COLOR	White, black, silver
OPERATING TEMPERATURE RANGE	-20→+50°C

DIMENSION



Vektor 2 - 10 Vektor 2 - 20
3-pin track adaptor/4-pin track adaptor

OPTICAL ACCESSORIES

Logo Filter




Colour Filter



MODEL NUMBER	POWER	COLOR TEMP	LUMINOUS FLUX(Lm)±5%	BEAM ANGLE
Vektor 2 - 10	10W	3000K	416lm(CRI90+)	21°
		4000K	435lm(CRI90+)	
Vektor 2 - 10	10W	3000K	465lm(CRI90+)	34°
		4000K	488lm(CRI90+)	

MODEL NUMBER	POWER	COLOR TEMP	LUMINOUS FLUX(Lm)±5%	LUMINOUS FLUX(Lm)	BEAM ANGLE
Vektor 2 - 20	20W	3000K	631lm(CRI80+)	563lm(CRI90+)	18°
		4000K	651lm(CRI80+)	580lm(CRI90+)	
Vektor 2 - 20	20W	3000K	754lm(CRI80+)	639lm(CRI90+)	30°
		4000K	777lm(CRI80+)	659lm(CRI90+)	
Vektor 2 - 20	20W	3000K	556lm(CRI80+)	563lm(CRI90+)	27°
		4000K	573lm(CRI80+)	580lm(CRI90+)	
Vektor 2 - 20	20W	3000K	663lm(CRI80+)	639lm(CRI90+)	42°
		4000K	684lm(CRI80+)	659lm(CRI90+)	

LIGHT DISTRIBUTION



PACKAGE

Model	VEKTOR 2-10
PCS/ Carton	20
Inner Box size(cm)	11.5*9.0*24.6
Carton size(cm)	59.0*37.5*26.5
Net weight(kg)	1.0
Gross weight(kg)	12.2


Model	VEKTOR 2-20
PCS/ Carton	12
Inner Box size(cm)	28.5*24*11.5
Carton size(cm)	58.5*49.5*36.5
Net weight(kg)	1.4
Gross weight(kg)	21

INSTALLATION


On Track




3-circuit 4 pin




Standard



Global



3 pin



Halo

VEKTOR FAMILY

ONE SOLUTION for many beam angle challenges. Vektor family Track Lights provide first-class options for architects, lighting designer who want superior flexibility in an LED accent lighting system.

In versions with different light solutions, Vektor covers high performance accent lighting with different interchangeable beam lens, beam angle adjusting from narrow to wide, and contour projection.

The Vektor family of track lights is characterized by smooth clean minimalist design reminiscent of high end photographic lenses making them the ideal candidates for illumination of art gallery and museum exhibits.



LIGHT-SPOT DIAMETER

