

SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: **Cool Water Men Type**

> Page 1 of 9 Print Date: 2024-01-02 20:26

1.	Identification of the substance/mixture and of the company/undertaking			
1.1	.1 Product identifier			
Trade Name:		Cool Water Men Type		

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Wellington Fragrance Company 33306 Glendale St. Livonia, MI 48150 support@wellingtonfragrance.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Eye Damage/Eye Irritation, Category 2A

Reproductive Toxicity, Category 2

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of	title 29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

- H317 : May cause an allergic skin reaction
 - H319 : Causes serious eye irritation
 - H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 2 of 9 Print Date: 2024-01-02 20:26





Signal Word: Warning

Combustible liquid
May be harmful if swallowed
May be harmful in contact with skin
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May be harmful if inhaled
Suspected of damaging fertility or the unborn child
Very Toxic to aquatic life
Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep cool
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Use personal protective equipment as required
IF ON SKIN: Wash with soap and water
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
IF exposed or concerned: Get medical advice/attention
Call a POISON CENTER or doctor/physician if you feel unwell
If skin irritation or a rash occurs: Get medical advice/attention
If eye irritation persists: Get medical advice/attention
Take off contaminated clothing and wash before reuse
Wash contaminated clothing before reuse
In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
Collect Spillage

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 3 of 9 Print Date: 2024-01-02 20:26

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
18479-58-8	242-362-4	20 - 30 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol		
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410
Acetyl ced	rene		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
115-95-7	204-116-4	5 - 10 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
77-54-3	201-036-1	2 - 5 %	H317; H400; H410
Cedryl ace			
21145-77-7		2 - 5 %	H302; H400; H410
-	amethyl tetralin		
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411
a-Isomethy			
107-75-5	203-518-7	1 - 2 %	H317; H319; H402
Hydroxycit			
67634-00-8		1 - 2 %	H227; H302; H315; H330; H401
-	lylglycollate		
52475-86-2	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410
-		• · •	3-ene-1-carbaldehyde
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
pinene	000 704 0	0.4.4.0.00	
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	•	0.4.4.0.0/	
106-22-9 Citronellol	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
	207-431-5	01 109/	L226, L202, L217, L220, L102
470-82-6 Eucalyptol		0.1 - 1.0 %	H226; H303; H317; H320; H402
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl Ad		0.1 - 1.0 /0	1010, 11017, 11401, 11412
Ceranyi Ad			



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 4 of 9 Print Date: 2024-01-02 20:26

CAS# Ingredient	EC#	Conc. Range	GHS Classification
106-24-1 Geraniol	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace	tate		
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2	,6,6-Trimethyl-3	-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)
Son Section 1	6 for full toxt of	GHS classificatio	an codes

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 6.11

4. **First Aid Measures** Description of first aid measures 4.1 Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available **Risks:** Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measur	es
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material	
5.2 Special hazards arising from the	ne substance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 5 of 9 Print Date: 2024-01-02 20:26

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lim	iits:					
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
80-56-8	pinene	20				
127-91-3	beta Pinene	20				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard



Product: Cool Water Men Type

SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Page 6 of 9 Print Date: 2024-01-02 20:26

Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	172 F (77.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1061
%VOC:	6.97
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual I	ngredient Toxicity Data utilizing the "Additivity Formula"	
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2975.7893) May be harmful if swallowed	
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4867.3252) May be harmful in contact with skin	
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 38.4547) May be harmful if inhaled	
Skin corrosion / irritation	Causes skin irritation	
Serious eye damage / irritation	Causes serious eye irritation	
Respiratory sensitization	Not classified - the classification criteria are not met	
Skin sensitization	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified - the classification criteria are not met	
Carcinogenicity	Not classified - the classification criteria are not met	
Reproductive toxicity	Suspected of damaging fertility or the unborn child	



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 7 of 9 Print Date: 2024-01-02 20:26

Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Product: Cool Water Men Type

Page 8 of 9 Print Date: 2024-01-02 20:26

15. Regulatory Information U.S. Federal Regulations		
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.	
California Proposition 65 Warning	This product contains the following components:	
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)	
Canadian Regulations		
DSL	99.97% of the components are listed or exempt. The following components are NOT on the List:	
94201-73-7 303-662-1 0.01 - 0.1%	Tetrahydro-4-methyl-2-phenyl-2H-pyran	

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H330 : Fatal if inhaled
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(130.02) Acute Toxicity Inhalation, Category 5	(71.93) Aquatic Chronic Toxicity, Category 3
(7.17) Aquatic Chronic Toxicity, Category 2	(6.50) Sensitization, Skin, Category 1B
(5.14) Skin Corrosion/Irritation, Category 3	(4.11) Eye Damage/Eye Irritation, Category 2A
(4.05) Skin Corrosion/Irritation, Category 2	(3.98) Reproductive Toxicity, Category 2
(2.64) Sensitization, Skin, Category 1	(2.64) Sensitization, Skin, Category 1A
(1.88) Aquatic Chronic Toxicity, Category 4	(1.71) Aquatic Acute Toxicity, Category 1
(1.68) Acute Toxicity Oral, Category 5	(1.03) Acute Toxicity Dermal, Category 5

Department issuing data sheet:	Wellington Fragrance Company
Department E-mail address:	support@wellingtonfragrance.com

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance Company at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.



Product: Cool Water Men Type

SDS v1 GHS / OSHA

Revised Date: 2023-12-07 13:25

Page 9 of 9 Print Date: 2024-01-02 20:26