

Product: Creed Silver Mountain Water Type

Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Print Date: 2024-02-23 12:52

Page 1 of 7

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Creed Silver Mountain Water Type

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Manufacturer:** Wellington Fragrance Company

33306 Glendale St. Livonia, MI 48150

support@wellingtonfragrance.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

#### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 





Signal Word: Warning Hazard statements

H317 May cause an allergic skin reaction



Product: Creed Silver Mountain Water Type

Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Page 2 of 7

Print Date: 2024-02-23 12:52

H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

Р	re	v	٦r	٦ŧ	i٥	n	•
		ν,	•		·		

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse

#### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	5 - 10 %	H401
Methyldih	ydrojasmonate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	)		
105-95-3	203-347-8	2 - 5 %	H401
Ethylene i	brassylate		
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411
Ionone			
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be	enzoate		
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401
4-tert-But	ylcyclohexyl ace	etate	



Creed Silver Mountain Water Type

Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Page 3 of 7

Print Date: 2024-02-23 12:52

CAS# Ingredient	EC#	Conc. Range	GHS Classification
67801-20-1	267-140-4	1 - 2 %	H401; H411
Trimethyl	lcyclopentenyl M	lethylisopentenol	
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-	Terpinene		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ad	cetate		
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401
Methyl at	trarate		
128-51-8	204-891-9	0.1 - 1.0 %	H303; H317; H319; H401; H411
Nopyl ac	etate		
See Section	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.13

Product:

#### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



Product: **Creed Silver Mountain Water Type**  Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Page 4 of 7

Print Date: 2024-02-23 12:52

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 **Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

#### Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### **Exposure Controls/Personal Protection** 8.

### 8.1 Control parameters

**Exposure Limits:** 

**ACGIH OSHA OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

80-56-8 20 pinene

**Engineering Controls:** Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. **Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Conforms to Standard Odor:



Product: Creed Silver Mountain Water Type

SDS v1 GHS / OSHA

Revised Date: 2024-02-08 00:00

Page 5 of 7

Print Date: 2024-02-23 12:52

Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0351 **%VOC:** 3.13

Specific Gravity @ 25 C: Not determined

Density (g/mL) @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

## 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 712.6274) May be harmful if inhaled

Skin corrosion / irritationNot classified - the classification criteria are not metSerious eye damage / irritationNot classified - the classification criteria are not metRespiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicitySuspected of damaging fertility or the unborn child



Product: Creed Silver Mountain Water Type

Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Page 6 of 7

Print Date: 2024-02-23 12:52

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

## 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 



Revised

Revised Date: 2024-02-08 00:00

SDS v1 GHS / OSHA

Page 7 of 7

Print Date: 2024-02-23 12:52

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1%

beta-Myrcene (Natural Source)

Creed Silver Mountain Water Type

**Canadian Regulations** 

**DSL** 99.18% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 1 - 2 %

Trimethylcyclopentenyl Methylisopentenol

198404-98-7 427-900-1 0.01 - 0.1%

Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

Product:

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H303 : May be harmful if swallowed

H304 : May be fatal if swallowed and enters airways H313 : May be harmful in contact with skin

H315 : Causes skin irritation H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H320 : Causes eye irritation H400 : Very Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H411: Toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(7.02) Acute Toxicity Inhalation, Category 5 (3.29) Aquatic Chronic Toxicity, Category 3 (2.59) Sensitization, Skin, Category 1B (2.13) Aquatic Acute Toxicity, Category 2

(1.96) Reproductive Toxicity, Category 2

**Department issuing data sheet:** Regulatory Affairs Group

**Department E-mail address:** support@wellingtonfragrance.com

#### Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.