

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**

Product#:

SKU#: **wseg**

Page 1 of 7

Print Date: 2019-09-28 07:21

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Egyptian Musk Water Soluble

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance
33306 Glendale St.
Livonia, MI 48150 USA
734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 2

H315 : Causes skin irritation

Sensitization, Skin, Category 1B

H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2

H319 : Causes serious eye irritation

Reproductive Toxicology, Category 2

H361 : Suspected of damaging fertility or the unborn child

Aquatic Chronic Toxicity, Category 2

H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2

H315 : Causes skin irritation

Reproductive Toxicology, Category 2

H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statements

H315

Causes skin irritation

Safety Data Sheet

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**
 Product#:
 SKU#: **wseg**

Page 2 of 7

Print Date: 2019-09-28 07:21

H317 May cause an allergic skin reaction
 H319 Causes serious eye irritation
 H361 Suspected of damaging fertility or the unborn child
 H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use
 P202 Do not handle until all safety precautions have been read and understood
 P264 Wash hands thoroughly after handling
 P272 Contaminated work clothing should not be allowed out of the workplace
 P273 Avoid release to the environment
 P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
 P308 + P313 IF exposed or concerned: Get medical advice/attention
 P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
 P337 + P313 If eye irritation persists: Get medical advice/attention
 P362 Take off contaminated clothing and wash before reuse
 P363 Wash contaminated clothing before reuse
 P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
9002-93-1 <i>Poly(oxy-1,2-ethanediyl), a-[4-(1,1,3,3-tetramethylbutyl)phenyl]-w-hydroxy-</i>	618-344-0	60 - 70 %	H302; H315; H319
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	10 - 20 %	H316; H400; H410
127087-87-0 <i>Poly(oxy-1,2-ethanediyl), .&a;.-(-4-nonylphenyl)-.&omega;.-hydroxy-, branched</i>	500-315-8	5 - 10 %	H302; H319; H411
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401; H412
25322-68-3 <i>Polyethylene Glycol</i>	500-038-2	1 - 2 %	H335

See Section 16 for full text of GHS classification codes

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**

Product#:

SKU#: **wseg**

Page 3 of 7

Print Date: 2019-09-28 07:21

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable:	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**

Product#:

SKU#: **wseg**

Page 4 of 7

Print Date: 2019-09-28 07:21

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

25322-68-3 *Polyethylene Glycol*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0074
%VOC:	0.01
Specific Gravity @ 25 C:	1.0450

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**

Product#:

SKU#: **wseg**

Page 5 of 7

Print Date: 2019-09-28 07:21

Density @ 25 C: 1.0420
Refractive Index @ 20 C: 1.4910
Soluble in: Water

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr Not classified - the classification criteria are not met
Skin corrosion / irritation Not classified - the classification criteria are not met
Serious eye damage / irritation Causes serious eye irritation
Respiratory sensitization Not classified - the classification criteria are not met
Skin sensitization May cause an allergic skin reaction
Germ cell mutagenicity Not classified - the classification criteria are not met
Carcinogenicity Not classified - the classification criteria are not met
Reproductive toxicity Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met
Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met
Chronic aquatic toxicity Toxic to aquatic life with long lasting effects
Toxicity Data on soil no data available
Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**
Product#:
SKU#: **wseg**

Page 6 of 7

Print Date: 2019-09-28 07:21

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (10 - 20 %) : Hexamethylindanopyran			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:
75-21-8 200-849-9 <= 7 ppm Ethylene Oxide

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid

H302 : Harmful if swallowed

H316 : Causes mild skin irritation

H319 : Causes serious eye irritation

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-06-20 00:00

Product: **Egyptian Musk Water Soluble**

Product#:

SKU#: **wseg**

Page 7 of 7

Print Date: 2019-09-28 07:21

H335 : May cause respiratory irritation

H401 : Toxic to aquatic life

H412 : Harmful to aquatic life with long lasting effects

H400 : Very Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(46.76) Aquatic Chronic Toxicity, Category 3

(7.45) Eye Damage/Eye Irritation, Category 2A

(6.37) Eye Damage/Eye Irritation, Category 2

(3.00) Sensitization, Skin, Category 1B

(TFV) Risk

(7.86) Skin Corrosion/Irritation, Category 3

(6.78) Skin Corrosion/Irritation, Category 2

(4.66) Aquatic Chronic Toxicity, Category 2

(1.00) Reproductive Toxicology, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.