

Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 1 of 7

Print Date: 2023-10-12 18:02

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Exotic Oud Wood WS

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Wellington Fragrance

33306 Glendale St. Livonia, MI 48150 734-261-5531

support@wellingtonfragrance.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Product: **Exotic Oud Wood WS** SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 2 of 7

Print Date: 2023-10-12 18:02

Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H401	Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Res

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

Composition/Information on Ingredients 3.

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0 Hexyl cinna	202-983-3 amal	5 - 10 %	H303; H316; H317; H400; H411
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramethy	d Acetyloctahydr	onaphthalenes	
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	tate		
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
Ethyl Vanillin			
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			



Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 3 of 7

Print Date: 2023-10-12 18:02

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
91-64-5	202-086-7	1 - 2 %	H301; H317; H402		
Coumarin)				
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402		
2,6-dimethyloct-7-en-2-ol					
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402		
Hydroxycitronellal					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene)				
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.25

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 4 of 7

Print Date: 2023-10-12 18:02

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined



Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 5 of 7

Print Date: 2023-10-12 18:02

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

None Expected

Oxidizing properties:

None Expected

Vapor Pressure (mmHg@20 C): 0.0074 **%VOC:** 0.28

Specific Gravity @ 25 C: Not determined

Density (g/mL) @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Water

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4098.3524) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2680.9597) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 172.2649) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 6 of 7

Print Date: 2023-10-12 18:02

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 5 ppm beta-Myrcene (Natural Source)

Canadian Regulations



Product: Exotic Oud Wood WS

SDS v1 GHS / OSHA

Revised Date: 2023-10-06 12:14

Page 7 of 7

Print Date: 2023-10-12 18:02

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H301 : Toxic if swallowed and enters airways

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H320 : Causes eye irritation
H402 : Harmful to aquatic life

H411: Toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(29.02) Acute Toxicity Inhalation, Category 5
(5.86) Aquatic Chronic Toxicity, Category 3
(1.98) Skin Corrosion/Irritation, Category 3
(1.22) Acute Toxicity Oral, Category 5
(1.24) Acute Toxicity Oral, Category 5
(1.25) Acute Toxicity Oral, Category 5
(1.26) Risk
(8.20) Sensitization, Skin, Category 1B
(3.68) Aquatic Acute Toxicity, Category 2
(1.87) Acute Toxicity Dermal, Category 5
(1.14) Skin Corrosion/Irritation, Category 2

Department issuing data sheet: Regulatory Affairs Group

Department E-mail address: support@wellingtonfragrance.com

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.