DOC ID: 43634.457011.11912153

Product: Feng Shui Metal Product#: SKU#:

Page 1 of 8 2019-06-27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Feng Shui Metal

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

2 Hazards Identification

21 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

H303: May be harmful if swallowed
H316: Causes mild skin irritation
H317: May cause an allergic skin reaction
H333: May be harmful if inhaled
H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910, 1200 of title 29)

	* UNK : *** Unknown ***
Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation.
	16 : Causes eye irritation.
	19 : May cause photo-induced skin irritation.
Acute Oral	3 : May be harmful if swallowed .
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, bone marrow, thyroid.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

22 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

DOC ID: 43634.457011.11912153

Product: Feng Shui Metal Product#: SKU#:

Page 2 of 8 2019-06-27



Signal Word: Warning

Hazard statmentsH303May be harmful if swallowedH316Causes mild skin irritationH317May cause an allergic skin reactionH333May be harmful if inhaledH411Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Prevenuor.	
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

23 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
1222-05-5 Hexameth	214-946-9 ylindanopyran	2 - 5 %	H316; H400; H410	11, 15
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
a-Isometh	yl ionone			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinn	amaldehyde			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3
Benzyl Be	nzoate			
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412	31
Benzyl Sa	licylate			

SDS Type: GHS / OSHA

DOC ID: 43634.457011.11912153

Product:	Feng Shui Metal
Product#:	
SKU#:	

Page 3 of 8 2019-06-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
-		-		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401; H412	11, 15, 26, 28, 3, 31, 39
	yl Methylpropion			
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410	16, 19
Acetyl cea				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
120-57-0	204-409-7	0.1 - 1.0 %	H303; H317; H401	31
Heliotropir	ne			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	11, 15
Geranyl A	cetate			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
Citronellol				
475-20-7	207-491-2	0.1 - 1.0 %	H304; H316; H317; H400; H410	11, 15
Longifolen	e			
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31
Eugenol				
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ace	etate			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317; H413	31, 4
beta-Cary	ophyllene			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
6259-76-3	228-408-6	0.1 - 1.0 %	H315; H317; H319; H400; H410	11, 15
Hexyl salid	cylate			
104-93-8	203-253-7	0.1 - 1.0 %	H227; H302; H315; H361; H402	11, 15
p-Methylai				
141-12-8	205-459-2	0.1 - 1.0 %	H315; H317; H401	
Neryl acet				
97-54-1	202-590-7	0.01 - 0.1%	H302; H312; H315; H317; H319; H332;	12, 15, 3, 31, 9
Iso Eugen			H335; H401	
57378-68-4	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	11, 15, 31
			-2-buten-1-one (delta-Damascone)	· · , · - , • ·
See Section 16 for full text of GHS classification codes				

Total Hydrocarbon Content (% w/w) = 1.16

4.First Aid Measures4.1Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
E ye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

SDS Type: GHS / OSHA

DOC ID: 43634.457011.11912153

	Product: Feng Shui Metal Product#: SKU#:	Page 4 of 8 2019-06-27
Ingestion: 4.2 Most important symptor	Rinse mouth with water and obtain medical advice.	
Symptoms: Risks:	no data available Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immed Treatment:	liate medical attention and special treatment needed Refer to Section 2.2 "Response"	
5. Fire-Fighting m 5.1 Extinguishing media	reasures	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures 61

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

DOC ID: 43634.457011.11912153

Product: Feng Shui Metal Product#: SKU#:

Page 5 of 8 2019-06-27

8Exposure Controls/Personal Protection81 Control parametersExposure Limits:Contains no substances with occupational exposure limit valuesEngineering Controls:Use local exhaust as needed.82 Exposure controls - Personal protective equipmentEye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point	Not determined
Boiling Point	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@ 20C):	0.0072
%VOC:	1.2947
Specific Gravity @ 25 C:	Not determined
Density@25C:	Not determined
Refractive Index @ 20C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

SDS Type: GHS / OSHA

DOC ID: 43634.457011.11912153

Product: Feng Shui Metal Product#: SKU#:

Page 6 of 8 2019-06-27

11. Toxicological Information	
11.1 Toxicological Effects	
Acute Toxicity Estimates (ATEs) based on the individual In	gredient Toxicity Data utilizing the "Additivity Formula"
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,810.37) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 6,197.67) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 50.31) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12 Ecological Information

12.1 Toxicity

12110/04/9	
Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
123 Bioaccumulative potential	no data available
124 Mobility in soil	no data available
125 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SDS Type: GHS / OSHA

DOC ID: 43634.457011.11912153

Product:	Feng Shui Metal
Product#:	
SKU#:	

Page 7 of 8 2019-06-27

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt
40CFR (EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.

U.S. State Regulations:

California Propos	sition 65 War	ning	This product contains the following components:
140-67-0	205-427-8	0.01 - 0.1%	Estragole (Methyl chavicol) (Natural Source)
94-59-7	202-345-4	<= 1 ppm	Safrole (Natural Source)
93-15-2	202-223-0	<= 5 ppm	Methyl Eugenol (Natural Source)
123-35-3(NF	204-622-5	<= 68 ppm	beta-Myrcene (Natural Source)
Canadian Regulations:			

DSL /NDSL

94201-73-7 303-662-1 <= 2 ppm

16. Other Information

GHS H-Statements referred to under section 3

H227	:	Combustible	liquid
------	---	-------------	--------

- H304 : May be fatal if swallowed and enters airways
- H313 : May be harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation
- H332 : Harmful if inhaled
- H361 : Suspected of damaging fertility or the unborn child
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects
- H413 : May cause long lasting harmful effects to aquatic life

H302 : Harmful if swallowed

components are NOT on the List: Tetrahydro-4-methyl-2-phenyl-2H-pyran

H312 : Harmful in contact with skin

100.10% of the components are listed or exempt. The following

- H315 : Causes skin irritation
- H318 : Causes serious eye damage
- H320 : Causes eye irritation
- H335 : May cause respiratory irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

DOC ID: 43634.457011.11912153

Product: Feng Shui Metal Product#: SKU#:

Page 8 of 8 2019-06-27

Total Fractional Values

(TFV) Risk(1.16) Skin Corrosion/Irritation, Category 3(2.53) Aquatic Chronic Toxicity, Category 2

(TFV) Risk (7.02) Sensitization, Skin, Category 1A

Remarks

This safety data sheet is based on the properties of the material known to WellingtonFragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.