

Product: **Fresh Forest Air****1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade Name: Fresh Forest Air

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheetWellington Fragrance
33306 Glendale St.
Livonia, MI 48150 USA
734-261-5531**1.4 Emergency telephone number**

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification**2.1 Classification of the substance or mixture**

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)****Hazard pictograms****Signal Word: Warning****Hazard statements**

Product: **Fresh Forest Air**

Page 2 of 8

Print Date: 2019-09-27 08:20

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements**Prevention:**

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients**3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
125-12-2 <i>Isobornyl acetate</i>	204-727-6	40 - 50 %	H227; H316; H401
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	10 - 20 %	H302; H313; H400; H411
97-53-0 <i>Eugenol</i>	202-589-1	5 - 10 %	H303; H316; H317; H319; H401
141-97-9 <i>Ethyl acetoacetate</i>	205-516-1	2 - 5 %	H227
121-32-4 <i>3-Ethoxy-4-hydroxybenzaldehyde</i>	204-464-7	2 - 5 %	H303; H320; H402
101-39-3 <i>alpha-Methylcinnamaldehyde</i>	202-938-8	2 - 5 %	H303; H317; H401

Product: **Fresh Forest Air**

CAS# Ingredient	EC#	Conc. Range	GHS Classification
104-55-2 <i>Cinnamal</i>	203-213-9	2 - 5 %	H303; H312; H315; H317; H319; H401
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	2 - 5 %	H303; H317; H401
87-44-5 <i>beta-Caryophyllene</i>	201-746-1	1 - 2 %	H304; H317; H413
79-92-5 <i>Camphene</i>	201-234-8	1 - 2 %	H228; H320; H400; H410
80-56-8 <i>pinene</i>	201-291-9	1 - 2 %	H226; H302; H304; H315; H317; H400; H410
91-64-5 <i>Coumarin</i>	202-086-7	1 - 2 %	H302; H317; H402
128-37-0 <i>Butylated hydroxytoluene</i>	204-881-4	1 - 2 %	H316; H400; H410
13466-78-9 <i>delta-3-Carene</i>	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H400; H410
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401; H412

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 7.14

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
128-37-0 <i>Butylated hydroxytoluene</i>			2	
80-56-8 <i>pinene</i>			20	
13466-78-9 <i>delta-3-Carene</i>			20	

Engineering Controls: Use local exhaust as needed.

Product: **Fresh Forest Air****8.2 Exposure controls - Personal protective equipment**

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties**9.1 Information on basic physical and chemical properties**

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint to Greenish Yellow (G1-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	155 F (68.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2969
%VOC:	0.30
Specific Gravity @ 25 C:	1.0010
Density @ 25 C:	0.9980
Refractive Index @ 20 C:	1.4915
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Product: **Fresh Forest Air****11. Toxicological Information****11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3277.4119) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3554.3167) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 74.8900) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information**12.1 Toxicity**

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions**13.1 Waste treatment methods**

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Product: **Fresh Forest Air**

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 79-92-5 : (1 - 2 %) : Camphene			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
94-59-7 202-345-4 0.01 - 0.1%	Safrole (Natural Source)
93-15-2 202-223-0 <= 65 ppm	Methyl Eugenol (Natural Source)

Canadian Regulations

DSL	100.00% of the components are listed or exempt. The following components are NOT on the List:
815580-59-7 453-570-1 <= 1 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H228 : Flammable Solid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects

Product: **Fresh Forest Air**

H412 : Harmful to aquatic life with long lasting effects

H413 : May cause long lasting harmful effects to aquatic life

Total Fractional Values

(TFV) Risk

(66.76) Acute Toxicity Inhalation, Category 5

(31.94) Aquatic Chronic Toxicity, Category 3

(5.94) Skin Corrosion/Irritation, Category 3

(5.40) Sensitization, Skin, Category 1B

(1.53) Acute Toxicity Oral, Category 5

(1.41) Acute Toxicity Dermal, Category 5

(TFV) Risk

(52.41) Acute Toxicity Inhalation, Category 5

(20.97) Sensitization, Skin, Category 1A

(5.49) Sensitization, Skin, Category 1

(3.19) Aquatic Chronic Toxicity, Category 2

(1.50) Acute Toxicity Oral, Category 5

(1.38) Acute Toxicity Dermal, Category 5

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.