

SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 1 of 7 Print Date: 2022-09-09 14:10

# 1.Identification of the substance/mixture and of the company/undertaking1.1Product identifier

Trade Name: Palo Santo

#### UFI#

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 734-261-5531 support@wellingtonfragrance.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1B Acute Toxicity Inhalation, Category 5 Aquatic Chronic Toxicity, Category 2

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H333 : May be harmful if inhaled
- H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1B H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements H315

Causes skin irritation



SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 2 of 7 Print Date: 2022-09-09 14:10

H317	May cause an allergic skin reaction	
H333	May be harmful if inhaled	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Statement	S	
Prevention:		
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	
Response:		
P302 + P352	IF ON SKIN: Wash with soap and water	
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell	
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention	
P362	Take off contaminated clothing and wash before reuse	
P363	Wash contaminated clothing before reuse	
P391	Collect Spillage	

2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410
Tetramethy	/I Acetyloctahydr	onaphthalenes	
105-95-3	203-347-8	5 - 10 %	H401
Ethylene b	rassylate		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
104-61-0	203-219-1	1 - 2 %	H316
gamma-No	onalactone		
33704-61-9	251-649-3	1 - 2 %	H303; H315; H317; H319; H401; H411
6,7-Dihydr	o-1,1,2,3,3-penta	amethyl-4(5H)-in	danone (Cashmeran)
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411
(ethoxymethoxy)cyclododecane			
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxycitronellal			
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-dimethylhydrocinnamal			



SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 3 of 7 Print Date: 2022-09-09 14:10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	
	ylcyclohexyl ac			
See Section 1	6 for full text o	f GHS classification	n codes	
See	Section 16 for f	ull text of GHS cla	ssification codes which where not shown in section 2	
Total	Hydrocarbon C	Content (% w/w) =	0.03	
	rst Aid Mea			
4.1 Descrip	otion of first ai	d measures		
Inhalatior	1:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Expo	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:			Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:			Rinse mouth with water and obtain medical advice.	
4.2 Most in	nportant symp	toms and effects	, both acute and delayed	
Symptoms: no data available				
Risks:			Refer to Section 2.2 "Hazard Statements"	
4.3 Indicati	on of any imm	nediate medical a	ttention and special treatment needed	
Treatment: Refer to Section 2.2 "Response"				
5. Fi	re-Fighting	measures		
-	ishing media			
Suitable:			Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable			Do not use a direct water jet on burning material	
5.2 Special	hazards arisi	ng from the subs	tance or mixture	
	e fighting: for firefighters	5	Water may be ineffective	
Further information: Standard procedure for chemical fires				

### 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up



SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 4 of 7 Print Date: 2022-09-09 14:10

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits	Contains no substances	with occupational ex	posure limit values.
-----------------	------------------------	----------------------	----------------------

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected



SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 5 of 7 Print Date: 2022-09-09 14:10

Vapor Pressure (mmHg@20 C):	0.0037
%VOC:	0.15
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 562.1488) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

### 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects no data available



SDS v1 GHS / OSHA

Revised Date: 2022-07-20 00:00

Product: Palo Santo

Page 6 of 7 Print Date: 2022-09-09 14:10

no data available	
no data available	
	no data available no data available no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant	Yes. Ingredient of g 54464-57-2 : (10 - 2				
Regulator	,	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	1	Not Regulated	Not Dangerous		
Chemicals NOI		5	0		
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	Ś	9	111		UN3082
15. Regulatory Inf	ormation				
U.S. Federal Regulations					
TSCA (Toxic Substance	Control Act)	All compon	ents of the subs	tance/mixture are listed or e	exempt
40 CFR(EPCRA, SARA, C U.S. State Regulations	ERCLA and CAA)	This produc	ct contains NO c	components of concern.	
California Proposition 65 Canadian Regulations	5 Warning	No Warning	g required		
DSL		component	s are NOT on th	s are listed or exempt.The f	ollowing
51110 17 1	<- 20 nnm	222 Trimoth	lindanana		

54440-17-4 <= 30 ppm 2,3,3-Trimethylindanone



SDS v1 GHS / OSHA

Product: Palo Santo

Revised Date: 2022-07-20 00:00

Page 7 of 7 Print Date: 2022-09-09 14:10

### 16. Other Information

GHS H-Statements referred to under section 3 and not	listed in section 2
H227 : Combustible liquid	H303 : May be harmful if swallowed
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(47.15) Aquatic Chronic Toxicity, Category 3	(11.40) Sensitization, Skin, Category 1B
(8.89) Acute Toxicity Inhalation, Category 5	(4.71) Aquatic Chronic Toxicity, Category 2
(1.77) Skin Corrosion/Irritation, Category 3	(1.55) Skin Corrosion/Irritation, Category 2
Department issuing data sheet: Regulatory Affai	rs Group

Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.

Support@wellingtonfragrance.com