

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 1 of 8

Print Date: 2019-10-08 08:34

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Sandalwood

Product/Sales No:

### 1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance  
33306 Glendale St.  
Livonia, MI 48150 USA  
734-261-5531

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:  
SKU#: sa

Page 2 of 8

Print Date: 2019-10-08 08:34

## Signal Word: Warning

### Hazard statements

H302 Harmful if swallowed  
H313 May be harmful in contact with skin  
H316 Causes mild skin irritation  
H317 May cause an allergic skin reaction  
H319 Causes serious eye irritation  
H333 May be harmful if inhaled  
H400 Very Toxic to aquatic life  
H411 Toxic to aquatic life with long lasting effects

### Precautionary Statements

#### Prevention:

P264 Wash hands thoroughly after handling  
P270 Do not eat, drink or smoke when using this product  
P272 Contaminated work clothing should not be allowed out of the workplace  
P273 Avoid release to the environment

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth  
P302 + P352 IF ON SKIN: Wash with soap and water  
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing  
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention  
P337 + P313 If eye irritation persists: Get medical advice/attention  
P363 Wash contaminated clothing before reuse  
P391 Collect Spillage

## 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	50 - 60 %	H302; H313; H400; H411
105-95-3 <i>Ethylene brassylate</i>	203-347-8	5 - 10 %	H401

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 3 of 8

Print Date: 2019-10-08 08:34

CAS# Ingredient	EC#	Conc. Range	GHS Classification
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	2 - 5 %	H315; H317; H400; H410
91-64-5 <i>Coumarin</i>	202-086-7	2 - 5 %	H302; H317; H402
65113-99-7 <i>Pentamethylcyclopent-3-ene-butanol</i>	265-453-0	2 - 5 %	H316; H319; H401; H411
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	2 - 5 %	H303; H317; H401
98-52-2 <i>4-tert-Butylcyclohexanol</i>	202-676-4	1 - 2 %	H303; H319; H401
97-53-0 <i>Eugenol</i>	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
68917-29-3 <i>Clove leaf oil terpenes</i>	284-638-7	1 - 2 %	H304
121-33-5 <i>vanillin</i>	204-465-2	1 - 2 %	H303; H319
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	1 - 2 %	H303; H317; H320; H401; H412

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.47

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 4 of 8

Print Date: 2019-10-08 08:34

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam  
**Unsuitable** Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

### 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 5 of 8

Print Date: 2019-10-08 08:34

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Yellow Tint to Pale Yellow (G1-3)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	>200 F (93.33 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.0204
<b>%VOC:</b>	0.02
<b>Specific Gravity @ 25 C:</b>	1.0450
<b>Density @ 25 C:</b>	1.0420
<b>Refractive Index @ 20 C:</b>	1.5300
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 1886.8762) Harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 2885.9585) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LD50: 95.1448) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	May be harmful if inhaled

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 6 of 8

Print Date: 2019-10-08 08:34

<b>Serious eye damage / irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

**12.2 Persistence and degradability** no data available

**12.3 Bioaccumulative potential** no data available

**12.4 Mobility in soil** no data available

**12.5 Other adverse effects** no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :  
120-51-4 : (50 - 60 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI				
<b>ADR/RID (International Road/Rail)</b> Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood  
Product#:   
SKU#: sa

Page 7 of 8

Print Date: 2019-10-08 08:34

Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
<b>IMDG (Sea)</b>			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

## 15. Regulatory Information

### U.S. Federal Regulations

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

### U.S. State Regulations

#### California Proposition 65 Warning

94-59-7 202-345-4 <= 36 ppm  
93-15-2 202-223-0 <= 15 ppm

This product contains the following components:  
Safrole (Natural Source)  
Methyl Eugenol (Natural Source)

### Canadian Regulations

#### DSL

67801-20-1 267-140-4 0.1 - 1.0 %  
211299-54-6 427-580-1 <= 20 ppm  
94201-73-7 303-662-1 <= 20 ppm

99.90% of the components are listed or exempt. The following components are NOT on the List:  
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol  
4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole,octahydro-2,2,5,8,89a-hexamethyl-,(4aR,5R,7aS,9R)-  
Tetrahydro-4-methyl-2-phenyl-2H-pyran

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H303 : May be harmful if swallowed

H315 : Causes skin irritation

H320 : Causes eye irritation

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

H304 : May be fatal if swallowed and enters airways

H317 : May cause an allergic skin reaction

H401 : Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

### Total Fractional Values

(TFV) Risk

(52.55) Acute Toxicity Inhalation, Category 5

(3.91) Aquatic Chronic Toxicity, Category 2

(2.58) Aquatic Chronic Toxicity, Category 4

(1.73) Acute Toxicity Dermal, Category 5

(1.19) Skin Corrosion/Irritation, Category 3

(TFV) Risk

(39.14) Aquatic Chronic Toxicity, Category 3

(3.80) Sensitization, Skin, Category 1B

(2.43) Aquatic Acute Toxicity, Category 1

(1.23) Eye Damage/Eye Irritation, Category 2A

(1.06) Acute Toxicity Oral, Category 4

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sandalwood

Product#:

SKU#: **sa**

Page 8 of 8

Print Date: 2019-10-08 08:34

---

## Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.