SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sea Breeze Product#: SKU#: seab

Page 1 of 8 Print Date: 2019-10-22 15:24

Identification of the substance/mixture and of the company/undertaking 1

Product identifier 1.1

> Trade Name: Sea Breeze

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA 734-261-5531

1.4 Emergency telephone number

Domestic USA, Canada, Puerto Rico, and US Virgin Islands (800) 255-3924

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
assification OSHA (Provisions 1910.1200 of title	e 29)

Cla

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Revised Date: 2019-07-22 00:00

Product: Sea Breeze
Product#:
SKU#: seab

Page 2 of 8 Print Date: 2019-10-22 15:24

Signal Word: Warning	
Hazard statments	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
3 Other Hazards	

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
140-11-4	205-399-7	10 - 20 %	H303; H401; H412
Benzyl acetate			
122-40-7 Amyl Cinna	204-541-5 amal	5 - 10 %	H303; H316; H317; H401; H411

SDS v1 GHS / OSHA

Safety Data Sheet

Product: Sea Breeze

Product#:

SKU#: seab

Revised Date: 2019-07-22 00:00

Page 3 of 8 Print Date: 2019-10-22 15:24

CAS# Ingredient	EC#	Conc. Range	GHS Classification
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410
Amyl salid	cylate		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl	l alcohol		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410
Limonene	9		
134-20-3	205-132-4	2 - 5 %	H303; H316; H319; H402
Methyl an	othranilate		
91-64-5	202-086-7	2 - 5 %	H302; H317; H402
Coumarin	1		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
Geraniol			
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ced	drene		
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412
Geranyl A	Acetate		
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cinı	namaldehyde		
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
Eugenol			
121-33-5	204-465-2	1 - 2 %	H303; H319
vanillin			
3007-35-0	232-357-5	1 - 2 %	H316; H401; H411
Terpineol	acetate		
28-37-0	204-881-4	1 - 2 %	H316; H400; H410
Butylated	hydroxytoluene		
30-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;
Butylpher	nyl Methylpropio	nal	H412
		GHS classification	on codes
			estification codes which where not shown in section 2

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.32

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sea Breeze Product#:

SKU#: seab

Page 4 of 8 Print Date: 2019-10-22 15:24

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects	, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substance or mixture	
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sea Breeze Product#: SKU#: seab

Page 5 of 8 Print Date: 2019-10-22 15:24

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li					
Componen	t	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
128-37-0	Butylated hydroxytoluene	2			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Greenish Yellow (G4-7)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0521
%VOC:	0.05
Specific Gravity @ 25 C:	1.0530

Revised Date: 2019-07-22 00:00

Product:Sea BreezeProduct#:Page 6 of 8SKU#:seabPrint Date: 2019-10-22 15:24

Density @ 25 C:	1.0500
Refractive Index @ 20 C:	1.5340
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2008.5940) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2814.7774) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 49.9144) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product:	Sea Breeze	
Product#:		Page 7 of 8
SKU#:	seab	Print Date: 2019-10-22 15:24
mulativo potontial	no data available	

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of 120-51-4 : (30 - 40	•	•		
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	oad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082

15. Regula	tory Infor	mation			
U.S. Federal Regul	ations				
TSCA (Toxic Su	bstance Cor	ntrol Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA)		CLA and CAA)	This product contains NO components of concern.		
U.S. State Regulati	ons				
California Proposition 65 Warning		arning	This product contains the following components:		
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)		
94-59-7	202-345-4	<= 30 ppm	Safrole (Natural Source)		
93-15-2	202-223-0	<= 14 ppm	Methyl Eugenol (Natural Source)		
Canadian Regulation	ons				
DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:		
476332-65-7		<= 36 ppm	2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl		

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Sea Breeze Product#: SKU#: seab

Page 8 of 8 Print Date: 2019-10-22 15:24

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H316 : Causes mild skin irritation
- H318 : Causes serious eye damage
- H361 : Suspected of damaging fertility or the unborn child
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(100.17) Acute Toxicity Inhalation, Category 5
(14.00) Sensitization, Skin, Category 1
(5.00) Sensitization, Skin, Category 1B
(3.16) Aquatic Chronic Toxicity, Category 4
(2.40) Acute Toxicity, Oath Gate game 5

- (2.49) Acute Toxicity Oral, Category 5
- (1.78) Acute Toxicity Dermal, Category 5

H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (56.58) Aquatic Chronic Toxicity, Category 3
- (5.56) Aquatic Chronic Toxicity, Category 2
- (3.55) Eye Damage/Eye Irritation, Category 2A
- (2.79) Skin Corrosion/Irritation, Category 3
- (1.95) Aquatic Acute Toxicity, Category 1
- (1.25) Skin Corrosion/Irritation, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet wait issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.