SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product:Smoke & Odor EliminatorProduct#:smo

Page 1 of 8 Print Date: 2019-10-25 14:50

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Smoke & Odor Eliminator

**Product/Sales No:** 

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA 734-261-5531

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicology, Category 2	H361 : Suspected of damaging fertility or the unborn child
	Aquatic Chronic Toxicity, Category 1	H410 : Very toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title 29)		
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Reproductive Toxicology, Category 2	H361 : Suspected of damaging fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Product: Smoke & Odor Eliminator

Product#:
-----------

SKU#: smo

## Revised Date: 2019-01-10 00:00

SDS v1 GHS / OSHA

Page 2 of 8 Print Date: 2019-10-25 14:50

### Hazard pictograms





### Signal Word: Danger

•			
Hazard statments			
H227	Combustible liquid		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H313	May be harmful in contact with skin		
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H333	May be harmful if inhaled		
H361	Suspected of damaging fertility or the unborn child		
H410	Very toxic to aquatic life with long lasting effects		

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product:Smoke & Odor EliminatorProduct#:smo

Page 3 of 8 Print Date: 2019-10-25 14:50

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H410	
Limonene				
2050-08-0	218-080-2	10 - 20 %	H302; H400; H410	
Amyl salicy	/late			
8050-15-5	232-476-2	10 - 20 %	H402; H412	
Methyl este	er of rosin (partia	lly hydrogenated	(k	
84-66-2	201-550-6	10 - 20 %	H316; H402	
Diethyl phthalate				
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	
Benzyl Benzoate				
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	
Linalool				
115-95-7	204-116-4	5 - 10 %	H227; H315; H317; H320; H402	
Linalyl Acetate				
54830-99-8	259-367-2	5 - 10 %	H303; H316; H402	
Acetoxydihydrodicyclopentadiene				
1335-66-6	215-638-7	5 - 10 %	H227; H303; H317; H319; H401; H412	
IsoCycloCitral				
<b>80-54-6</b> 201-289-8 5 - 10 %		5 - 10 %	H227; H302; H315; H317; H361; H401;	
Butylphenyl Methylpropional H412				
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 24.80

4.First Aid Measures4.1Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: Smoke & Odor Eliminator

Product#:

SKU#: smo

Page 4 of 8 Print Date: 2019-10-25 14:50

no data available Refer to Section 2.2 "Hazard Statements" al attention and special treatment needed Refer to Section 2.2 "Response"	
al attention and special treatment needed	
Refer to Section 2.2 "Response"	
Carbon dioxide (CO2), Dry chemical, Foam	
Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture	
Water may be ineffective	
Standard procedure for chemical fires	

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product:Smoke & Odor EliminatorProduct#:smo

Page 5 of 8 Print Date: 2019-10-25 14:50

8. Exp	osure Cont	trols/Personal Protection	
8.1 Control parameters			
Exposure Li	mits:		
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm	
84-66-2	Diethyl phi	thalate 5	
Engineering	Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment			
		ghtly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. s may be appropriate for the exposure	
<b>Respiratory protection:</b>		Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.		Avoid Skin contact. Use chemically resistant gloves as needed.	

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	145 F (62.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2777
%VOC:	0.28
Specific Gravity @ 25 C:	0.9630
Density @ 25 C:	0.9600
Refractive Index @ 20 C:	1.4910
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: Smoke & Odor Eliminator Product#: SKU#: smo

Page 6 of 8 Print Date: 2019-10-25 14:50

**10.5 Incompatible materials** 

Strong oxidizing agents, strong acids, and alkalis None known

**10.6 Hazardous decomposition products** 

### 11. Toxicological Information

**11.1 Toxicological Effects** 

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3086.4197) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3742.0634) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 26.0792) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

#### 12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Very toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: Smoke & Odor Eliminator Product#: SKU#: smo

Page 7 of 8 Print Date: 2019-10-25 14:50

### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (20 - 30 %) : Limonene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.		9	111		UN3082

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:				
84-66-2 201-550-6 10 - 20 %	Diethyl phthalate				
U.S. State Regulations					
California Proposition 65 Warning	This product contains the following components:				
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)				
Canadian Regulations					
DSL	100.00% of the components are listed or exempt.				

## 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed			
H316 : Causes mild skin irritation	H320 : Causes eye irritation			
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life			
H402 : Harmful to aquatic life	H411 : Toxic to aquatic life with long lasting effects			
H412 : Harmful to aquatic life with long lasting effects				
Total Fractional Values				
(TFV) Risk	(TFV) Risk			
(191.72) Acute Toxicity Inhalation, Category 5	(165.07) Aquatic Chronic Toxicity, Category 3			
(23.55) Sensitization, Skin, Category 1B	(16.43) Aquatic Chronic Toxicity, Category 2			
(5.91) Skin Corrosion/Irritation, Category 3	(4.28) Skin Corrosion/Irritation, Category 2			
(2.79) Aquatic Chronic Toxicity, Category 4	(2.48) Aspiration Hazard, Category 1			

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

## Product: Smoke & Odor Eliminator Product#:

SKU#: smo

Page 8 of 8 Print Date: 2019-10-25 14:50

(1.70) Reproductive Toxicology, Category 2(1.61) Aquatic Chronic Toxicity, Category 1

(1.62) Acute Toxicity Oral, Category 5(1.34) Acute Toxicity Dermal, Category 5

(1.27) Eye Damage/Eye Irritation, Category 2A

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet wait issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.