

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 10/20/2021 Version: 1.0

SECTION 1: Identification

Identification

Product form : Mixture

Product name : SPICED BOURBON PUMPKIN TYPE

Recommended use and restrictions on use

No additional information available

1.3. **Supplier**

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 734-261-5531

support@wellingtonfragrance.com

Emergency telephone number

: INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500 Emergency number

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable liquids

H227

Category 4 Skin sensitization, H317

Category 1

Full text of H statements : see section 16

May cause an allergic skin reaction

Combustible liquid

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

H227 - Combustible liquid Hazard statements (GHS US)

H317 - May cause an allergic skin reaction

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

06/10/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
EUGENOL	(CAS-No.) 97-53-0	5 – 10	Eye Irrit. 2, H319 Skin Sens. 1B, H317
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
CINNAMAL	(CAS-No.) 104-55-2	1 – 5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317
CYCLAMEN ALDEHYDE	(CAS-No.) 103-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317
CITRAL	(CAS-No.) 5392-40-5	< 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	< 0.5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GERANIOL	(CAS-No.) 106-24-1	< 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

06/10/2022 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CYCLAMEN ALDEHYDE (103-95-7)

Not applicable

D-LIMONENE (5989-27-5)

Not applicable

EUGENOL (97-53-0)

Not applicable

CINNAMIC ALDEHYDE (104-55-2)

Not applicable

CITRAL (5392-40-5)		
ACGIH	Local name	Citral
ACGIH	ACGIH OEL TWA [ppm]	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018

GERANIOL (106-24-1)

Not applicable

LINALYL ACETATE (115-95-7)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

06/10/2022 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

Colourless to light yellow Colourless Colourless to white White On exposure to light: turns yellow On exposure to air: turns yellow Yellow On exposure to air: yellow White to off-white

light yellow White to light yellow On exposure to light: discolours

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Floral odour Sweet odour Strong odour Characteristic odour Pine odour Mild odour Camphor odour Lemon odour Pleasant odour Aromatic odour Fruity odour Almost odourless Odourless

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : \approx 61 °C

: No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : Not applicable. Vapor pressure : No data available : No data available Relative vapor density at 20 °C Relative density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) No data available : No data available Auto-ignition temperature : No data available Decomposition temperature No data availableViscosity, kinematic No data available : No data available Viscosity, dynamic : No data available **Explosion limits** Explosive properties No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

06/10/2022 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

CYCLAMEN ALDEHYDE (103-95-7)	
ATE US (oral)	3810 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
EUGENOL (97-53-0)	
ATE US (oral)	2500 mg/kg body weight
CINNAMIC ALDEHYDE (104-55-2)	
ATE US (oral)	2500 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
CITRAL (5392-40-5)	
ATE US (dermal)	2250 mg/kg body weight
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified

ATE US (oral)

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

D-LIMONENE (5989-27-5)		
IARC group	3 - Not classifiable	
EUGENOL (97-53-0)		
IARC group	3 - Not classifiable	

3600 mg/kg body weight

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after skin contact : May cause an allergic skin reaction.

06/10/2022 EN (English US) 5/9

Safety Data Sheet

Ecology - soil

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. D-LIMONENE (5989-27-5) LCS0 - Fish [1] 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh watter, Experimental value, Lethal) ECS0 - Crustacea [1] 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh watter, Experimental value, GLP) GERANIOL (108-24-1) LCS0 - Fish [1] 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh watter, Experimental value, GLP) ECS0 - Crustacea [1] 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh watter, Experimental value, Locomotor effect) ECS0 - Crustacea [1] 10.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh watter, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Daphnia magna, Stat system, Fresh water, Experimental value, Locomotor effect) LINALYL ACETATE (115-95-7) LINALYL ACETATE (115-95-7) ECS0 - Crustacea [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) 15 mg/l (OECD 202: Daphnia sp, Acute Immobilisation Test, 48 h, Daphnia magna) 12.2 Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Readily biodegradability in water, no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradabile in water. 3.29 g √/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. 12.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) 3.29 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method "C") Bioaccumulative potential D-LIMONENE (5989-27-5) EGEANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 4.36 (Experimental value, OECD 117: Partition Coefficient (n-oc	SECTION 12: Ecological information	
Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. D-LIMONENE (5889-27-8) LC50 - Fish [1] 720 µgf (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales prometas, Flow-through system, Fresh water, Experimental value, Lethal) EC50 - Crustacea [1] 0.36 mg/ (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Frish water, Experimental value, GLP) 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value, Locomotor effect) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Aga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) LINALY LACETATE (115-95-7) LC50 - Fish [1] 11 mg/l (OECD 201: Aga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) LINALY LACETATE (115-95-7) Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5899-27-5) Persistence and degradability Readily biodegradabile in water. LINALY LACETATE (115-95-7) Persistence and degradability Readily biodegradabile in water. LINALY LACETATE (115-95-7) Persistence and degradability Readily biodegradabile in water. LINALY LACETATE (115-95-7) Persistence and degradability Readily biodegradabile in water. LINALY LACETATE (115-95-7) Persistence and degradability Readily biodegradabile in water. LINALY LACETATE (115-95-7) Bioaccumulative potential Potential for bioaccumulation (Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) (2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/w	<u>*</u>	
### D-LIMONENE (5989-27-5) ### LC50 - Fish [1]		. The product is not considered bermful to equatio examinms or to equal long term odverse
CSO - Fish [1] Z2 µgfl (OECD 203: Fish, Acule Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, CLP)	cology - general	· · ·
System, Fresh water, Experimental value, Lethal) Q.36 mgl (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Statisystem, Fresh water, Experimental value, GLP)	D-LIMONENE (5989-27-5)	
GERANIOL (106-24-1) LCSO - Fish [1] 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh wate Experimental value, GLP) ECSO - Crustacea [1] 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stat system, Fresh water, Experimental value, Locomotor effect) ErCSO algae 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Stas system, Fresh water, Experimental value, Locomotor effect) LINALYL ACETATE (115-95-7) LCSO - Fish [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) ECSO - Crustacea [1] 11 mg/l (OECD 203: Fish, Acute Immobilisation Test, 48 h, Daphnia magna) LCSO - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) LCSO - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) LOCOLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5889-27-5) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Partition coefficient n-octanol/water (Log Kow) 8-3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5899-27-5) BCF - Fish [1] 864.8 - 1022 (Pisces, QSAR, Fresh weight) A 38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential For bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential For bioaccumulation (Log Kow < 4). LinkLYL ACETATE (115-95-7)	LC50 - Fish [1]	
LC50 - Fish [1] 22 rg/l (DECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh wate Experimental value, GLP) 10.8 mg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (DECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Statistic system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (DECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Statistic system, Fresh water, Experimental value, GLP) LINALYL ACETATE (115-95-7) LC50 - Fish [1] 11 mg/l (DECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carplo) EC50 - Crustacea [1] 15 mg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) LC2. Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5899-27-5) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Readily biodegradable in water. LINALYL ACE	EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [1] 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh wate Experimental value, GLP) EC50 - Crustacea [1] 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value, Locomotor effect) EC50 algae 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Statistic system, Fresh water, Experimental value, GLP) LINALYL ACETATE (115-95-7) LC50 - Fish [1] 11 mg/l (OECD 201: Sish, Acute Toxicity Test, 96 h, Cyprinus carplo) EC50 - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) LC2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Bioaccumulative potential No bioaccumulation (4 ≥ Log Kow ≤ 5). CECANOL (106-24-1) Pertition coefficient (n-octanol/wa	GERANIOL (106-24-1)	
EC50 - Crustacea [1] 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Statisystem, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Statisystem, Fresh water, Experimental value, GLP) LINALYL ACETATE (115-95-7) LC50 - Fish [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) EC50 - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) 12.2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) 16 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) 17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, 18 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia mg/l paphnia sp. Acute Immobilisation Test, 48 h, Daphnia mg/l	, ,	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
LINALYL ACETATE (115-95-7) LCS0 - Fish [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) ECS0 - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) 12.2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (103-95-7) Partition coefficient n-octanol/water (Log Kow) Sioaccumulative potential No bioaccumulative potential No bioaccumulative potential Partition coefficient n-octanol/water (Log Pow) 37 °C) Bioaccumulative potential Pote	EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
LCS0 - Fish [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) ECS0 - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) 12.2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. Persistence and degradability Readily biodegradable in water. 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 2.3. Bioaccumulative potential Readily biodegradable in water. LINALYL ACETATE (115-95-7) Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) Bioaccumulative potential Rask (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential For bioaccumulation (Log Kow ≤ 5).	ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
LCS0 - Fish [1] 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) ECS0 - Crustacea [1] 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) 12.2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. Persistence and degradability Readily biodegradable in water. 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 2.3. Bioaccumulative potential Readily biodegradable in water. LINALYL ACETATE (115-95-7) Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) Bioaccumulative potential Rask (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential For bioaccumulation (Log Kow ≤ 5).	LINALYL ACETATE (115-95-7)	
2.2. Persistence and degradability CYCLAMEN ALDEHYDE (103-95-7) Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 2.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC metho 37 °C) Bioaccumulative potential Potential Potential For bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	· · · · · · · · · · · · · · · · · · ·	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. CYCLAMEN ALDEHYDE (103-995-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential Partition coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	EC50 - Crustacea [1]	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	12.2. Persistence and degradability	
Persistence and degradability Biodegradability in water: no data available. D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LIMALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LIMALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 12.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) Sioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 = 1022 (Pisces, QSAR, Fresh weight) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	, ,	Diedegradehility in weter no date eveileble
Persistence and degradability ThOD 3.29 g O₂/g substance CERANIOL (106-24-1)		Biodegradability in water: no data available.
ThoD 3.29 g O₂/g substance GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 2.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC metho 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
GERANIOL (106-24-1) Persistence and degradability Readily biodegradable in water. LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 2.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential Potential Potential Potential For bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	<u> </u>	, ,
Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water.	INOD	3.29 g O₂/g substance
Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water.	GFRANIOI (106-24-1)	
LINALYL ACETATE (115-95-7) Persistence and degradability Readily biodegradable in water. 12.3. Bioaccumulative potential CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 − 1022 (Pisces, QSAR, Fresh weight) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC metho 37 °C) Bioaccumulative potential Potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	` ,	Readily biodegradable in water.
Persistence and degradability Readily biodegradable in water. 12.3. Bioaccumulative potential	<u> </u>	, ,
CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC metho 37 °C) Bioaccumulative potential Potential For bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	·	Readily biodegradable in water
CYCLAMEN ALDEHYDE (103-95-7) Partition coefficient n-octanol/water (Log Kow) ≈ 3.91 Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	, ,	Trodainy biodogradable in water.
Partition coefficient n-octanol/water (Log Kow) Bioaccumulative potential No bioaccumulation data available. D-LIMONENE (5989-27-5) BCF - Fish [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Potential for bioaccumulation (4 ≥ Log Kow ≤ 4). Linalyl Acetate (115-95-7)	<u>'</u>	
Bioaccumulative potential D-LIMONENE (5989-27-5) BCF - Fish [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	` ,	~ 3.01
D-LIMONENE (5989-27-5) BCF - Fish [1] 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC methoday 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC methoday C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	`	
BCF - Fish [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	<u>'</u>	140 Modeodiffication data dyallamo.
Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C) Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)		864.8 1022 (Discos OSAP Frosh woight)
Bioaccumulative potential Potential for bioaccumulation (4 ≥ Log Kow ≤ 5). GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)		4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method,
GERANIOL (106-24-1) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	Bioaccumulative potential	,
Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)		· · · · · · · · · · · · · · · · · · ·
°C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). LINALYL ACETATE (115-95-7)	,	
LINALYL ACETATE (115-95-7)	· · · · · ·	°C)
	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow) 3.93 (Experimental value)	LINALYL ACETATE (115-95-7)	
- and the state of	Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	12.4. Mobility in soil	
D-LIMONENE (5989-27-5)	D-LIMONENE (5989-27-5)	

06/10/2022 EN (English US) 6/9

Adsorbs into the soil.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GERANIOL (106-24-1)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	
LINALYL ACETATE (115-95-7)		
Ecology - soil	Adsorbs into the soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

CYCLAMEN ALDEHYDE	CAS-No. 103-95-7	1 – 5%
LIMONENE	CAS-No. 5989-27-5	1 – 5%
EUGENOL	CAS-No. 97-53-0	5 – 10%
CINNAMAL	CAS-No. 104-55-2	1 – 5%
CITRAL	CAS-No. 5392-40-5	< 0.5%
GERANIOL	CAS-No. 106-24-1	< 0.5%
LINALYL ACETATE	CAS-No. 115-95-7	< 0.5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

06/10/2022 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CYCLAMEN ALDEHYDE (103-95-7)

Listed on the Canadian DSL (Domestic Substances List)

D-LIMONENE (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

EUGENOL (97-53-0)

Listed on the Canadian DSL (Domestic Substances List)

CINNAMIC ALDEHYDE (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

GERANIOL (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

CYCLAMEN ALDEHYDE (103-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

D-LIMONENE (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on the Australian HSIS Consolidated List

EUGENOL (97-53-0)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on KECI (Korean Existing Chemicals Inventory)

CINNAMIC ALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

06/10/2022 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on the Australian HSIS Consolidated List

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

GERANIOL (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation

SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/10/2022 EN (English US) 9/9