

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

SKU#: unf

Page 1 of 8 Print Date: 2022-03-14 15:40

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Unforgiveable Type Men

#### UFI#

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 734-261-5531 support@wellingtonfragrance.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid	
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Reproductive Toxicology, Category 1B	H360 : May damage fertility or the unborn child	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicology, Category 1B	H360 : May damage fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS) Hazard pictograms



#### SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

#### Product: Unforgiveable Type Men

unf





#### Signal Word: Danger

#### Hazard statments H227 Combustible liquid H303 May be harmful if swallowed May be harmful in contact with skin H313 H315 Causes skin irritation H317 May cause an allergic skin reaction H333 May be harmful if inhaled H360 May damage fertility or the unborn child H400 Very Toxic to aquatic life H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Pr

Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

## 2.3 Other Hazards

#### no data available

#### 3. **Composition/Information on Ingredients**

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

SKU#:

Page 2 of 8 Print Date: 2022-03-14 15:40



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

SKU#: unf

Page 3 of 8	
Print Date: 2022-03-14 15:40	

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411
Benzyl Be	enzoate		
105-95-3	203-347-8	10 - 20 %	H401
Ethylene	brassylate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410
Tetrameth	nyl Acetyloctahy	dronaphthalenes	3
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410
Acetyl ce	drene		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	)		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimet	hyloct-7-en-2-ol		
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411
a-Isometh	nyl ionone		
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	ydrojasmonate		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
67801-20-1	267-140-4	1 - 2 %	H401; H411
3-Methyl-	5-(2,2,3-trimeth	yl-3-cyclopenten	-1-yl)pent-4-en-2-ol
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylpher	nyl Methylpropio	nal	H412
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	bl		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.95

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product:	Unforgiveable Type Men	
----------	------------------------	--

SKU#	: unf	Page 4 of 8 Print Date: 2022-03-14 15:40
Skin Exposure:	Remove contamina Contact physician i	ated clothes. Wash thoroughly with water (and soap). f symptoms persist.
Ingestion: 4.2 Most important symptoms and e		vater and obtain medical advice. <b>ayed</b>
Symptoms: Risks: 4.3 Indication of any immediate med		2 "Hazard Statements" treatment needed
Treatment:	Refer to Section 2.2	2 "Response"
5. Fire-Fighting measures	5	
Suitable: Unsuitable 5.2 Special hazards arising from the	Do not use a direct	D2), Dry chemical, Foam water jet on burning material
During fire fighting: 5.3 Advice for firefighters	Water may be ineffe	ective
Further information:	Standard procedure	e for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

SKU#: unf

Page 5 of 8 Print Date: 2022-03-14 15:40

<ul> <li>8. Exposure Controls/Personal Protection</li> <li>8.1 Control parameters</li> </ul>			
Exposure Lin	nits:		
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm	
80-56-8	pinene	20	
127-91-3	beta Pinene	20	
Engineering Controls:Use local exhaust as needed.8.2 Exposure controls - Personal protective equipment			
<b>Eye protection:</b> Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc as may be appropriate for the exposure			
Respiratory p	protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection	on:	Avoid Skin contact. Use chemically resistant gloves as needed.	

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow to Greenish Yellow (G3-5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	186 F (85.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0731
%VOC:	6.50
Specific Gravity @ 25 C:	1.0315
Density (g/mL) @ 25 C:	1.0285
Refractive Index @ 20 C:	1.5260
Soluble in:	Oil

## 10. Stability and Reactivity

None Stable



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

SKU#: unf

Page 6 of 8
Print Date: 2022-03-14 15:40

10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2149.5603) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4126.5708) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 121.1576) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

SKU#: unf

Page 7 of 8 Print Date: 2022-03-14 15:40

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (50 - 60 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082

### 15. Regulatory Information

**U.S. Federal Regulations** 

olor i odoral regulationo				
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.			
California Proposition 65 Warning	This product contains the following components:			
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)			
Canadian Regulations				
DSL	99.00% of the components are listed or exempt.The following components are NOT on the List:			
67801-20-1 267-140-4 1 - 2 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol			
149713-23-5 <= 0 ppm	2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel			

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction

H320 : Causes eye irritation

H302 : Harmful if swallowedH316 : Causes mild skin irritationH319 : Causes serious eye irritationH401 : Toxic to aquatic life



SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

## Product: Unforgiveable Type Men

		Page 8 of 8	
SKU#:	unf	Print Date: 2022-03-14 15:40	
H402 : Harmful to aquatic life		H410 : Very toxic to aquatic life with long lasting effects	
H412 : Harmful to aquatic life with long	lasting effects		
Total Fractional Values			
(TFV) Risk		(TFV) Risk	
(80.92) Aquatic Chronic Toxicity, Categ	jory 3	(41.27) Acute Toxicity Inhalation, Category 5	
(8.07) Aquatic Chronic Toxicity, Catego	ory 2	(6.00) Sensitization, Skin, Category 1B	
(3.16) Aquatic Chronic Toxicity, Catego	ory 4	(2.93) Aquatic Acute Toxicity, Category 1	
(2.67) Reproductive Toxicology, Categoria	ory 1B	(2.55) Skin Corrosion/Irritation, Category 3	
(2.33) Acute Toxicity Oral, Category 5		(2.11) Skin Corrosion/Irritation, Category 2	
(1.41) Sensitization, Skin, Category 1		(1.41) Sensitization, Skin, Category 1A	
(1.21) Acute Toxicity Dermal, Category	5		
Department issuing data sheet:	Regulatory Affairs C	Group	
Department E-mail address:	Support@wellingtonfragrance.com		

#### Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.