SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Watermelon

Product#: SKU#: wa Page 1 of 8 Print Date: 2019-09-30 15:27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Watermelon

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA 734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Revised Date: 2019-07-22 00:00

Product: Watermelon Product#:

SKU#: wa

Page 2 of 8 Print Date: 2019-09-30 15:27

Signal Word: Warning	
Hazard statments	
H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	> 80 %	H302; H313; H400; H411
Benzyl Benzoate			
141-97-9	205-516-1	2 - 5 %	H227
Ethyl acetoacetate			
628-63-7	211-047-3	2 - 5 %	H226
Amyl Acetate			

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-09-30 15:27

Page 3 of 8

Product: Watermelon

Product#:

SKU#: wa

CAS# Ingredient	EC#	Conc. Range	GHS Classification
540-18-1	208-739-2	2 - 5 %	H226
Amyl buty	/rate		
127-42-4	204-842-1	1 - 2 %	H315; H320; H401; H411
Alpha-me	ethyl-alpha-ionoi	ne	
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cin	namaldehyde		
91-64-5	202-086-7	1 - 2 %	H302; H317; H402
Coumarir	ו		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;
Butylpher	nyl Methylpropic	onal	H412
121-33-5	204-465-2	1 - 2 %	H303; H319
vanillin			
77-83-8	201-061-8	1 - 2 %	H317; H401; H411
Ethyl Met	thylphenylglycida	ate	
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hydroxyis	sohexyl 3-cycloł	nexene carboxalo	dehyde
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.17

4. First Aid Measures	
4.1 Description of first aid measur	es
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and	d effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate m	edical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
E Eiro Eighting moocur	

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Watermelon Product#: SKU#: wa

Page 4 of 8 Print Date: 2019-09-30 15:27

5.2 Special hazards arising from the substance or mixture

During fire fighting:

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

Water may be ineffective

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

 Exposure Limits:
 ACGIH
 ACGIH
 OSHA
 OSHA

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA
 OSHA

 628-63-7
 Amyl Acetate
 50
 100
 100
 STEL ppm

 Engineering Controls:
 Use local exhaust as needed.
 Use local exhaust as needed.
 Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

Revised Date: 2019-07-22 00:00

Product: Watermelon Product#:

SKU#: wa

Page 5 of 8 Print Date: 2019-09-30 15:27

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	190 F (87.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.8904
%VOC:	0.89
Specific Gravity @ 25 C:	1.0910
Density @ 25 C:	1.0880
Refractive Index @ 20 C:	1.5480
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11.	Toxicological Information	
	blogical Effects	

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1630.7956) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3449.4244) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 150.0924) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Watermelon Product#: SKU#: wa

Page 6 of 8 Print Date: 2019-09-30 15:27

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (> 80 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardo Substance, Liquid, n.o.		9	Ш		UN3082
IMDG (Sea)					

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

			Revised Date. 2019-01-22 00.00	
Product:	Waterme	elon		
Product#:			Page 7 of 8	
SKU#:	wa		Print Date: 2019-09-30 15:27	
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082	
Substance, Liquid, n.o.s.				
15. Regulatory Information				
U.S. Federal Regulations				
TSCA (Toxic Substance Control Act)	rol Act) All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and C	CAA) This product contains the following components:			
628-63-7 211-047-3 2 - 5 %	Amyl	Amyl Acetate		
U.S. State Regulations				
California Proposition 65 Warning	Narning This product contains the following components:			
123-35-3(NF 204-622-5 <= 36 ppm	pm beta-Myrcene (Natural Source)			
Canadian Regulations				
DSL	100	100.00% of the components are listed or exempt.		
16. Other Information				
GHS H-Statements referred to under s	ection 3 an	d not listed in section	2	
H226 : Flammable liquid and vapour		H303 : Ma	ay be harmful if swallowed	
H315 : Causes skin irritation		H316 : Ca	auses mild skin irritation	
H317 : May cause an allergic skin reacti	on	H319 : Ca	auses serious eye irritation	
H320 : Causes eye irritation		H361 : Su child	uspected of damaging fertility or the unborn	
H401 : Toxic to aquatic life		H402 : Ha	armful to aquatic life	
H412 : Harmful to aquatic life with long la	asting effect	ts		

Total Fractional Values

(TFV) Risk(TFV) Risk(34.59) Aquatic Chronic Toxicity, Category 3(33.31) Acute Toxicity Inhalation, Category 5(5.80) Sensitization, Skin, Category 1A(3.46) Aquatic Chronic Toxicity, Category 4(3.45) Aquatic Chronic Toxicity, Category 2(3.28) Aquatic Acute Toxicity, Category 1(1.45) Acute Toxicity Dermal, Category 5(1.25) Sensitization, Skin, Category 1B(1.23) Acute Toxicity Oral, Category 4(3.23)

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.

Product: Watermelon

Product#: SKU#: wa Revised Date: 2019-07-22 00:00

Page 8 of 8 Print Date: 2019-09-30 15:27