## SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

# **Safety Data Sheet**

Product: White Suede

Product#: Page 1 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: White Suede

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA

734-261-5531

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

## **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms





Signal Word: Warning

**Hazard statments** 

H303 May be harmful if swallowed

H317 May cause an allergic skin reaction

#### SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

# **Safety Data Sheet**

Product: White Suede

Product#: Page 2 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

H333 May be harmful if inhaled H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

#### 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
105-95-3	203-347-8	2 - 5 %	H401
Ethylene b	rassylate		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamethy	/lindanopyran		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410
Tetramethy	vl Acetyloctahydr	onaphthalenes	
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;
Butylpheny	vl Methylpropiona	al	H412
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl hexa	amethyl tetralin		
24851-98-7	246-495-9	1 - 2 %	H402
Methyldihy	drojasmonate		
63500-71-0	405-040-6	1 - 2 %	H319
Isobutyl Me	ethyl Tetrahydrop	yranol	
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hydroxyisc	hexyl 3-cyclohex	kene carboxaldel	hyde

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: White Suede

Product#: Page 3 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

CAS# Conc.

Ingredient EC# Range GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: White Suede

Product#: Page 4 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint - Pale Yellow (G1-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0006

 %VOC:
 0.00

 Specific Gravity @ 25 C:
 0.9910

Revised Date: 2019-01-10 00:00

SDS v1 GHS / OSHA

Product: White Suede

Product#: Page 5 of 7

SKU#: Print Date: 2019-09-30 07:47 bls

Density @ 25 C: 0.9880 Refractive Index @ 20 C: 1.4910 Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None Stable 10.2 Chemical stability

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2789.8651) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 135.6742) May be harmful if inhaled

Skin corrosion / irritation May be harmful if inhaled

Not classified - the classification criteria are not met Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Reproductive toxicity Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met **Aspiration hazard** Not classified - the classification criteria are not met

#### 12. **Ecological Information**

## 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: White Suede

Product#: Page 6 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (30 - 40 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous	Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 2 ppm beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

**DSL** 99.95% of the components are listed or exempt. The following

components are NOT on the List:

198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: White Suede

Product#: Page 7 of 7

SKU#: **bls** Print Date: 2019-09-30 07:47

## 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H302 : Harmful if swallowed H313 : May be harmful in contact with skin H315 : Causes skin irritation

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H361 : Suspected of damaging fertility or the unborn

child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk
(50.78) Aquatic Chronic Toxicity, Category 3
(8.00) Sensitization, Skin, Category 1A
(3.50) Sensitization, Skin, Category 1B
(1.75) Aquatic Chronic Toxicity, Category 4
(TFV) Risk
(36.85) Acute Toxicity Inhalation, Category 5
(5.07) Aquatic Chronic Toxicity, Category 2
(1.79) Acute Toxicity Oral, Category 5
(1.64) Aquatic Acute Toxicity, Category 1

## Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.