SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#:

SKU#: woo

Page 1 of 8 Print Date: 2019-09-30 15:27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Woodstock

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA 734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
	20)

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Revised Date: 2019-07-22 00:00

Product: **Woodstock** Product#:

SKU#: woo

Page 2 of 8 Print Date: 2019-09-30 15:27

Signal Word: Warning	
Hazard statments	
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410
Tetramethy	/I Acetyloctahydr	onaphthalenes	
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411
a-Isomethyl ionone			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamethy	ylindanopyran		

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#:

SKU#: woo

Page 3 of 8 Print Date: 2019-09-30 15:27

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
31906-04-4	250-863-4	2 - 5 %	H317; H402		
Hydroxyis	ohexyl 3-cycloh	nexene carboxalo	lehyde		
66068-84-6	266-100-3	2 - 5 %	H315; H401; H411		
Isocamph	enyl cyclohexar	nol (mixed isome	rs)		
65113-99-7	265-453-0	2 - 5 %	H316; H319; H401; H411		
Pentamet	hylcyclopent-3-	ene-butanol			
105-95-3	203-347-8	2 - 5 %	H401		
Ethylene	brassylate				
127-43-5	204-843-7	1 - 2 %	H315; H317; H401; H411		
Methyl-ß-	ionone				
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410		
Acetyl hez	xamethyl tetralir	ז			
77-54-3	201-036-1	1 - 2 %	H317; H400; H410		
Cedryl ac	etate				
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411		
Hexyl cini	namaldehyde				
24851-98-7	246-495-9	1 - 2 %	H402		
Methyldih	ydrojasmonate				
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;		
Butylpher	yl Methylpropio	nal	H412		
See Section 1	See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 0.09

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effects,	Rinse mouth with water and obtain medical advice. both acute and delayed
Symptoms:	no data available
Risks: 4.3 Indication of any immediate medical at	Refer to Section 2.2 "Hazard Statements" tention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#: SKU#: woo

Page 4 of 8 Print Date: 2019-09-30 15:27

5.Fire-Fighting measures5.1Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the subst	Do not use a direct water jet on burning material ance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

6.

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.
as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#: SKU#: woo

Page 5 of 8 Print Date: 2019-09-30 15:27

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G0/G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	1.6704
%VOC:	1.67
Specific Gravity @ 25 C:	1.0540
Density @ 25 C:	1.0510
Refractive Index @ 20 C:	1.5370
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg Acute toxicity - Inhalation - (Rat) mg/L/4hr Skin corrosion / irritation (LD50: 1936.5526) Harmful if swallowed (LD50: 4272.2543) May be harmful in contact with skin (LD50: 95.7986) May be harmful if inhaled May be harmful if inhaled

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#: SKU#: woo

Page 6 of 8 Print Date: 2019-09-30 15:27

Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

Very Toxic to aquatic life
Toxic to aquatic life with long lasting effects
no data available
no data available
no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (60 - 70 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	I	Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Ro	oad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	Ш		UN3082
IATA (Air Cargo)					

SDS v1 GHS / OSHA

		Jaiety	Data Sheet	Revised Date: 2019-07-22 00:00
	Product:	Woodsto	ck	
	Product#	:		Page 7 of 8
	SKU#:	woo		Print Date: 2019-09-30 15:27
Environmentally Hazar Substance, Liquid, n		9	111	UN3082
IMDG (Sea)				
Environmentally Hazar Substance, Liquid, n		9	III	UN3082
-	y Information			
U.S. Federal Regulation				
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SA U.S. State Regulations	RA, CERCLA and (CAA) This	product contains NO co	mponents of concern.
California Proposition 65 Warning		This	This product contains the following components:	
94-59-7 202	2-345-4 <= 7 ppm	Safrole	e (Natural Source)	
93-15-2 202	2-223-0 <= 3 ppm	Methyl	Eugenol (Natural Source	e)
Canadian Regulations				
DSL		99.9	94% of the components a	are listed or exempt. The following

components are NOT on the List:

3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

DSL

67801-20-1 267-140-4 0.01 - 0.1%

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H303 : May be harmful if swallowed	
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction	
H319 : Causes serious eye irritation	H320 : Causes eye irritation	
H361 : Suspected of damaging fertility or the unborn child	H401 : Toxic to aquatic life	
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects	
H412 : Harmful to aquatic life with long lasting effects		
Total Fractional Values		
(TFV) Risk	(TFV) Risk	
(78.86) Aquatic Chronic Toxicity, Category 3	(52.19) Acute Toxicity Inhalation, Category 5	
(35.00) Sensitization, Skin, Category 1A	(7.88) Aquatic Chronic Toxicity, Category 2	
(5.00) Sensitization, Skin, Category 1B	(3.59) Aquatic Chronic Toxicity, Category 4	
(3.07) Aquatic Acute Toxicity, Category 1	(2.38) Skin Corrosion/Irritation, Category 3	
(1.17) Skin Corrosion/Irritation, Category 2	(1.17) Acute Toxicity Dermal, Category 5	
(1.03) Acute Toxicity Oral, Category 4		

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Woodstock Product#: SKU#: woo

Page 8 of 8 Print Date: 2019-09-30 15:27

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet waitssued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.