Revised Date: 2021-01-13 00:00

Safety Data Sheet

Product: Pikaki Water Soluble

Product#: Page 1 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Pikaki Water Soluble

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 734-261-5531

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2 H319 : Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 1 H410 : Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Revised Date: 2021-01-13 00:00

Safety Data Sheet

Product: Pikaki Water Soluble

Product#: Page 2 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

Signal Word: Warning

Hazard statments

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
------	--------------------------------------

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P312 + P330 IF SWALLOWED: Gall a POISON GENTER OF GOCTOF/DRYSICIAN II VOU IEEI UNWEII RIN	P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse
--	--------------------	---

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Range	GHS Classification		
9002-93-1	618-344-0	70 - 80 %	H302; H315; H319; H400; H410		
Poly(oxy-1,2-ethanediyl), a-[4-(1,1,3,3-tetramethylbutyl)phenyl]-w-hydroxy-					
140-11-4	205-399-7	10 - 20 %	H303; H401; H412		
Benzyl acetate					

Safety Data Sheet

Product: Pikaki Water Soluble

wspi

SKU#:

Page 3 of 8

Print Date: 2021-05-25 11:16

Revised Date: 2021-01-13 00:00

Product#:

Conc. CAS# EC# **GHS Classification** Range Ingredient 101-86-0 2 - 5 % H303; H316; H317; H400; H411 202-983-3 Hexyl cinnamal 78-70-6 201-134-4 2 - 5 % H227; H303; H315; H317; H319; H402 Linalool 118-58-1 2 - 5 % H303; H317; H320; H401; H412 204-262-9 Benzyl Salicylate 25322-68-3 500-038-2 1 - 2 % H335 Polyethylene Glycol 1 - 2 % 93-16-3 202-224-6 H303; H317; H402 Methyl isoeugenol (Isoeugenyl methyl ether) 134-20-3 205-132-4 1 - 2 % H303; H316; H319; H401 Methyl anthranilate 1 - 2 % 65405-77-8 265-745-8 H303; H400; H411 cis-3-Hexenyl salicylate

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

See Section 16 for full text of GHS classification codes

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Product: Pikaki Water Soluble

Product#: Page 4 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 140-11-4
 Benzyl acetate
 10

 25322-68-3
 Polyethylene Glycol
 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Product: Pikaki Water Soluble

Product#: Page 5 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint - Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0220

 %VOC:
 11.00

 Specific Gravity @ 25 C:
 1.0560

 Density @ 25 C:
 1.0530

 Refractive Index @ 20 C:
 1.4975

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 366.3885) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3277.0491) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 20.9930) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Revised Date: 2021-01-13 00:00

Safety Data Sheet

Product: Pikaki Water Soluble

Product#: Page 6 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

9002-93-1 : (70 - 80 %) : Poly(oxy-1,2-ethanediyl), a-[4-(1,1,3,3-tetramethylbutyl)phenyl]-w-hydroxy-

Regulator
U.S. DOT (Non-Bulk)
Chemicals NOI
ADR/RID (International Road/Rail)
Environmentally Hazardous
Substance, Liquid, n.o.s.
IATA (Air Cargo)

Class
Pack Group
Sub Risk
UN-nr.

Pack Group
Sub Risk
UN-nr.

III
UN-10
Sub Risk
UN-nr.

UN-10
Sub Risk
UN-10
Sub Ris

Environmentally Hazardous 9 III UN3082 Substance, Liquid, n.o.s.

IMDG (Sea)

Ш

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Product: Pikaki Water Soluble

9

Product#: Page 7 of 8

SKU#: wspi Print Date: 2021-05-25 11:16

Environmentally Hazardous Substance, Liquid, n.o.s.

UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

75-21-8 200-849-9 <= 8 ppm Ethylene Oxide

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H303 : May be harmful if swallowed H316 : Causes mild skin irritation H320 : Causes eye irritation H335 : May cause respiratory irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H411 : Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(302.34) Aquatic Chronic Toxicity, Category 3
(30.18) Aquatic Chronic Toxicity, Category 2
(7.84) Eye Damage/Eye Irritation, Category 2
(7.47) Eye Damage/Eye Irritation, Category 2
(4.30) Sensitization, Skin, Category 1B
(3.00) Aquatic Chronic Toxicity, Category 1
(TFV) Risk
(238.17) Acute Toxicity Inhalation, Category 3
(7.67) Skin Corrosion/Irritation, Category 2
(5.46) Acute Toxicity Oral, Category 4
(3.73) Aquatic Chronic Toxicity, Category 4
(1.53) Acute Toxicity Dermal, Category 5

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Product: Pikaki Water Soluble

Product#: Page 8 of 8

SKU#: wspi Print Date: 2021-05-25 11:16