

68 DUAL FUNCTION SERIES



SHUA

Dual Function Fitness Strength Equipment



User experience: Comfortable and convenient adjustment mechanism, using high-strength aluminum alloy limit handle end cover, beautiful and elegant, durable and never fade. The collection meets the rigorous training standards of athletes and professionals in the field, guaranteeing maximum performance with maximum safety.

WELDING PROCESS

Automatically welding technologies including
double-slide table welding group, cluster welding
group, double-station welding group



Comfortable Handle




Biomechanics Seats



Smooth Force



Ergonomic Adjustment






SH-G6813

PEC FLY/REAR DELTOID

- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame120*50*t2.0
- Wirerope
Steel cable: PA material,Specification: Φ5.6;
- Color
Black Silver & Flash silver black ash
- Seat mat
Adjustable, PU foam; Color: dark green
- Weight plates:
Maximum 100Kg; Minimum 5kg
- Dimension(mm) 1136*825*2043 (L*W*H)

Muscle trained:
Pectoralis,anterior deltoid




SH-G6819

ABDUCTOR/ADDUCTOR



- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame120*50*t2.0
- Wirerope
Steel cable: PA material,Specification: Φ5.6;
- Color
Black Silver & Flash silver black ash
- Seat mat
PU foam; Color: dark green
- Weight plates:
Maximum 90Kg; Minimum 5kg
- Dimension(mm) 1200*1340*1540 (L*W*H)

Muscle trained:
lateral thigh muscle




SH-G6820

FUNCTIONAL TRAINER



- Main frame
Material: Q235A.
Specification: Sub-frame120*50*t2.0
- Wirerope
Steel cable: PA material,Specification: Φ5.6;
- Color
Black Silver & Flash silver black ash
- Weight plates:
Maximum 90Kg; Minimum 5kg
- Dimension(mm) 1200*1340*1540 (L*W*H)

Muscle trained:
muscle groups
(shoulder,chest,back,leg)






SH-G6822

BICEPS CURL/TRICEPS PRESS

- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame 120*50*t2.0
- Wirerope
Steel cable: PA material, Specification: $\Phi 5.6$;
- Color
Black Silver & Flash silver black ash
- Seat mat
Adjustable, PU foam; Color: dark green
- Weight plates:
Maximum 60Kg; Minimum 5kg
- Dimension(mm) 1920*1550*600 (L*W*H)

Muscle trained:
biceps, triceps, forearm
muscles




SH-G6823

LEG CURL/LEG EXTENSION



- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame 120*50*t2.0
- Wirerope
Steel cable: PA material, Specification: $\Phi 5.6$;
- Color
Black Silver & Flash silver black ash
- Seat mat
Adjustable, PU foam; Color: dark green
- Weight plates:
Maximum 100Kg; Minimum 5kg
- Dimension(mm) 1588*1402*577 (L*W*H)

Muscle trained:
lateral thigh muscle




SH-G6824

SHOULDER PRESS/UPPER CHEST PRESS

- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame 120*50*t2.0
- Wirerope
Steel cable: PA material, Specification: $\Phi 5.6$;
- Color
Black Silver & Flash silver black ash
- Seat mat
Adjustable, PU foam; Color: dark green
- Weight plates:
Maximum 90Kg; Minimum 5kg
- Dimension(mm) 2165*1215*615 (L*W*H)

Muscle trained:
muscle groups
(shoulder, chest, back, leg)






SH-G6851

ASSIST DIP CHIN

- Main frame
Material: Q235A.
Specification:
Sub-frame 120*50*t2.0
- Wirerope
Steel cable: PA material, Specification: Φ5.6;
- Color
Black Silver & Flash silver black ash
- Seat mat
EVA + plywood; Color: dark green
- Weight plates:
Maximum 135Kg; Minimum 5kg
- Dimension(mm) 975*1450*2230 (L*W*H)

Muscle trained:
Back muscle groups



SH-G6891A

HIGH PULL & LOW ROWING TRAINER

- Main frame
Material: Q235A.
Specification:
gantry frame 150*50*t2.0,
Sub-frame 120*50*t2.0
- Wirerope
Steel cable: PA material, Specification: Φ5.6;
- Color
Black Silver & Flash silver black ash
- Seat mat
Adjustable, PU foam; Color: dark green
- Weight plates:
Maximum 110Kg; Minimum 5kg
- Dimension(mm) 1521*823*2247 (L*W*H)

Muscle trained:
latissimus dorsi, cucullaris,
biceps brachi

