



PLASTER MAGIC®

FOR THE ULTIMATE PLASTER REPAIR

SAFETY DATA SHEET

Issue Date 26-Jan-2018

Revision Date 25-Jan-2018

Version 1

1. IDENTIFICATION

Product identifier

Product Name Plaster Magic Adhesive

Other means of identification

Product Code PM-0846

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address BWA, Inc.
145 Western Ave.
Brattleboro, VT 05301

Emergency telephone number Company Phone Number 1-800-254-1330
Primary Contact Rory Brennan

Emergency Telephone Chemtrec 1-800-424-9300
Chemtrec (International): +1 703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Causes skin irritation
Causes serious eye irritation



Appearance Milky White Liquid **Physical state** Liquid **Odor** Slight

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

Chemical name	CAS No.	Weight-%	Trade Secret
Acrylic Copolymer	Proprietary	10 - 30	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Immediately wash skin thoroughly with soap and water. Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediate medical attention is required.
Ingestion	If material is ingested, immediately contact a physician or poison control center. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

**PLASTER
MAGIC®**

FOR THE ULTIMATE PLASTER REPAIR

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. If it is considered necessary to evacuate the stomach contents, this should be done by means least likely to cause aspiration.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Water, water fog, foam.

Large Fire Foam, CO₂, Dry Chemical, Water, Fog, Other.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide, Carbon dioxide (CO₂), Smoke and Soot

Explosion data

Sensitivity to Mechanical Impact No data available.

Sensitivity to Static Discharge Not applicable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation, especially in confined areas.

Other Information Ventilate the area.

Environmental precautions

Environmental precautions See Section 13 for additional disposal information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Prevent material from entering sewers or surface waters. Contain any fluid that runs out using suitable material.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

**PLASTER
MAGIC®**

FOR THE ULTIMATE PLASTER REPAIR

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from oxidizing materials.

Packaging materials Keep only in the original container/package in a cool well-ventilated place.

Incompatible materials Strong acids and salts will coagulate the latex; be sure to remain in the recommended pH range

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Other Information - Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Controls Safety eye baths and showers should be nearby in work area.

Individual protection measures, such as personal protective equipment

Eye/face protection Use chemical safety glasses, goggles, or face shields for protection. Eye wash stations should be in the immediate work area.

Skin and body protection The use of rubber gloves is recommended when skin contact cannot be avoided.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Handle all chemicals with caution and care. Always wash hands before eating, smoking, or using toilet facilities. As with all chemicals, caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Slight
Appearance	Milky White Liquid	Odor threshold	No information available
Color	Milky white		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7 - 8	
Melting point / freezing point	0 °C / 32 °F	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	No information available	

PLASTER MAGIC®

FOR THE ULTIMATE PLASTER REPAIR

Evaporation rate	No information available	Slower than n-Butyl Acetate
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	at 20°C (68°F)
Vapor density	No information available	Heavier than air @ 20°C
Relative density	1.0808	
Water solubility	Dispersible	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	9.00 lb/gal
Bulk density	No information available

10. STABILITY AND REACTIVITY**Reactivity**

Not applicable No data available

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Do not freeze the containers or the product may coagulate and separate, rendering it unusable.

Incompatible materials

Strong acids and salts will coagulate the latex; be sure to remain in the recommended pH range.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Inhalation No data available.

**PLASTER
MAGIC®**

FOR THE ULTIMATE PLASTER REPAIR

Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause transient irritation.
Serious eye damage/eye irritation	Irritating to eyes.
Corrosivity	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH, IARC, NTP or OSHA.
Reproductive toxicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed reproductive Toxin.
STOT - single exposure	No information
available. STOT - repeated exposure	No information
available. Aspiration hazard	No information
available.	

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product may contain components with unknown hazards to the aquatic environment.

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	When disposing of unused contents the preferred options are to send to a licensed reclaimer or to permitted incinerators. Any disposal practice must be in compliance with federal, state and local regulations. Do not dump into sewers, on the ground, or into any body of water.
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

PLASTER MAGIC®

FOR THE ULTIMATE PLASTER REPAIR

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ethyl acrylate - 140-88-5	0.1
Formaldehyde - 50-00-0	0.1
Acrylonitrile - 107-13-1	0.1 1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	X
Formaldehyde 50-00-0	100 lb	-	-	X
Acrylonitrile 107-13-1	100 lb	X	X	X

CERCLA

PLASTER MAGIC®

FOR THE ULTIMATE PLASTER REPAIR

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Ethyl acrylate 140-88-5	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Acrylonitrile 107-13-1	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

WARNING! This product contains, or may contain, a substance(s) known to the state of California to cause cancer and/or reproductive harm.

Chemical name	California Proposition 65
Ethyl acrylate - 140-88-5	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Acrylonitrile - 107-13-1	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene Glycol 57-55-6	X	-	X
Potassium Hydroxide 1310-58-3	X	X	X
Ethyl acrylate 140-88-5	X	X	X
Formaldehyde 50-00-0	X	X	X
Acrylonitrile 107-13-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection X

Prepared By BWA, Inc.
Issue Date 26-Jan-2018
Revision Date 25-Jan-2018
Revision Note

No information available

Disclaimer

The data set forth in these sheets are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Worthen Industries makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereon.

End of Safety Data Sheet

PLASTER MAGIC®

FOR THE ULTIMATE PLASTER REPAIR