

SAFETY DATA SHEET
SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15
Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name	SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15
Product number	800-292-1124
Container size	5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

Hazard statements	NC Not Classified
Precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Detergent labelling	5 - < 15% anionic surfactants, < 5% non-ionic surfactants

2.3. Other hazards

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES	5-10%
CAS number: 68891-38-3	EC number: 500-234-8
	REACH registration number: 01-2119488639-16-XXXX

Classification

Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC)

Xi;R38,R41.

LACTIC ACID
1-5%

CAS number: 79-33-4

EC number: 201-196-2

Classification

Skin Irrit. 2 - H315
Eye Dam. 1 - H318

ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE
1-5%

CAS number: 61789-40-0

EC number: 263-058-8

Classification

Eye Dam. 1 - H318
Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC)

Xi;R36.

COCONUT DIETHANOLAMIDE
1-5%

CAS number: 68603-42-9

EC number: 931-329-6

Classification

Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Aquatic Chronic 2 - H411

Classification (67/548/EEC or 1999/45/EC)

Xi;R38,R41.

MONOPROPYLENE GLYCOL
1-5%

CAS number: 57-55-6

Classification

Not Classified

Classification (67/548/EEC or 1999/45/EC)

-

GLYCEROL
<1%

CAS number: 56-81-5

EC number: 200-289-5

Classification

Not Classified

Classification (67/548/EEC or 1999/45/EC)

-

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

SECTION 4: First aid measures

4.1. Description of first aid measures

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

Usage precautions Avoid contact with skin and eyes. Avoid spilling.

Advice on general occupational hygiene No specific requirements are anticipated under normal conditions of use.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

GLYCEROL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day
-------------	--

PNEC	- Fresh water; 0.24 mg/l - marine water; 0.024 mg/l - Intermittent release; 0.071 mg/l - Sediment, Fresh water; 0.917 mg/kg - Sediment, marine water; 0.092 mg/kg - Soil; 7.5 mg/kg - STP; 10,000 mg/l
-------------	--

LACTIC ACID (CAS: 79-33-4)

DNEL	Industry - Inhalation; Short term : 592 mg/m ³ Consumer - Oral; : 35.4 mg/kg/day
-------------	--

PNEC	- Fresh water; 1.3 mg/l
-------------	-------------------------

SODIUM CHLORIDE (CAS: 7647-14-5)

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

DNEL

Workers - Inhalation; Long term systemic effects: 2068.62 mg/m³
 Workers - Inhalation; Short term systemic effects: 2068.62 mg/m³
 Workers - Dermal; Long term systemic effects: 295.52 mg/kg/day
 Workers - Dermal; Short term systemic effects: 295.52 mg/kg/day
 General population - Inhalation; Long term systemic effects: 443.28 mg/m³
 General population - Inhalation; Short term systemic effects: 443.28 mg/m³
 General population - Dermal; Long term systemic effects: 126.65 mg/kg/day
 General population - Dermal; Short term systemic effects: 126.65 mg/kg/day
 General population - Oral; Long term systemic effects: 126.65 mg/kg/day
 General population - Oral; Short term systemic effects: 126.65 mg/kg/day

PNEC

- Fresh water; 5 mg/l
- Intermittent release; 19
- STP; 500 mg/l
- Soil; 4.86 mg/kg

COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

DNEL

Workers - Inhalation; Long term systemic effects: 73.4 mg/m³
 Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Workers - Dermal; Long term local effects: 0.0936 mg/cm²
 General population - Inhalation; Long term systemic effects: 21.73 mg/m³
 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
 General population - Dermal; Long term local effects: 0.0562 mg/cm²
 General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC

- Fresh water; 0.007 mg/l
- marine water; 0.001 mg/l
- STP; 830 mg/l
- Sediment (Freshwater); 0.195 mg/kg
- Sediment (Marinewater); 0.019 mg/kg
- Soil; 0.035

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

DNEL

Workers - Inhalation; Long term systemic effects: 168 mg/m³
 Workers - Inhalation; Long term local effects: 10 mg/m³
 General population - Inhalation; Long term systemic effects: 50 mg/m³
 General population - Inhalation; Long term local effects: 10 mg/m³

PNEC

- Fresh water; 260 mg/l
- Intermittent release; 183 mg/l
- marine water; 26 mg/l
- STP; 20000 mg/l
- Sediment (Freshwater); 572 mg/kg
- Sediment (Marinewater); 57.2 mg/kg
- Soil; 50 mg/kg

GLYCEROL (CAS: 56-81-5)

DNEL

Workers - Inhalation; Long term local effects: 56 mg/m³
 General population - Inhalation; Long term local effects: 33 mg/m³
 General population - Oral; Long term systemic effects: 229 mg/kg/day

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

PNEC	<ul style="list-style-type: none"> - Fresh water; 0.885 mg/l - marine water; 0.0885 mg/l - Intermittent release; 8.85 mg/l - STP; 1000 mg/l - Sediment (Freshwater); 3.3 mg/kg - Sediment (Marinewater); 0.33 mg/kg - Soil; 0.141 mg/kg
-------------	--

DIETHANOLAMINE (CAS: 111-42-2)

DNEL	<p>Workers - Inhalation; Long term local effects: 1 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 0.13 mg/cm²</p> <p>General population - Inhalation; Long term local effects: 0.25 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 0.07 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 0.06 mg/kg/day</p>
PNEC	<ul style="list-style-type: none"> - Fresh water; 0.02 mg/l - marine water; 0.002 mg/l - STP; 100 mg/l - Sediment (Freshwater); 0.092 mg/kg - Sediment (Marinewater); 0.009 mg/kg - Soil; 0.007 mg/kg

8.2. Exposure controls

Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use.
Hand protection	Hand protection not required.
Other skin and body protection	No specific requirements are anticipated under normal conditions of use.
Hygiene measures	No specific measures identified.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	White.
Odour	Unperfumed.
pH	pH (concentrated solution): 2-3
Relative density	1.01-1.03
Solubility(ies)	Soluble in water.
Viscosity	950-1500 cP @ 20°C
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information This product has low toxicity.

Inhalation No specific health hazards known.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Refer to manufacturer/supplier for information on recovery/recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SUPER PROFESSIONAL ANTIBACTERIAL HAND SOAP W15

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) N° 1223/2009 on cosmetic products
Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	04/01/2019
Revision	1
SDS number	21918
Hazard statements in full	H315 Causes skin irritation. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.