(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017 Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier : Mr Muscle® Window & Glass

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Washing and cleaning products (including solvent based products)

Uses advised against : None known.

1.3 Details of the supplier of the :

safety data sheet

Telephone :

E-mail address :

1.4 Emergency telephone

number

Consumer Care Center: UK - 0800 353 353 Ireland - 1800 409 176

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EU) 1272/2008 with the correlation table 67/548/EEC or 1999/45/EC (Annex VII of CLP)

| Hazard classification | Hazard category | Hazards identification |
|-----------------------|-----------------|--------------------------------|
| Skin irritation | Category 2 | Causes skin irritation. |
| Eye irritation | Category 2 | Causes serious eye irritation. |

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard symbols



Signal word Warning

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Revision Date 28.05.2014 Print Date 18.10.2017 Specification Number: 350000017137 SITE FORM Number: 30000000000000012648.002

Hazard statements

(H315) Causes skin irritation.

(H319) Causes serious eye irritation.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P337 + P313) If eye irritation persists: Get medical advice/ attention.

(P260) Do not breathe spray.

(P264) Wash hands thoroughly after handling.

Additional Labelling

Use only in well-ventilated areas.

As with any household product avoid prolonged skin contact with this product

Detergents regulations : Contains

< 5% Anionic surfactants, perfume

2.3 Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

| Chemical Name | CAS-No./EC No | Reg. No | | Weight percent |
|-------------------|-------------------|---------|---|---------------------|
| 2-Hexyloxyethanol | 112-25-4/203-951- | - | Acute toxicity Category 4 H302 Acute toxicity Category 4 H312 Skin corrosion Category 1B H314 | >= 1.00 - < 5.00 |

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017

Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation : No special requirements

Skin contact : Take off all contaminated clothing immediately.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

Eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

In the case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : Causes skin irritation.

No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : May cause irritation to mouth, throat and stomach.

May cause abdominal discomfort.

No adverse effects expected when used as directed.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Revision Date 28.05.2014

Version 1.0 Print Date 18.10.2017

Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

Unsuitable : None identified

5.2 Special hazards arising from

the substance or mixture

In case of fire and/or explosion do not breathe fumes.

Exposure to decomposition products may be a hazard to health.

Advice for firefighters : In the event of fire, wear self-contained breathing apparatus.

Wear suitable protective clothing and gloves.

Refer to current EN or National standard as appropriate.

5.3 Further information : Fight fire with normal precautions from a reasonable distance.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2 Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Clean residue from spill site.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

For disposal considerations see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling : For personal protection see section 8.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the application area.

Wear personal protective equipment.

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Do not freeze.

Keep out of the reach of children.

Store away from food, beverages and pet food. No decomposition if stored and applied as directed.

7.3 Specific end use(s) : Consumer uses: Private households (= general public = consumers)

Washing and cleaning products (including solvent based products)

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017 Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number: 30000000000000000012648.002

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Contains no substances with occupational exposure limit values.

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection : Wear suitable gloves.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye/face protection : Safety glasses

Skin and body protection : Wash contaminated clothing before re-use.

Other information : When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Environmental Exposure Controls : Refer to section 6.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : green

Odour : Herbal

Odour Threshold : no data available

pH : acidic

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Flash point : 56 °C

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017 Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

Evaporation rate : no data available

Flammability (solid, gas) : Does not sustain combustion.

Upper/lower flammability or

explosive limits

: no data available

Vapour pressure : not applicable

Vapour density : no data available

Relative density : no data available

Solubility(ies) : completely soluble

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : no data available

Decomposition temperature : no data available

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Explosive properties : no data available

Oxidizing properties : no data available

Other information : None identified :

10. STABILITY AND REACTIVITY

10.1 Reactivity : No dangerous reaction known under conditions of normal use.

10.2 Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous

reactions

: None known.

10.4 Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials : None known.

10.6 Hazardous decomposition

products

: No decomposition if stored and applied as directed.

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017 Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity

| Name | Method | Species | Dose |
|---------|------------|---------|---------------|
| Product | LD50 | | > 2,000 mg/kg |
| | Calculated | | |

Acute inhalation toxicity

| Name | Method | Species | Dose | Exposure time |
|---------|-----------|---------|----------|---------------|
| Product | LC50 | | > 5 mg/l | |
| | estimated | | | |

Acute dermal toxicity

| Name | Method | Species | Dose |
|---------|----------------|---------|---------------|
| Product | LD50 estimated | | > 2,000 mg/kg |

Acute oral toxicity

| Name | Method | Species | Dose |
|-------------------|-------------|---------|-----------|
| 2-Hexyloxyethanol | EU CLP LD50 | rat | 738 mg/kg |

Acute inhalation toxicity

| Name | Method | Species | Dose | Exposure time |
|-------------------|------------------|---------|------------|---------------|
| 2-Hexyloxyethanol | EU CLP LC50 | rat | > 131 mg/l | 6 h |
| | (vapour)Measured | | | |

Acute dermal toxicity

| Name | Method | Species | Dose |
|-------------------|-------------|---------|--------------|
| 2-Hexyloxyethanol | EU CLP LD50 | rabbit | 757.35 mg/kg |

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Toxicity for reproduction

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Print Date 18.10.2017 Revision Date 28.05.2014 Specification Number: 350000017137

SITE FORM Number:

3000000000000012648.002

STOT - single exposure : Based on available data, the classification criteria are not met.

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

12.1 Toxicity

| Components | Acute aquatic toxicity | M-Factor | Chronic aquatic toxicity | M-Factor |
|-------------------|----------------------------|----------|----------------------------|----------|
| 2-Hexyloxyethanol | No classification proposed | | No classification proposed | |

12.2 Persistence and degradability

| Component | Biodegradation | Exposure time | Summary |
|-------------------|----------------|---------------|------------------------|
| 2-Hexyloxyethanol | 96.8 % | 20 d | Readily biodegradable. |

12.3 Bioaccumulative potential

| Component | Bioconcentration factor (BCF) | Partition Coefficient n-Octanol/water (log) |
|-------------------|-------------------------------|---|
| 2-Hexyloxyethanol | no data available | 1.97 |

12.4 Mobility

| Component | End point | Value |
|-------------------|-----------|-------------------|
| | | |
| 2-Hexyloxyethanol | | no data available |

12.5 PBT and vPvB assessment

| Component | Results |
|-------------------|--------------------------------------|
| 2-Hexyloxyethanol | Not fulfilling PBT and vPvB criteria |

12.6 Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Disposal should be in accordance with local, state or

national legislation.

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Revision Date 28.05.2014 Print Date 18.10.2017 Specification Number: 350000017137 SITE FORM Number: 30000000000000012648.002

Please recycle empty packaging.

Packaging : Do not re-use empty containers.

14. TRANSPORT INFORMATION

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental

This safety datasheet complies with the requirements of Regulation (EC)

No. 1907/2006.

regulations/legislation specific for

the substance or mixture

16. OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Further information

| H302 | Harmful if swallowed. |
|------|--|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

(according to Regulation (EC) No. 1907/2006)

Mr Muscle® Window & Glass

Version 1.0 Revision Date 28.05.2014 Print Date 18.10.2017 Specification Number: 350000017137 SITE FORM Number:

3000000000000012648.002