



PRODUCT PROFILE

INDUSTRIAL DETERGENTS

BUSTER™

FORMULA 5621

Heavy Duty Rust and Scale Remover



DESCRIPTION

Buster™ is a heavy-duty liquid acid concentrate that is designed to effectively and easily remove lime, iron, and scale from surfaces with little effort. This formula is ideal for removing hard water buildup on stainless steel, FRP, glass, concrete, PVC, and many other hard surfaces. This formula meets USDA requirements. Buster's™ pleasant smelling formula is more user-friendly than other heavy-duty scale removers and is biodegradable.

AT A GLANCE



BUSTER™
FORMULA 5621

- Removes scale with minimal effort
- Meets USDA Requirements
- Pleasant odor provides for a more pleasant working environment

APPLICATIONS

Removing Scale	Excellent Wall Cleaner in Wash Bays	FRP Concrete PVC Glass
Removing Light Rust	Stainless steel	

SPECIFICATIONS

Physical Form: Liquid	pH (1% dilution): 1.0 - 2.0
Recommended Dilution: Varies - See Label	DOT Class: Corrosive
Color: Clear	Fragrance: None

PRODUCT AVAILABILITY

Available Sizes	Container Type	Weight per Container	QTY per pallet	Ships UPS	Additional Hazard Fee
5 Gallon	Square Pail	50 lbs.	32	Yes	Yes
55 Gallon	Poly Drum	550 lbs.	4	No	N/A



PRODUCT PROFILE

INDUSTRIAL DETERGENTS

FORMULA 5621

Sample Label

INDUSTRIAL CLEANING

KO

Corrosive Liquid, n.o.s. (Phosphoric Acid, Sulfuric Acid), UN 1760

BUSTER™

RUST & SCALE REMOVER

FORMULA 5621
NET CONTENT 5 Gal (19 Liters)
■ 55 Gal (209 Liters)

DESCRIPTION:
• A Heavy Concentrated Blend of Acids
• Specifically Formulated to Remove Lime, Rust, Iron & Scale from a Large Variety of Surfaces
• A Low Odor Formula

INGREDIENTS:
Contains: Water, Phosphoric Acid, Sulfuric Acid and Proprietary Surfactant Blends.

HAZARD WARNING:
Corrosive Material: Contact with skin and eyes may cause severe burns. Inhalation of mist can cause irritation and burns to nose, throat. Ingestion can cause severe burns to mouth, throat and stomach. When handling, wear safety glasses, rubber gloves, apron and rubber boots.

FIRST AID:
Eyes and Skin: Flush thoroughly with water for 15 minutes and consult a physician immediately. Inhalation: Remove to fresh air. If not symptomatic, ingest. Do not induce vomiting. Dilute by drinking 2 large glasses of water. Get medical attention immediately. Never give anything by mouth to an unconscious person.

ATTENTION: Refer to our MSDS regarding Handling and disposal of this product.

IN CASE OF EMERGENCY: Call Chemtrec day or night for assistance and information concerning spilled material, fire, exposure, and other accidents. **1-800-424-9300**

Manufacturer warrants this product to its label description. MANUFACTURER MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, WHETHER OF FITNESS OR MERCHANTABILITY, OR ANY OTHER MATTER SPECIFIC TO THE PRODUCT. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Manufacturer and Seller are not intended to retain title, ownership and control of the product after sale. The above may be subject to change without notice and is subject to restrictions or laws of the state of Missouri. Seller assumes no liability for use of this product on certain products.

DILUTIONS CHART:

Surface:	General Cleaning:	*Heavy Cleaning:
Painted Aluminum (Vehicles, Boats, Siding)	32:1	4:1
Stone	16:1	6:1
Concrete	16:1	2:1
Stucco	32:1	8:1
Brick	16:1	2:1
Asphalt	16:1	2:1
Roofing	16:1	2:1
FRP Board	16:1	2:1
Treated Outdoor Wood (Decks & Fencing)	32:1	8:1
Ceramic Tile	16:1	4:1
Porcelain	16:1	4:1
Chrome	16:1	2:1
Steel	16:1	2:1
Stainless Steel	16:1	2:1
Plastic	16:1	2:1
Fiber Glass	16:1	2:1
Canvas	32:1	4:1
Carpet	64:1	4:1
Vinyl Tile	16:1	2:1
Rubber	16:1	2:1
Other Painted Surfaces	16:1	2:1

HD Heavy Duty Cleaning
C Concrete
B Building Exterior
M Metal

FORMULA 5621
NET CONTENT 5 Gal (19 Liters)
■ 55 Gal (209 Liters)

RESEARCH

Through R&D and field testing, KO Chemists combine creativity with technology to bring you products with the performance you require. Using our sophisticated KO lab we continually test new products, existing products, and our manufacturing processes for effectiveness and affordability. When a new product meets our requirements, it goes to a select group of end-users for real-world evaluation. Only after testing, evaluating, and re-testing is a KO product ready for distribution.

Dilutions Chart:

Surface:	General Cleaning:	*Heavy Cleaning:
Painted Aluminum (Vehicles, Boats, Siding)	32:1	4:1
Stone	16:1	6:1
Concrete	16:1	2:1
Stucco	32:1	8:1
Brick	16:1	2:1
Asphalt	16:1	2:1
Roofing	16:1	2:1
FRP Board	16:1	2:1
Treated Outdoor Wood (Decks & Fencing)	32:1	8:1
Ceramic Tile	16:1	4:1
Porcelain	16:1	4:1
Chrome	16:1	2:1
Steel	16:1	2:1
Stainless Steel	16:1	2:1
Plastic	16:1	2:1
Fiber Glass	16:1	2:1
Canvas	32:1	4:1
Carpet	64:1	4:1
Vinyl Tile	16:1	2:1
Rubber	16:1	2:1
Other Painted Surfaces	16:1	2:1

Attention: Refer to our Material Safety Data Sheet regarding hazards, personal protection, and disposal of this product.

KEEP IT CLEAN™
KO MANUFACTURING, INC.
2720 E. Division • Springfield, MO 65803

800.777.SOAP
800.777.7627
www.komfg.com