
# **In-Ground Fiberglass Pit Systems**

Use these premium quality fiberglass pit components for creating the appropriate pre-treatment pit system for your wash water recycle system or sewer discharge operations.





## 3' x 9' Pit Systems

Part Number	Pit Size (Ft.)	Description	Ship Wt.
12-0074	3x9x4.5	3-stage collection pit, fiberglass, 600-gallon capacity	480 lb.
12-0223	3x9x4.5	3-ft. x 9-ft. baffleless pit, fiberglass, 600-gallon capacity	480 lb.
12-0238	3x9x4.5	2-stage collection pit with single baffle, fiberglass, 600-gallon capacity	480 lb.
12-0244	3x9x4.5	3-stage collection pit with middle weir and third baffle, fiberglass, large solids settling area, 600-gallon capacity	480 lb.
20-0635A01	Fits 3x9	Above-ground external brace kit, #12-0074	250 lb.
56-0032	Fits 3x9	Aluminum hinged diamond plate cover with 3 frame sections	100 lb.
RC-0001-0003	Fits 3x9	Brace kit for installation of 3-stage collection pit	200 lb.
RC-0018-0001*	Fits 3x9	Steel grating for pit; 3,060 lb./ft.² uniform load rating	546 lb.
RC-0018-0002*	Fits 3x9	Steel grating for pit with steel cover; 3,060 lb./ft.² uniform load rating	680 lb.

\*May combine RC-0018-0001 and RC-0018-0002 to have both open and closed sections for the 3'x9' pits.

### 3' x 3' Pit System

Part Number	Pit Size (Ft.)	Description	Ship Wt.
12-0071	3x3x4.5	Catch basin, fiberglass, 100-gallon capacity	190 lb.
20-0480A01	Fits 3x3	Steel grating for pit, 2 sections; 6,250 lb./ft.² uniform load rating, H-20 load rated	250 lb.
20-0733A01	Fits 3x3	Above-ground external brace kit	250 lb.
56-0031	Fits 3x3	Aluminum diamond plate cover and frame	30 lb.
RC-0001-0002	Fits 3x3	Brace kit for installation of 3-ft. x 3-ft. pit	150 lb.

### 2' x 2' Pit System

Part Number	Pit Size (Ft.)	Description	Ship Wt.
12-0073	2x2x3	Sump pit, fiberglass, 50-gallon capacity	92 lb.
20-0479A01	Fits 2x2	Steel grating for pit; 6,660 lb./ft.² uniform load rating, H-20 load rated	100 lb.
56-0030	Fits 2x2	Aluminum diamond plate cover and frame	60 lb.
RC-0001-0001	Fits 2x2	Brace kit for installation of 2-ft. x 2-ft. pit	75 lb.

Accessories:	
Part Number	Description
3-0216	Submersible sump pump - Stainless-steel replacement, 1/2 HP, 230V, 1Ø, 5.0A
3-0328	Replacement sump pump - Surface-mount, 1.0 HP, 115V, 15.0A or 1.0 HP, 230V, 8.0A
33-0491	Trap and basket - 6-in., used on #3-0328 sump pump
55-1848	Bulkhead fitting - For piping of pits, 2-in., 1 each
55-2248	Bulkhead fitting - For piping of pits, 3-in., 1 each
55-2448	Bulkhead fitting - For piping of pits, 4-in., 1 each
855-0013	Oil coalescing pack - For #12-0074 3-stage collection pit

opuon:		
Part Number	Description	
WX-0018	Air stone assembly - Prevents water from stagnatizing, includes regulator assembly, for aeration of pits	
Aluminum Sump Pit and Grating:		
Part Number	Description	
56-0069	Aluminum round sump pit - Lightweight aluminum design; 4-in. NPT inlet; 2-in. x 2-in. NPT and 1-in. x	
	¾-in. NPT outlets; 52-gallon capacity	
56-0070	Aluminum sump grating - Lightweight aluminum design, cover for #56-0069 aluminum round sump pit	

## The different pit components are designed to:

- Effectively pre-treat vehicle wash water for treatment by an above-ground system
- Be easily installed by your contractor





CERTIFIE

## Pit Cleaner

The Pit Cleaner is the right tool to aid in the clean-up of solids in hard-to-reach places. It is designed to draw and strain the solids that collect in wash water pits.

Effective in applications such as:


- Mud and sludge pits
- Sand pits
- Heavy grass clean-up

Use with pressure washers 2.0-GPM up to 5.0-PM and 1000-PSI up to 4000-PSI.



Part Number	Description	Dimensions (LxWxH)	Ship Wt.
855-0017	Sludge box - Plastic box designed to hold the sludge bags; includes a 10-ft. x 2-in. diameter PVC hose	30x20x16in.	31 lb.
RC-0002-0001	Pit cleaner assembly - Includes the suction lance, suction head and flex hose; 87-in. suction lance is capable of vacuuming up to 1-in. diameter solids, 20-ft. of flexible hose is standard with the suction lance	93x12x4in.	25 lb.
RC-0003-0001	Sludge carrier - Movable cart designed to hold the sludge bags	22x29x48in.	53 lb.
RC-0003-0002	<b>Biodegradable sludge bags</b> - Designed to capture the sludge while allowing the water to flow through, used with either #855-0017 sludge box or #RC-0003-0001 sludge carrier; 5 qty.	-	-

## Sample Pit Cleaning Application with In-Ground Pit System



with the suction lance

Typical pre-treatment applications include:

- Rental Yards
- Golf Courses
- Heavy Equipment Dealers
- Trucking Facilities
- Military Bases
- Truck Rental Fleets
- Diesel Repair Facilities
- Forklift Washing Operations
- Aircraft Maintenance and Restoration
- Shipyards

1-inch diameter solids. 20-feet of flexible hose is standard

- Municipalities/State DOTs
- Oil Fields
- Engine Rebuilders and Manufacturers

### The Importance of a Proper Pit System

force from the pressure washer, mud is sucked from the

bottom of the pit to the biodegradable sludge bag.

Once equipment is washed, the untreated wash water flows into your pit system. A proper pit system for your application is the first step in proper wash water treatment and a critical element in any wash water recycle system.

Consult your dealer to determine the pit system configuration that works best for your application.

**Hanson** 

Industrial - Peoria, Inc.

# **BPS Series** | Biological Pit Enhancement System

The Biological Pit Enhancement System enables you to inject air, microbes and nutrients into water stored in pits where oil collects and gathers. The BPS Series will improve the quality of the water by decreasing the amount of oils while adding oxygen.

## The Biological Pit Enhancement System consists of:

- 2 aeration pumps linear pumps used to infuse air into water collection pits
- 2 peristaltic pumps used to inject bacteria and nutrients if so desired

### Features include:

- 115V or 230V single phase settings (consult dealer for more information)
- Internal timers allow end user to control the amount and frequency of the liquid microbes and nutrient doses. The BPS Series can be set to inject bacteria every minute, every hour or every day, whatever the situation dictates.





# **BPS Series | Sample Equipment Application**



## Sample Pit Application with Biological Pit Enhancement System

