



BUILDING DREAM DOCKS SINCE 1955

Summer fun starts with a "Fendock"

Waterskiing, boating, fishing and swimming - enjoy every moment of summer from your Fendock. An affordable, high quality aluminum dock, Fendock is an attractive addition to your waterfront. With it's easy assembly, spring installation & fall removal, Fendock extends your summer season giving you more time to spend with family and friends.

Assembly is a snap!

No special tools are required to assemble your Fendock!

The side trusses come pre-assembled to facilitate initial assembly. Your Fendock can be quickly assembled by one or two people and is a breeze to put in and take out of the water. Complete Fendock systems and accessories are packaged with handling and portability in mind.

Fendock Truss Docks

Truss docks are available in two formats: UNIT construction & MODULAR construction.

UNIT construction truss docks are available in 16' & 24' lengths.

Each dock includes 16' or 24' pre-assembled aluminum side trusses, two 4' and two 8' aluminum leg assemblies, hold-down decking clips and all required hardware.

MODULAR construction truss docks are available in 16', 24', 32' & 40' lengths (longer lengths are available). The pre-assembled aluminum side trusses are broken down into 8' modules (for easy transport), and are connected together with couplers. The 16' and 24' lengths come with two 4' and two 8' leg assemblies. The 32' and 40' lengths come with two 4' and four 8' leg assemblies.

Both unit and modular systems are available in 4', 6' & 12' widths.

Strong, safe & lightweight

Being a *versatile* and *adaptive* dock system, Fendock brings you year after year of summer enjoyment. Made of the finest quality structural aluminum, Fendock is environmentally friendly and maintenance free!

No annual repairs or rebuilding are required. Professionally designed and tested, Fendock has been satisfying docking needs since 1955!

*Approach Ramp

An 8' ramp assembly is available in 4' & 6' widths.

Two pre-assembled aluminum trusses (with connectors) are included. Ramp pivots up or down to accommodate all shorelines.

CAUTION

Damage may result if care is not exercised with heavy boats and/or rough water. In such cases, boats should be moored away from the dock or should be on a boat lift.

Leg Assemblies

Leg assemblies consist of a leg, a leg retainer (holder), a stainless steel fastpin, a base plate, a cap & all necessary hardware.

The legs are made from a structural tubular aluminum 6061-T6, 2" in diameter.

The stainless steel fastpins allow you to make adjustments to the height of your dock quickly and easily without any tools.


The 9" aluminum base plates are made from extruded aluminum and are self leveling.

Leg assemblies are included with all docks.

*DockStairs®

Durable....Lightweight....Safe....Modular.... These virtually maintenance free aluminum "DockStairs" provide easy access to your Fendock. Our stair configurations range from 2 steps up to 8 steps. (See page 12)

* Available as an option. Not included with our standard docks.



(See page 10)

· Many accessories are available




Truss Docks UNIT construction

UNIT construction

Truss Docks are available in 16' and 24' lengths, both in 4', 6' or 12' widths. Each 4' or 6' wide dock includes two 16' or 24' pre-assembled aluminum trusses, two 4' and two 8' leg assemblies, hold-down decking clips, and all required hardware.

8' Approach Ramps are available separately in both 4' and 6' widths.

Decking is not included in our pricing, but is available separately. Ask your dealer about your decking options.



Dock/Ramp Connector Kits



PN98016


1 The 4-1/4" IN-LINE DOCK / RAMP CONNECTOR KIT is required when connecting ramps or dock sections of the same width end-to-end (see junctions in the diagram marked 1). One 4-1/4" in-line dock / ramp connector kit is included with each ramp.



(2) The 1-1/4" SIDE RAIL

CONNECTOR KIT is required when connecting a ramp or dock section perpendicular to each other in a "T" configuration (see junctions in the diagram marked (2)).

Connectors are sold as a pair and include all necessary fasteners.



Truss Docks **MODULAR** construction




Proudly Canadian

MODULAR construction

Truss Docks are available in 16', 24', 32' and 40' lengths, in 4', 6' or 12' widths. Unlike unit construction, the modular side trusses are separated into 8' modules. The 8' modules are connected using precision engineered couplers which form permanent connections which are not meant to be taken apart. Once the "Modular" docks are assembled, they have the same structural integrity, and are virtually identical to the "Unit" construction docks.

The Fendock "Modular" system

See example below of a 24' Fendock being assembled using the modular system.



Can be transported on car roof racks, trailer, or delivered by your local dealer. Total weight is between 117 to 360 lbs depending on size.

FENDOCK BUILDING DREAM DOCKS SINCE 1955

Frame Docks

Frame Docks

Frame docks have a 5 1/2" aluminum extruded frame which bolts together. Available in 10' lengths and 4', 6' or 8' widths.

Each 10' section comes with two 5' leg assemblies, one set of hinges, and two aluminum hold down angles. to hold decking down on dock frame.

Legs are mounted inside the frame, and leg height is adjusted using 2 set-screws per leg. Wood decking is held in place using two aluminum angles, which are bolted down into a threaded channel (see drawing of structure below). The bolt goes down between the 2" x 6" decking boards, so that it will not penetrate the wood.

6' wide and 8' wide frames include a center stringer. Decking is not included, but is available separately.


10' x 4' - (PN99270)

10' x 6' - (PN99271)

10' x 8' - (PN99272)

The Aluminum Structure

Our frame docks and floating docks use a custom aluminum extrusion for their framework, designed exclusively for use by Fendock. The end rails & stringers bolt together using screw ports to create the frame. Being a bolted system facilitates transport/shipping because it can be sent disassembled, allowing for on site assembly.



hold-down angle

The Aluminum hold-down angle and floats are bolted into threaded channels that run the entire length of the dock frame, on the top & bottom of the extrusion.



Three sections of the Frame docks, connected end to end. 10' x 4' (used as ramp), 10' x 6' (dock) & 10' x 8' (dock). Each 10' section comes with two 5' leg assemblies. In this configuration, we have taken the legs that come with the 10' x 4' section and we attached them to the 10' x 8' section, and we used the 10' x 4' section as a ramp.









Fendock Floating Docks at Camp B'nai Brith, Ottawa River, P.Q.



Fendock Floating Dock & Ramp on Lac McPhee, P.Q.

Floating Docks

Proudly Canadian

Floating Docks

Like our frame docks, our innovative floating docks use the same $5\,1/2$ " extruded aluminum frame and the same aluminum angles to hold down the decking. The floats are bolted onto the bottom of the frame. These docks are available in a wide variety of sizes, up to 20' x 20'.

Decking is not included, but is available separately. (See dealer or website for specifications)







Fendock Floating Docks at Cristy Lake Camp (For kids), Perth. ON.


Floating Dock model showing:

Hinges, anchor plates, floats, decking, hold down angles, upper and lower bumpers.

* Bumper Corner Cap

Bumper corner caps can be used to join two bumpers in a comer, or you can cut the tabs off one side and use the corner as an end cap. (PN01507)

Bolts to fasten "Hold Down Angle" are bolted between 2" x 6" decking planks and do not penetrated the wood.



Small "upper" bumper (PN90100)

bumper (PN90200)

* Corner Stiffening Bracket

This additional bracket can be added to floating docks to stiffen the corners in applications where there is very large wave activity, or for commercial applications. (PN 98203)



(PN98020)

* Anchor Plates

This floating dock anchor plate is made from ¼" thick aluminum and is machined so the anchor chain can be easily adjusted. (Includes hardware)



(PN98200)

* Floating Dock Hinges

These heavy duty floating dock hinges are made from ½" thick aluminum, and have a hitch pin for easy disconnect.

(Stainless steel hardware included)




(PN97020)

Floats

Our floats are made from HDPE (high density polyethylene) and are foam filled. They measure 2' x 4' x 12" deep and have a buoyancy of 400 lbs. They will not rot or corrode and are not affected by oil or gasoline.

8' x 8' Swim Raft

Swim Rafts are manufactured using the same 5 ½" aluminum extrusion. Our rafts come with two hold down angles, a center anchor spring, four floats and all necessary hardware. Decking is not included, but is available separately.



PN99279)

*Swim raft is shown with optional ladder, solar lights and decking







Accessories

Aluminum Dock Ladders

Quick release mounting bracket (included with deluxe ladders)







Deluxe Ladders

Deluxe ladders have a curved walk-through top. They are constructed of sturdy 1 1/2" round powder coated painted aluminum tube and come with 4 steps. Quick release mounting brackets included.

PN98023 Deluxe ladder with aluminum steps. Steps are wider (5 1/2") for added comfort.

PN98021 Deluxe ladder with 3" stainless steel steps.




Standard (PN98022) Straight walk-through dock ladder. Sturdy 1 1/2" round powder coated painted aluminum tube with 4 stainless steel steps (3" wide). Fixed mounting brackets included.



Fendock Leveling Kit


A winch with a nylon strap slips into the top of a Fendock leg. The hook on the end of the strap is inserted into the bottom of the leg retainer. After removing the fast pin, the winch allows you to adjust the height of your Fendock without entering water. (PN98002)



Constructed of structural tubular aluminum 6063-T4 extrusion, our telescopic deep water stabilizer can be used on Fendock stationary pipe docks in water depths ranging from 1' to 6.5'.

It easily self-adjusts when leveling your dock – just loosen the lever nut, level your dock and tighten the lever nut.

Your dock is now rock solid.



- 1. Loosen the lever nut
- 2. Adjust and level your Fendock
- 3. Tighten the lever nut.

Easy as 1-2-3!

Accessories continued

Proudly Canadian

Solar Dock Lights

(Set of Two)

Fits post sizes 1 5/8", 1 7/8", 2", 2 3/8" and 3 1/4" or can be secured with screws to any flat surface. (PN53321)



Fendock Bench

Manufactured from structural, mill finish extruded aluminum with cedar seat and back supports. Attaches to Fendock side truss. This 48" long bench includes all necessary hardware and wood.



(PN98050)

Flag Pole

1 1/2" diameter mill finish aluminum. 10' or 20' high. Fits into Fendock leg post.



20' - (PN98041) 10' - (PN98040)

Wheel kits

Wheel kits include two wheels, and two axels, and the necessary hardware. The wheels replace the base plates on the bottom of the leg. The axle slides up into the leg and are bolted in place. Having wheels allows one person to lift one end of the dock & wheel it into place.



Deluxe Wheel Kit

These heavy-duty wheels are 24" in diameter, 8" wide. They are made from polyethylene and are U.V. stabilized.

These wheels are hollow and fill with water when rolled in. (PN98000)



Standard Wheel Kit

This kit includes one pair of 16" x 3.5" solid poly tires (ie: Flat-Free) with rims, made from high impact poly virgin materials. These wheels have a little bounce & buoyancy, making them good for rocky locations and very soft bottoms. (PN98015)



Boat Rack

This 30" wide rack provides a convenient place to hold a canoe or windsurfer. These aluminum supports simply slide down the Fendock leg, are quickly adjustable, and swing out of the way when not in use.

Three models available: Single, Double & Triple Rack. (Double Rack shown)

Single (PN98056) Double (PN98057) Triple (PN98058)



Fold-down Dock Cleat

6" cast aluminum. White powder coated paint finish. Mounting hardware included.

(PN98025)



Accessories continued

Dock "Lift Kit"

Our dock lift kit makes seasonal dock installation and removal by one person very convenient. This system is perfect for situations where a dock projects from a fixed structure such as a permanent deck. Secure your Fendock (Truss Dock) to a permanent shoreline structure using Fendock dock hinges (see inset to right) and lift the dock out of the water at the end of the season using the fold-away tower concealed under the decking. One tower, two spreader bars, cables, one set of hinges, rope to tie off the far end of dock, and the 2000 lb. capacity winch, all included.









4' Wide Tower, (PN98360) 6' Wide Tower (PN98361) (32' Modular truss dock shown)


DockStairs by Fendock

Attractive, safe and durable, DOCKSTAIRS will make it easy for young and old to enter and exit the water safely and in comfort.

Our modular 2-STEP and 4-STEP stairs can be used independently or combined to create 6-STEP and 8-STEP configurations.










Accessories continued



Proudly Canadian



Extruded Aluminum Decking

Our aluminum decking is an environmentally friendly alternative to wood. Aluminum sections are strong and maintenance free. Unlike wood they will never rot, splinter, warp or require seasonal treatments. The extruded shape, with ridges helps to prevent slipping, and under direct sunlight, the aluminum decking remains cooler than wood decking. Our aluminum sections are available with a simulated Wood Grain Pattern, or with the standard factory mill finish. Aluminum sections are shipped pre-assembled and are available for most of our docks.

(See your dealer, or call our toll free number for more information)

20' Boat Roller Ramp: DOUBLE

5 Sets of "Double" Rollers, and 2,000 lbs capacity winch (shown below)



20' DOUBLE Roller Ramp (PN99101)
10' DOUBLE Roller Ramp Extension (PN99106) (Not shown)

20' Boat Roller Ramp: SINGLE

5 Sets of "Single" Rollers, and 1,400 lbs capacity winch (shown below)



20' SINGLE Roller Ramp (PN99100) 10' SINGLE Roller Ramp Extension (PN99105) (Not shown)



Mooring Whips

Fiberglass rods mounted in cast aluminum bases. Different models available, for boats up to 20,000 lbs. Holds boats away from dock protecting both from costly damage. Braided marine mooring & whip lines included. Watch our video to see mooring whips in action. www.fendock.com/video.html

Boat Weight	Whip Length	Product Number
2,500 LBS	8 feet	3200-F
5,000 LBS	12 feet	3400-F
10,000 LBS	14 feet	3600-F
20,000 LBS	16 feet	3800-F



Mooring Whips "U" Bracket

Recommended when using mooring whips on Fendock Truss Docks. Secures whips to frame of the dock. PN 98010 / 98011



Custom (Low Freeboard) Floating Docks for the Ottawa Rowing Club.

FENDOCK Accessories continued

BUILDING DREAM DOCKS SINCE 1955

Side Rail Bumper

This side rail bumper is designed for our Fendock truss docks, but is easily adapted to almost any mooring situation. 4' long x 6" deep, they provide the same depth of protection as the vinyl bumper on our leg retainers. These bumpers are also inflatable so you can adjust their inflation to your specific needs. Side rail bumpers come in a package of two and include all necessary hardware. (PN98900)



Vinyl Fendock Bumper

These rugged bumpers are designed to slide over the Fendock leg retainer to protect both your boat and dock. You can add extra leg retainers with bumpers to the sides of your Fendock for extra protection.

Set of 4 bumpers only (PN98030) One extra leg retainer with one bumper (PN98031)




PWC / Sailboat Caddy

This lightweight aluminum caddy has adjustable carpeted bunks, telescopic adjustable length, and a hand ratchet winch with strap.

The caddy comes knocked down for shipping, and is easily assembled.

Caddy with standard wheel (16" DIA.) (PN98080) Caddy with deluxe wheel (24" DIA.) (PN98081)



- · Length is adjustable from 36" to 93"
- · Maximum width of carpeted bunks is 35"

Lifting Bar

The lifting bar is a tool made from a single piece of 1 ½" slotted aluminum tubing and is intended to assist in moving your truss style Fendock in and out of the water. Use of a lifting bar will prevent damage to cross braces, which are not intended for the purpose of lifting, pushing or pulling.



Watch our video how to use the Fendock Lifting Bar on a 40' Truss Dock at: www.fendock.com/video.html

Boat Lifts & accessories



Proudly Canadian

Cantilever Lift



Cantilever Lifts

MODELS	WT. (LBS)	WIDTH	CAPACITY (LBS)	TOTAL RISE
GM 6120 (Catamaran 14' to 20')	180	120"	600	36"
GM 984	160	84"	900	36"
GM 1260 (PWC)	165	60"	1200	36"

Vertical Lift



Vertical Lifts

MODELS	WT. (LBS)	WIDTH	CAPACITY (LBS)	TOTAL RISE
GM 1263 V	180	63"	1200	48"
GM 18102	289	102"	1800	48"
GM 26108	385	108"	2600	60"
GM 35108	390	108"	3500	60"
GM 35120	400	120"	3500	60"
GM 45120	460	120"	4500	60"
GM 55120	600	120"	5500	60"

PONTOON Vertical Lift



PONTOON Vertical Lifts

MODELS	WT. (LBS)	WIDTH	CAPACITY (LBS)	TOTAL RISE
GM 35120	450	120"	3500	60"
GM 45120	495	120"	4500	60"

Hydraulic Lift



Hydraulic Lifts

MODELS	WT. (LBS)	WIDTH	CAPACITY (LBS)	TOTAL RISE
GM 45120 HYD C/W REMOTE	510	120"	4500	53"
GM 65120 HYD C/W REMOTE	650	120"	6500	53"
GM 85120 HYD C/W REMOTE	750	120"	8,500	53"
GM 100132 HYD 24V	1050	132"	10,000	53"

Accessories available:

Step rails, Carrying handle, Motor stop, Transport kit, Extension legs, 12 or 110 volt power unit and 12v DC direct drive.

See online @ www.fendock.com

Canopy (available in 11 colors) Burgundy, Beige, Black, Blue, Green, Grey, Midnight Blue, Khaki, Brown, Yellow and Red

One end of canopy rolls up for easy access.



Burgundy canopy shown

MODEL	CANOPY LENGTH
GM 1263V	12'
GM 18102	21'
GM 26108 / 35108	21' / 24'
GM 35120 / 45120 / 55120 / 65120	24' / 27'
GM 100132	32'

- Aluminum frame (6005/6061)
- 14 oz. heavy duty double coated protective vinyl
- Welded seams will not leak
- Rot and fungus resistant

- U.V. resistant for long life
- Adjustable buckle to keep cover secure to canopy frame
- Air vent on each end for ventilation
- Canopy brace for 27' and 32' canopies



ANNUAL PHOTO CONTEST!

Email (info@fendock.com) pictures of your Fendock waterfront to enter!

No personal information gathered in this contest will be kept or sold. Photos submitted under this contest may be printed and placed in promotional material such as our Fendock photo albums and online gallery which we use to show the versatility of the Fendock and inventiveness of our customers. **Enter to win a \$ 250.00 gift certificate.**

WARRANTY

Fendock is proud to offer a 5 year warranty which is a testimony of the quality workmanship and materials used in the manufacturing of our products. This warranty is valid only under normal use and under normal conditions. Our detailed warranty is available upon request.

MANUFACTURED BY:

www.fendock.com

Fendor Glass & Aluminum

46 Auriga Drive, Ottawa, Ontario K2E 7Y3 Tel. 613-722-6581, Fax. 613-722-3168 Toll Free 1-888-FENDOCK (336-3625) Email: info@fendock.com

YOUR AUTHORIZED DEALER:

