

Safety Data Sheet

1200 WearMax Scratch Concealer

Date: May 29, 2015

Version: 1

Page 1 of 5

1. Identification of the substance or mixture and of the supplier

Product Number(s)	1200
Product Name(s)	WearMax Scratch Concealer
Chemical Family	Mixture of acrylic oligomer
Recommended use	Scratch repair for prefinished flooring.
Restrictions on use	Use only as directed.
Supplier	Trustor Coatings, LLP
Address	840 S 62 nd Avenue Wausau WI 54401 USA
Contact Number	715 849-2989
24 Hour Emergency Phone	Infotrac (800) 535-5053 International (352) 323-3500 (collect)

2. Hazards identification

GHS Classification	Skin irritation - 2 Eye irritation - 2 Skin sensitization - 1
Symbols	Exclamation mark.
Signal Words	Warning
Hazard Statements	H315 - Causes skin irritation. H320 - Causes eye irritation. H317 - May cause an allergic skin reaction.
Precautionary Statements	
Prevention	P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves and eye protection. P272 - Contaminated clothing must not be allowed out of the workplace. P261 - Avoid breathing mist or spray.
Response	P303+P352 - If on skin (or hair): Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P363 - Take off contaminated clothing and wash before reuse. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Storage	
Disposal	P510 - Dispose of contents/container in accordance with local, state and federal regulations.
Supplemental Information	90% of the ingredients in this product are of unknown acute toxicity. Based on known data for similar materials, it is expected to be of low toxicity.

3. Composition/information on ingredients

Hazardous Components	CAS #	Weight %
acrylic oligomer	proprietary*	90
photoinitiator	proprietary*	2

* Specific chemical identity has been withheld as a trade secret.

Safety Data Sheet

1200 WearMax Scratch Concealer

Date: May 29, 2015

Version: 1

Page 2 of 5

Any weights given as ranges are due to batch to batch variability.

4. First aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Avoid concurrent exposure to the sun or other sources of UV light, which may increase the sensitivity of the eyes.
Skin Contact	Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do not use solvents or thinners. Avoid concurrent exposure to the sun or other sources of UV light, which may increase the sensitivity of skin.
Ingestion	Obtain immediate medical attention. Keep at rest. Give nothing by mouth. Only induce vomiting at the instruction of a physician.

5. Fire-fighting measures

Extinguishing Media	SUITABLE: Alcohol resistant foam, CO ₂ , powders, water spray. UNSUITABLE: None known.
Special Protective Equipment for Firefighters	Exposure to decomposition products may cause a health hazard. Use appropriate breathing apparatus. Cool closed containers exposed to fire with water. Do not allow run off from fire fighting to enter drains or watercourses.
Specific hazards and combustion products	Fire/thermal decomposition products may include oxides of carbon, fumes containing organic acids and dense black smoke.

6. Accidental release measures

Steps to be taken if material is released or spilled	Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures listed in sections 7 and 8. Contain and collect spillage with non-combustible absorbent materials like sand, diatomaceous earth, vermiculite, or earth. Place in container for disposal according to local regulations. Clean up with detergent but do not use solvents. Do not allow into drains or watercourses. If material enters drains or sewers, call local sewer or state authority.
---	---

7. Handling and storage

Handling	Use appropriate protective equipment. Do not get in eyes, on skin or on clothing. Remove contaminated clothing and clean before reuse. Destroy any clothing items that cannot be decontaminated. Handle in well ventilated areas. Avoid formation of vapor and mist. Always keep in original, tightly closed containers. Isolate from sources of heat, sparks and open flame. Do not eat, drink, or smoke in the workplace. Wash hands before eating, drinking or smoking.
Storage	Store at 15~30°C. Store in tightly closed containers in a properly vented storage area away from direct sunlight. Keep in original containers.

8. Exposure controls/personal protection

Exposure limits	There are no exposure limits established for the preparation or available for hazardous
------------------------	---

Safety Data Sheet

1200 WearMax Scratch Concealer

Date: May 29, 2015

Version: 1

Page 3 of 5

	components at the time of revision.
Engineering measures	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations below applicable exposure limits, suitable respiration protection must be worn. Exposure limits should be monitored using suitable analytical equipment.
Respiratory protection	In situations where misting or flying may occur or exposure limits are otherwise exceeded, NIOSH approved respiratory protection should be worn.
Hand protection	Avoid skin contact. Impervious gloves should be worn for direct contact. Additional protection may be necessary to avoid skin contact including use of long sleeves, apron, face shield, boots, or full body protection.
Eye protection	Safety eye wear designed to protect against splash of liquids. Eye wash stations should be available where eye contact may occur.
Skin protection	Work clothes and closed footwear. Affected parts of the body should be washed with soap and water and rinsed thoroughly after contact.
Other protection	Facilities storing or using this material should be equipped with an eyewash facility and a safety shower.

9. Physical and chemical properties

Appearance	Amber-yellow liquid.
Odor	Slight ether-like.
Odor threshold	Not determined.
PH	5.0 - 6.0
Melting/Freezing point	< 32 F (0 C)
Initial boiling point and range	Not determined.
Flash point	>200 F (93 C)
Evaporation Rate	Not determined.
Flammability (solid, gas)	Not applicable (liquid.)
Lower explosive limit	Not determined.
Upper explosive limit	Not determined.
Vapor pressure	Not determined.
Vapor density	Not determined.
Relative density	1.157 @ 68 F (20 C)
Solubility	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition temperature	Not determined.
Viscosity	~ 4800 cps @ 68 F (20 C)

10. Stability and reactivity

Safety Data Sheet

1200 WearMax Scratch Concealer

Date: May 29, 2015

Version: 1

Page 4 of 5

Reactivity	Polymerization may occur.
Stability	Stable under normal conditions.
Possible hazardous reactions	Hazardous polymerization may occur at elevated temperatures and pressures or from incompatible materials
Conditions to avoid	Exposure to temperatures above 100 F and strong UV light sources.
Incompatible materials	Keep away from strong oxidizing agents, strong acids, strong alkalis and reactive metals.
Hazardous decomposition products	Decomposition products may include oxides of carbon, fumes containing organic acids and dense black smoke.

11. Toxicological information

The preparation has not been tested for toxicological effects. 90% of the ingredients in this product are of unknown acute toxicity. Based on known data for similar materials, it is expected to be of low toxicity. Based on known effects of the component materials, the product is classified for human health effects as indicated below.

Likely routes of exposure	Skin, eye, inhalation, ingestion.
Eye contact	May cause eye irritation.
Skin contact	Prolonged or repeated contact with skin or mucous membrane may result in irritation. May cause allergic skin reaction.
Inhalation	May cause respiratory irritation.
Ingestion	No known significant effects or critical hazards. May cause irritation to the digestive tract.
Target organ effects	None known.
Chronic effects	None known.
Medical conditions aggravated by exposure	None known.
Acute toxicity values	Not determined. Not classified as toxic based on ingredients.
Carcinogenicity status	None of the components of this product present at or above 0.1% concentration are listed as carcinogens, potential or suspected by the NTP, IARC or OSHA.

12. Ecological information

Eco-toxicity	The product has not been tested. Not classified for aquatic toxicity based on known component data. 90% of the ingredients in this product are of unknown hazards to the aquatic environment.
Persistence and degradability	Not determined.
Bioaccumulative potential	Not determined.
Mobility in soil	Not determined.
Other adverse effects	None known.

13. Disposal considerations

Dispose of material in accordance with federal, state and local regulations. Do not allow into drains or watercourses.

14. Transport information

Safety Data Sheet

1200 WearMax Scratch Concealer

Date: May 29, 2015

Version: 1

Page 5 of 5

DOT description Not regulated.

15. Regulatory information

Toxic Substances Control Act (TSCA)	All components of this product are included on or exempt from the TSCA inventory.
SARA Title III Section 302	The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.
SARA Title III Section 313	This product does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Proposition 65	This product does not contain any California Proposition 65 components.
VOC Content	This product is free of VOCs and HAPs.

16. Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of the suitability of this information to ensure proper use and to protect the health and safety of employees. The information in this SDS is meant as a description of the safety requirements of our product; it is not to be considered as a guarantee of the properties of the product. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Trustor Coatings, LLP believes the statements, technical information and recommendations contained herein are reliable. They are given without warranty or guarantee of any kind, expressed or implied.

DATE REVISED: May 29, 2015

PREPARED BY: Eric Anderson